FILE NAME: Kaiser Gypsum (KG)

DATE: 1972 Oct 5

DOC#: KG019

DOCUMENT DESCRIPTION: Memo RE Asbestos Labeling and Cement Sacks

KAISER CEMENT & GYPSUM CORPORATION

INTER-OFFICE MEMORANDUM

COPIES TO As Per Attached

DATE October 5, 1972

FROM J. C. McCoe JCM

SUBJECT ASBESTOS - LABELING PLASTIC AND PLASTIC GUN CEMENT SACKS

J. E. Toomey, at the request of Jim Parker, advises a Federal Regulation went into effect July 7, 1972 requiring labeling of asbestos-containing products. For this reason he urges immediate compliance for any Kaiser cements containing asbestos. He advises, "The caution label should be applied by stencil, stamps, stickers, or whatever may be the most convenient means for prompt compliance." The label shall state:

> CAUTION
>
> Contains Asbestos Fibers
> Avoid Creating Dust
> Breathing Asbestos Dust May Cause
> Serious Bodily Harm

Immediately below the label but not necessarily in lettering of the same size, insert "Above label is in compliance with Federal Regulations relating to Occupational, Safety, and Health Standards, 29 CFR 1910.93a."

cc: Ken Merrigan
Riverside Cement Co.

Joe Dobrowolski
California-Portland Cement Co.

FORM 150

#3506

DISTRIBUTION

E. J. Baldwin
R. R. Beck
R. M. Burch
G. C. Davis
P. J. Deutschman
H. F. Ecke
J. S. Farmer
R. G. Hagemeister
I. Harrison
P. A. Hawkins
R. J. Hoffman
M. S. Jared
A. H. Klem
E. M. Kulesza
G. R. Mass
J. T. McKellar
H. H. Middleton
B. J. Murphy
J. W. Nicoll
J. W. Post
R. E. Sharpe
A. L. Strong
J. I. Walker