**DON'T SAY IT—*WRITE IT***

cc: M. F. Bennett
D. D. Martin
P. W. Merry

, S-14, [redacted] JLG, IDB, TEM, WCB, WLS, WJM Location
LWT, RWK

From B. R. Renfro Location Phone No.

Subject E. I. B. 78-22 Handling Procedures for W-560 Date 9/25/78

Just a reminder that employees were to be covered on the attached E.I.B., and Personnel was to be notified of the employees covered. As of this date we have not received your list of those employees. Your cooperation in this matter is greatly appreciated.

Bruce

Bruce

ch

Attachment

G-88 REV. 10-62

**SAFE LIVING IS A LIFETIME PROPOSITION**



N36796

DUP50305124

Moberly Plant
August 22, 1978

EMPLOYEE INFORMATION BULLETIN 78-22

HANDLING PROCEDURES FOR W-560

Handling procedures for W-560, Blue Pigment, will be changed in compliance with new Environmental Protection Agency (EPA) regulations. The changes will involve special labels and procedures for disposing of the empty fiber barrels.

The regulations apply to "PCB Mixtures" containing over 500 ppm of PCB. PCB is a chemical compound, Polychlorinated Biphenyl, which has been found to have adverse environmental effects when disposed of improperly. This chemical is used primarily as the dielectric fluid in electrical transformers, and procedures controlling its use as such have been in effect for some time. The procedures now apply to materials, such as W-560, which contain relatively small amounts.

Improper disposal of empty containers (fiber drums) could result in the contamination of fish and wildlife with the ultimate effect on humans being that of skin lesions and liver damage if sufficient quantities of the contaminated fish and game are consumed as food.

Based on previous air sampling results and the low level of PCB's in W-560, we see no need for concern in handling this pigment and no further sampling is anticipated.

D.V. S.L
R.O. D.T.
M.V.
EB
M.R.
R.L.
J.S.
J.R.
CW
D.T.

All employees are to be covered on information contained in this bulletin beginning at 8:00 a. m. 8/23/78. Each foreman is asked to notify Personnel of the employees covered.

N36796.01

DUP050305125

**DON'T SAY IT—*WRITE IT***

cc: M. F. Bennett
D. D. Martin
P. W. Merry

To S-14, EJK, JLG, IDB, TEM, WCB, WLS, WJM Location
LWT, RWK

From B. R. Renfro Location Phone No.

Subject E. I. B. 78-22 Handling Procedures for W-560 Date 9/25/78

Just a reminder that employees were to be covered on the attached E.I.B., and Personnel was to be notified of the employees covered. As of this date we have not received your list of those employees. Your cooperation in this matter is greatly appreciated.

Bruce

Bruce

ch

Attachment

R. CRUTCHER
R. BLOCK
H. CASH
D. ELLIOTT
L. BUSH
H. RILES
C. KINGSTON
B. FOSTER
D. SAMEL
C. HOPPER
J. LUNTSFORD
B. SCHEMMER
D. JACOBY

G-88 REV. 10-62

SAFE LIVING IS A LIFETIME PROPOSITION

DUP05030512 6

Moberly Plant
August 22, 1978

EMPLOYEE INFORMATION BULLETIN 78-22

HANDLING PROCEDURES FOR W-560

Handling procedures for W-560, Blue Pigment, will be changed in compliance with new Environmental Protection Agency (EPA) regulations. The changes will involve special labels and procedures for disposing of the empty fiber barrels.

The regulations apply to "PCB Mixtures" containing over 500 ppm of PCB. PCB is a chemical compound, Polychlorinated Biphenyl, which has been found to have adverse environmental effects when disposed of improperly. This chemical is used primarily as the dielectric fluid in electrical transformers, and procedures controlling its use as such have been in effect for some time. The procedures now apply to materials, such as W-560, which contain relatively small amounts.

Improper disposal of empty containers (fiber drums) could result in the contamination of fish and wildlife with the ultimate effect on humans being that of skin lesions and liver damage if sufficient quantities of the contaminated fish and game are consumed as food.

Based on previous air sampling results and the low level of PCB's in W-560, we see no need for concern in handling this pigment and no further sampling is anticipated.

All employees are to be covered on information contained in this bulletin beginning at 8:00 a. m. 8/23/78. Each foreman is asked to notify Personnel of the employees covered.

DUP050305127

# DON'T SAY IT—*WRITE IT*

cc: M. F. Bennett
D. D. Martin
P. W. Merry

To S-14, EJK, JLG, IDB, TEM, WCB, WLS, WJM LWT, RWK Location

From B. R. Renfro Location Phone No.

Subject E. I. B. 78-22 Handling Procedures for W-560 Date 9/25/78

Just a reminder that employees were to be covered on the attached E.I.B., and Personnel was to be notified of the employees covered. As of this date we have not received your list of those employees. Your cooperation in this matter is greatly appreciated.

Bruce

Bruce

ch

Attachment

1. B. Cooch
2. A Kincaid
3. T. Tucker
4. T Clarke
5. T Beaupre

R Walk
J Halterman
R Clark
R Dayle
S O'Bryan
R Gipson

R Anderson
P Foster
D Foster
B. Koesler

G-BB REV. 10-62

SAFE LIVING IS A LIFETIME PROPOSITION

DUP050305128

Moberly Plant
August 22, 1978

EMPLOYEE INFORMATION BULLETIN 78-22

HANDLING PROCEDURES FOR W-560

Handling procedures for W-560, Blue Pigment, will be changed in compliance with new Environmental Protection Agency (EPA) regulations. The changes will involve special labels and procedures for disposing of the empty fiber barrels.

The regulations apply to "PCB Mixtures" containing over 500 ppm of PCB. PCB is a chemical compound, Polychlorinated Biphenyl, which has been found to have adverse environmental effects when disposed of improperly. This chemical is used primarily as the dielectric fluid in electrical transformers, and procedures controlling its use as such have been in effect for some time. The procedures now apply to materials, such as W-560, which contain relatively small amounts.

Improper disposal of empty containers (fiber drums) could result in the contamination of fish and wildlife with the ultimate effect on humans being that of skin lesions and liver damage if sufficient quantities of the contaminated fish and game are consumed as food.

Based on previous air sampling results and the low level of PCB's in W-560, we see no need for concern in handling this pigment and no further sampling is anticipated.

All employees are to be covered on information contained in this bulletin beginning at 8:00 a. m. 8/23/78. Each foreman is asked to notify Personnel of the employees covered.

DUP050305129

# DON'T SAY IT—*WRITE IT*

cc: M. F. Bennett
D. D. Martin
P. W. Merry

To S-14, EJK, JLG, IDB, TEM, ~~WCB~~, WLS, ~~WJM~~ LWT, RWK Location

From B. R. Renfro Location Phone No.

Subject E. I. B. 78-22 Handling Procedures for W-560 Date 9/25/78

Just a reminder that employees were to be covered on the attached E.I.B., and Personnel was to be notified of the employees covered. As of this date we have not received your list of those employees. Your cooperation in this matter is greatly appreciated.

Bruce

Bruce

ch

Attachment

E. OCWINGS
M. MANN
R. SchmidT
C. Redding
S. STEPHENSON
D. KENDRICK
D. YOWELL
G. BENNETT

M. Riles
C-Hicks
S. Bole
J. METZGER
B. J SMITH

G-88 REV. 10-62

**SAFE LIVING IS A LIFETIME PROPOSITION**

DUP050305130

Moberly Plant
August 22, 1978

EMPLOYEE INFORMATION BULLETIN 78-22

HANDLING PROCEDURES FOR W-560

Handling procedures for W-560, Blue Pigment, will be changed in compliance with new Environmental Protection Agency (EPA) regulations. The changes will involve special labels and procedures for disposing of the empty fiber barrels.

The regulations apply to "PCB Mixtures" containing over 500 ppm of PCB. PCB is a chemical compound, Polychlorinated Biphenyl, which has been found to have adverse environmental effects when disposed of improperly. This chemical is used primarily as the dielectric fluid in electrical transformers, and procedures controlling its use as such have been in effect for some time. The procedures now apply to materials, such as W-560, which contain relatively small amounts.

Improper disposal of empty containers (fiber drums) could result in the contamination of fish and wildlife with the ultimate effect on humans being that of skin lesions and liver damage if sufficient quantities of the contaminated fish and game are consumed as food.

Based on previous air sampling results and the low level of PCB's in W-560, we see no need for concern in handling this pigment and no further sampling is anticipated.

All employees are to be covered on information contained in this bulletin beginning at 8:00 a. m. 8/23/78. Each foreman is asked to notify Personnel of the employees covered.

DUP050305131

BR Renfro ~~LARRY~~

# DON'T SAY IT—*WRITE IT*

cc: M. F. Bennett
D. D. Martin
P. W. Merry

To S-14, EJK, JLG, IDB, TEM, WCB, WLS, WJM Location
LWT, RWK

From ~~B. R. Renfro~~ Location Phone No.

Subject E. I. B. 78-22 Handling Procedures for W-560 Date 9/25/78

Just a reminder that employees were to be covered on the attached E.I.B., and Personnel was to be notified of the employees covered. As of this date we have not received your list of those employees. Your cooperation in this matter is greatly appreciated.

Bruce

Bruce

ch

Attachment

B. Inglis
B. Byler
H. Abeln
B. Peterson
B. Corn
B. Rinehart
H. Kaneer
B. Gunn
D. Fox
J. Gandy
R. McNear

G-88 REV. 10-62

SAFE LIVING IS A LIFETIME PROPOSITION

DUP050305132

Moberly Plant
August 22, 1978

EMPLOYEE INFORMATION BULLETIN 78-22

HANDLING PROCEDURES FOR W-560

Handling procedures for W-560, Blue Pigment, will be changed in compliance with new Environmental Protection Agency (EPA) regulations. The changes will involve special labels and procedures for disposing of the empty fiber barrels.

The regulations apply to "PCB Mixtures" containing over 500 ppm of PCB. PCB is a chemical compound, Polychlorinated Biphenyl, which has been found to have adverse environmental effects when disposed of improperly. This chemical is used primarily as the dielectric fluid in electrical transformers, and procedures controlling its use as such have been in effect for some time. The procedures now apply to materials, such as W-560, which contain relatively small amounts.

Improper disposal of empty containers (fiber drums) could result in the contamination of fish and wildlife with the ultimate effect on humans being that of skin lesions and liver damage if sufficient quantities of the contaminated fish and game are consumed as food.

Based on previous air sampling results and the low level of PCB's in W-560, we see no need for concern in handling this pigment and no further sampling is anticipated.

All employees are to be covered on information contained in this bulletin beginning at 8:00 a. m. 8/23/78. Each foreman is asked to notify Personnel of the employees covered.

DUP050305133

# DON'T SAY IT—*WRITE IT*

cc: M. F. Bennett
D. D. Martin
P. W. Merry

To S-14, EJK, JLG, IDB, TEM, WCB, WLS, WJM, LWT, RWK Location

From B. R. Renfro Location Phone No.

Subject E. I. B. 78-22 Handling Procedures for W-560 Date 9/25/78

Just a reminder that employees were to be covered on the attached E.I.B., and Personnel was to be notified of the employees covered. As of this date we have not received your list of those employees. Your cooperation in this matter is greatly appreciated.

Bruce

Bruce

ch

Attachment

Lab employees covered.

T. Foster
S. Dennis
S. Ballew
H. Roberts
D. Dangaard
U. Hendren
M. Mallory
G. Harbison
P. Duffert
D. Gebhardt
R. Keller
D. Spears
U. Fehling
E. Block

F. Keller not covered on disability

R Keller 9/28/78

G-88 REV. 10-62

SAFE LIVING IS A LIFETIME PROPOSITION

DUP050305134

Moberly Plant
August 22, 1978

EMPLOYEE INFORMATION BULLETIN 78-22

HANDLING PROCEDURES FOR W-560

Handling procedures for W-560, Blue Pigment, will be changed in compliance with new Environmental Protection Agency (EPA) regulations. The changes will involve special labels and procedures for disposing of the empty fiber barrels.

The regulations apply to "PCB Mixtures" containing over 500 ppm of PCB. PCB is a chemical compound, Polychlorinated Biphenyl, which has been found to have adverse environmental effects when disposed of improperly. This chemical is used primarily as the dielectric fluid in electrical transformers, and procedures controlling its use as such have been in effect for some time. The procedures now apply to materials, such as W-560, which contain relatively small amounts.

Improper disposal of empty containers (fiber drums) could result in the contamination of fish and wildlife with the ultimate effect on humans being that of skin lesions and liver damage if sufficient quantities of the contaminated fish and game are consumed as food.

Based on previous air sampling results and the low level of PCB's in W-560, we see no need for concern in handling this pigment and no further sampling is anticipated.

All employees are to be covered on information contained in this bulletin beginning at 8:00 a. m. 8/23/78. Each foreman is asked to notify Personnel of the employees covered.

DUP050305135