

U.S. Department of Labor

Occupational Safety and Health Administration
1425 W. Pioneer Drive, Suite 230
Irving, Texas 75061-7181 214/259-6683
Reply to the Attention of Metro: 251-1786

**PLAINTIFF'S
EXHIBIT**

TPI-13

July 19, 1985

Mr. Charles Kuenemann
Safety and Security Manager
Tyler Pipe
P. O. Box 2027
Tyler, Texas 75710


Dear Mr. Kuenemann:

A summary of employee exposure results from samples collected for airborne silica (Quartz) on May 15 and May 21, 1985, follows in accordance with your request of June 24, 1985:

JOB TITLE	PERMISSIBLE EXPOSURE LEVEL	3-HOUR TIME-WEIGHTED AVERAGE
Location: "234" Molding Line - May 15, 1985		
Slinger Operator		Non-detected
Muller Operator	0.769 mg per cubic meters	0.746. mg per cubic meters
Slinger Operator	2.44 mg per cubic meters	1.57 mg per cubic meters
Location: "456" Molding Line - May 21, 1985		
Slinger Operator	0.315 mg per cubic meters	0.634 mg per cubic meters
Core Setter	0.705 mg per cubic meters	1.266 mg per cubic meters
Muller Operator		Non detected

Thank you for your continued interest in employee safety and health.

Sincerely,


JAMES T. KNORPP
Area Director
Dallas Area Office