




**Johns-Manville  
Sales Corporation**

Greenwood Plaza  
Denver, Colorado 80217  
(303) 770-1000  
503-977-1000



November 26, 1975

*Trutt:*

*I suggest we join as suggested*

Mr. J. E. Keith  
Rostone Corporation  
P.O. Box 1497  
2450 Sagamore Parkway South  
Lafayette, Indiana 47902

*Jo: pick  
more ahead  
get our info  
in hand  
for*

Dear Mr. Keith:

We understand the concerns you bring up in your letter of Nov. 4th to Frank Angelos with reference to the OSHA proposal of 0.5 fibers/c.c.

J.M. has formed a task force to study and develop information on the following broad subjects, viz


- 1) Medical
- 2) Legal
- 3) Feasibility and economic impact on J.M.
- 4) Feasibility and economic impact on the asbestos industry.

Since A.I.A./N.A. has a medical consultant (Dr. Hans Weill) our medical group will provide him with information as developed and, in fact, they will be in frequent consultation with him. Dr. Weill, in turn, will provide the necessary information to A.I.A./N.A. for the benefit of its members.

I have accepted the responsibility of providing the A.I.A./N.A. with information as developed on items (2), (3) and (4).

At the present time, we do not know whether any asbestos using J.M. plant in the U.S. can conform to the proposed standard. Undoubtedly certain areas or operations of each plant can be made to conform to 0.5 fibers, whereas others cannot, based on existing technology. However, we will develop this information over the next several weeks.

MMRE00012953



R 00004044

November 26, 1975

At this time, we would have no opinion as to whether or not Rostone Corp. can achieve a level of 0.5 fibers/c.c. in your manufacturing operation. It would be our suggestion that you compile the dust count information from the various stations at your plant to determine where you are to-day. Only after this is done would it be possible to address the question you have raised.

Obviously, it will not be possible for J.M. to provide technical assistance on this subject to all its customers and our advice to each one is to join the A.I.A./N.A. and thereby benefit from the input from J.M., Raybestos-Manhattan, G.A.F., Flintkote and etc.

Asbestos Information Assoc.  
Attn. Mr. R. H. Mereness, Exec. Director  
1660 L. St. N.W.  
Washington, D.C. 20036

Finally, both J.M. and A.I.A./N.A. have requested an extension of 120 days from the Dec. 8, 1975 date for the filing of objections to the proposed standard. Also, prior to the public hearings on this issue, OSHA will complete and publish an inflationary impact statement. We can assure you that J.M. will make a presentation at the hearings as well as the A.I.A./N.A. and many others.

Yours very truly,

  
N. W. Hendry  
General Sales Manager

cc: F. J. Angelos - Waukegan  
R. P. Carter - J-M Denver  
R. A. Cree - J-M Oak Brook

MMRE00012954

R 00004045