

TABLE II

INTERLABORATORY COMPARISON OF ANALYTICAL RESULTS FOR TREMOLITE
IN COSMETIC TALCUM-TYPE POWDERS

SAMPLE NO.	RESULTS		
	N.Y.U. (X-RAY DIFFRACTION)	FDA ^a (OPTICAL MICROSCOPY)	PFIZER ^b (X-RAY DIFFRACTION)
1	n.d. (not detected)		
2	n.d.		
3	n.d.		
4	n.d.		
5	n.d.		
6	n.d.		
7	n.d.		
8	n.d.		
9	n.d.		
10	n.d.		
11	n.d.		
12	n.d.		
13	n.d.		
14	n.d.		
15	n.d.		
16	--c		
17	n.d.		
18	n.d.		
19	n.d.		
20	n.d.		
21	n.d.		
22	n.d.		

PLAINTIFF'S
EXHIBIT
WCD-98

<u>SAMPLE NO.</u>	<u>RESULTS</u>		
	<u>N. Y. U.</u> <u>(X-RAY DIFFRACTION)</u>	<u>FDA</u> <u>(OPTICAL MICROSCOPY)</u>	<u>PFIZER</u> <u>(X-RAY DIFFRACTION)</u>
23	n. d.		
24	n. d.		
25	n. d.		
26	n. d.		
27	n. d.		
28	n. d.		
29	n. d.		
30	n. d.		
31	n. d.		
32	n. d.		
33	n. d.		
34	n. d.		
35	n. d.		
36	n. d.		
37	n. d.		
38	n. d.		
39	n. d.		
40	n. d.		
41	n. d.		
42	n. d.		
43	n. d.		
44	--		
45	n. d.		
46	n. d.		
47	n. d.		
48	n. d.		

SAMPLE NO.	RESULTS		
	N. Y. U. (X-RAY DIFFRACTION)	FDA (OPTICAL MICROSCOPY)	PFIZER (X-RAY DIFFRACTION)
49	n. d.		
50	n. d.		
51	n. d.		
52	n. d.		
53	n. d.		
54	n. d.		
55	n. d.		
56	n. d.		
57	n. d.		
58	n. d.	n. d.	
59	n. d.		
60	n. d.	n. d.	
61	n. d.	n. d.	
62	n. d.		
63	5%	moderate amount	
64	n. d.		
65	n. d.		
66	n. d.		
67	2%		
68	n. d.		
69	n. d.		
70	n. d.	small amount	
71	3%	n. d.	
72	n. d.	n. d.	
73	n. d.		
74	n. d.	small amount	

SAMPLE NO.	RESULTS		
	N. Y. U. (X-RAY DIFFRACTION)	FDA (OPTICAL MICROSCOPY)	PFIZER (X-RAY DIFFRACTION)
75	n.d.		
76	5%		
77	3%	small amount	
78	5%	moderate amount	
79	n.d.		
80	n.d.	n.d.	
81	n.d.		
82	n.d.		
83	n.d.		
84	n.d.		
85	n.d.	n.d.	
86	n.d.		
87	n.d.	n.d.	
88	4%	large amount	
89	5%	large amount	1.6%
90	3%	large amount	
91	n.d.		
92	5%	large amount	
93	5%	large amount	
94	4%	large amount	1.9%
95	2%		
96	8%	moderate amount	0.7%
97	12%	large amount	8.1%
98	n.d.		
99	n.d.	n.d.	
100	n.d.	very small amount	

SAMPLE NO.	RESULTS		
	N. Y. U. (X-RAY DIFFRACTION)	FDA (OPTICAL MICROSCOPY)	PFIZER (X-RAY DIFFRACTION)
101	15% <i>160 microns Syringic Acid</i>	large amount	10 to 15%
102	10% <i>Tosca Dye</i>	large amount	
103	n.d.		
104	n.d.		
105	n.d.		
106	n.d.		
107	n.d.	n.d.	
108	2% <i>Recon Tutinacate Refinement</i>		
109	2% <i>From Water Bath (Boiler)</i>		
110	n.d.		
111	1% <i>Indepine 1000</i>		
112	n.d.		
113	n.d.		
114	n.d.		
115	n.d.		
116	n.d.		
117	n.d.		
118	n.d.		
119	n.d.		
120	n.d.		
121	n.d.		
122	n.d.		
123	n.d.		
124	n.d.		
125	n.d.		
126	n.d.		

RESULTS

SAMPLE NO.	RESULTS		
	N. Y. U. (X-RAY DIFFRACTION)	FDA (OPTICAL MICROSCOPY)	PFIZER (X-RAY DIFFRACTION)
127	n. d.		
128	n. d.		
129	n. d.		
130	trace		
131	trace		
132	n. d.		
133	n. d.		
134	n. d.		
135	n. d.		
136	n. d.		
137	n. d.		
138	n. d.		
139	n. d.		
140	n. d.		
141	n. d.		
142	n. d.		
143	5%	<i>small amount (Purification Beauty Lead)</i>	
144	5%	<i>Overtone: "High Brown" Face Powder</i>	
145	n. d.		
146	n. d.		
147	n. d.		
148	2%	<i>small amount (Lash, Beauty Face Powder)</i>	
149	8%	<i>present (Bath, Beauty Face Powder)</i>	
150	n. d.		
151	n. d.		
152	n. d.	n. d.	

RESULTS

SAMPLE NO.	N. Y. U.	FDA	PFIZER
	(X-RAY DIFFRACTION)	(OPTICAL MICROSCOPY)	(X-RAY DIFFRACTION)
153	n. d.		
154	2% <i>Starch</i>	small amount	approx. 0.5%
155	n. d.		
156	2% <i>Alumina</i>		
157	6% <i>Alumina</i>		
158	n. d.		
159	n. d.		
160	n. d.		
161	n. d.		
162	n. d.		
163	10% <i>Alumina</i>	large amount	3.8%
164	n. d.	n. d.	
165	n. d.		
166	n. d.		
167	2% <i>Alumina</i>		
168	--		
169	--		
170	n. d.		
171	n. d.		
172	2% <i>Alumina</i>		
173	n. d.		
174	n. d.		
175	n. d.		
176	n. d.		
177	n. d.		
178	n. d.		

SAMPLE NO.	RESULTS		
	N. Y. U. (X-RAY DIFFRACTION)	FDA (OPTICAL MICROSCOPY)	PFIZER (X-RAY DIFFRACTION)
179	n. d.		
180	n. d.		
181	n. d.		
182	n. d.		
183	1%		
184	3%		
185	n. d.		
186	n. d.		
187	2%		
188	1%		
189	1%		
190	n. d.		
191	n. d.		
192	n. d.		
193	n. d.		
194	n. d.		
195	n. d.		

*Trace of talc (183), 184, 187, 188, 189, 190, 191, 192, 193, 194, 195)
 Hardly, most is talc. Some talc is present.
 Hardly, some talc. Some talc is present.
 Which has been talc.
 Hardly, some talc.*

Footnotes:

- Work done by Mr. Arnold E. Schulze, Division of Microbiology. (See Appendix A)
- Pfizer, Inc.; Minerals, Pigments, and Metals Division, Easton, Pa.
- The use of a dash means that the powder does not contain talc and therefore is not expected to contain tremolite or chrysotile as contaminants. No asbestos was found.