

FILE NAME: Pennsylvania Asbestos (PAA)

DATE: 1961-1969

DOC#: PAA009

DOCUMENT DESCRIPTION: Sun Shipbuilding Documents from Chester, PA
with BC Comments

Sun Shipbuilding

11/28/61 Plant info record lists
occ. hazards not incl. est.

5/22/69 visited the company to
deliver the film "Hidden Hazards"

3/28/69 State approves air recirculation
system, whose approval the
company requested 3/13/69

3/10/69 Film "Call in a Day's Work"
shown to mgmt. who said it was
"too technical" to show employees
— refers to pipe insulation work
for which the company had contacted
"Claude Stevens to do their asbestos
dust counting."

Some other documents on welding and
other hazards incl. names of manage-
ment & officials.

REGION		COUNTY		PLANT NAME - ALPHABETIC	
COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF HEALTH DIVISION OF INDUSTRIAL HYGIENE PLANT INFORMATION RECORD					
PLANT		Sun Shipbuilding & Dry Dock Company			
ADDRESS		Foot of Morton Ave.			
		Chester, Pa.			
PRODUCT OR SERVICE		Shipbuilding & repair			
PERSON INTERVIEWED		William Feehan, Safety Engineer			
PHYSICIAN		C. E. Feddermar, M. D.			
		Chester, Pa.			
DENTIST		none First aid: Mr. Noel			
NURSE		Mrs. Foley & Miss Finnegan, R. N. Mr. Orangers			
		First aid: Mr. Noel and Mr. Shields			
SAFETY SUPERVISOR		Safety Department (6 men staff)			
INDUSTRIAL HYGIENIST		none			
INSURANCE CARRIER		self-insured			
LEGAL OWNER		Sun Oil Company			
RECOMMENDATIONS		none			
REMARKS Plant manufacturers tankers and cargo ships. Also some repair work done on recommissioned naval vessels. Active safety safety program in plant. Modern medical facilities. No previous nunch card on file					
TYPE OF VISIT		Inspection		DATE Nov. 28, 1961 BY Szabo	
LIST HAZARDS AND CONTROL MEASURES ON REVERSE SIDE					
PERSONNEL		RECOMM.		SURVEY	
HAZARDS		CONTROL MEASURES			

Original of an Original Record
 HAZARDOUS
 STATE ARCHIVES
 Harrisburg, PA 17120-0099

OPERATION	HAZARD	CONTROL MEASURE
Receiving		
Metal Burning	iron oxide fumes, ozone, I.R. heat, oxides of nitrogen	automatic operation general ventilation
Sheering	steel dust, dermatitis noise (no measurement)	personal hygiene & general ventilation
Welding		
Electric	iron oxide fumes, ozone, U.V., I.R.	welder's helmet
Helicarc	heat, oxides of nitrogen	general ventilation
Chipping	steeldust, silicon carbide dust - noise	general ventilation
Brake	steel dust, noise	general ventilation
Annealing (oil fired)	iron oxide fumes, CO, CO2 gas heat, dermatitis	general ventilation personal hygiene
Forging	steel dust, heat dermatitis	general ventilation personal hygiene
Quenching	smoke, heat, oil mist dermatitis	general ventilation personal hygiene
Spray Painting	paint pigment mist Toluol, Xylol vapor & mist	respirators, air line mask general ventilation fan in room
Radiography		
Cobalt 60 cameras	Gamma radiation	distance, shielding
X-ray machine	X-radiation	distance, shielding

Reproduction of an Original Record
 Photo Credit

PA FILE ARCHIVES

363 North 3rd St. Harrisburg, PA 17120-0084
 For info call 717-633-2222 or 1-800-392-2222

REGION I

DEPARTMENT OF HEALTH

PROD. MFG. OR SERVICE

OCCUPATIONAL HEALTH

ship building

DATE OF ACTIVITY 5/22/69

FIELD ACTIVITY REPORT

EMPLOYEES	COUNTY
MALE	<u>Delaware</u>
FEMALE	IND. CODE
TOTAL <u>3000</u>	<u>2731</u>

PLANT

Sun Shipbuilding & Dry Dock

ADDRESS

Chester Pa.

ZIP

19013

PHONE

215-SA6-9500

PERSON INTERVIEWED

Mr. Joseph Ross

TITLE

Chemist

PURPOSE: INVEST.; SURVEY; INSPECT.; PRELIM.; F.U.I. CONF.; VISIT;

REASON: SELF-INIT.; O.D. REP.; COMPL.; REQUEST; SOURCE

SPECIFIC HAZARD OR CONDITION	WORKERS EXPOSED	RECOMMENDATIONS	ACCOMPLISHED		
		WRITTEN - - - VERBAL	YES	NO	IN PROG.
		<u>See remarks</u>			

SAMPLES COLLECTED
(NO. & KIND)

TOTAL

DETERM. MADE
(NO. & KIND)

TOTAL

MEDICAL - O.D. REPORTED, NO. & KIND

PUNCH CARD

YES ☒

NO ☐

FOLDER

YES ☒

NO ☐

REMARKS:

Visited the company to delivery the film "Hidded Hazards."
E. Nunez was out sick, film left with Ross.

As To Station of an Original Record
Please Credit:
PA STATE ARCHIVES
800 North Street, Harrisburg, PA 17120-0000
PA Historical & Museum Commission

BY W. Chrostek

RH LTG

WINS 0

SUBJECT

*Sun Shipbuilding Co
Chester*THRU: Ronald T. Richards, Ind. Hygienist
Division of Occupational Health*V. R. M. Leon Kanchur**Reg. I*

FROM

Central Office
Harrisburg*To*

Our records show survey pending for

310

Refer to

*FA*dated *10-10-68*

Indicate below on this memo what you plan to do and return the carbon copy to us. This file is in suspense pending clarification.

4/10/69
(date)

*a survey will be conducted at the
above plant in the next two weeks*

*W. Christie**DPF
4-11-69*

Reproduction of an Original Record
Please Credit:

PA STATE ARCHIVES

930 North Second, Harrisburg, PA 17120-0090
PA Historical & Museum Commission

1400 West Spring Garden Street
Philadelphia, Pennsylvania 19130

March 28, 1969

Sun Shipbuilding and Dry Dock Company
Foot of Morton Avenue
Chester, Pennsylvania 19013

Attention: Mr. William Acton
Manager of Industrial Relations

Gentlemen:

Approval is granted to use the air recirculation systems (8 units)
which you specify in your application of March 13, 1969.

Any alteration to or change in the material handled by the systems,
or any additional systems, will require another request for approval.

Our Hygienic Information Guide entitled "Air Recirculation" and
Article 432, as revised, are enclosed.

Very truly yours,

Leon T. Gonschor
Regional Industrial Hygienist
Human Services - Region I

LTO/p

Enclosures

Reproduction of an Original Process
Fiducia Credit
PA STATE ARCHIVES
See Photo State Historical PA 17128-0039
PA Historical & Museum Commission



Handwritten initials or signature, possibly "J. L. C."

REGION I
PROD. MFG. OR SERVICE ship building
DATE OF ACTIVITY 3/18/69

DEPARTMENT OF HEALTH
OCCUPATIONAL HEALTH

FIELD ACTIVITY REPORT

EMPLOYEES	COUNTY
MALE _____	Delaware
FEMALE _____	IND. CODE
TOTAL <u>3,000</u>	3731

PLANT		
Sun Shipbuilding & Dry Dock Co.		
ADDRESS	ZIP	PHONE
Chester Pa.	19013	215-SA6-9500
PERSON INTERVIEWED	TITLE	
Mr. William Acton	Mgr. of Ind. Relations	

PURPOSE: INVEST.; SURVEY; INSPEC'T.; PRELIM.; F.U.; CONF.; VISIT; letter from company

REASON: SELF-INIT.; O.D. REP.; COMPL.; REQUEST; SOURCE 30 day reply requested

SPECIFIC HAZARD OR CONDITION	WORKERS EXPOSED	RECOMMENDATIONS	ACCOMPLISHED		
		R(10/11/68) WRITTEN -- VERBAL	YES	NO	IN PROG.
Air recirculation	50	Request permission to recirculate air	x		

[illegible]

DETERM. MADE _____ TOTAL _____
(NO. & KIND) _____

MEDICAL - O.D. REPORTED, NO. & KIND

PUNCH CARD

YES ☒

NO.

FOLDER

YES ☒

NO

REMARKS:

Attached are the A.R. forms to be submitted to committee for review.

Addendum:

Discussed w J.W.K. by phone 3/25/67

Approved

18

Reproduction of an Original Record

Page 2007

PA STATE ARCHIVES

360 North Street, Harrisburg, PA 17129-0090

PA Historic & Museum Commission

BY W. Chrostek

RIN LTC

WINS_0

SUN SHIPBUILDING & DRY DOCK CO.

CHESTER, PENNSYLVANIA

R. GALLOWAY
VICE PRESIDENT
DIRECTOR OF OPERATIONS

March 13, 1969

Mr. Leon T. Gonshor
Regional Industrial Hygienist
Human Services - Region I
Department of Health
1400 West Spring Garden Street
Philadelphia, Pennsylvania 19130

Dear Mr. Gonshor:

We are enclosing an application for approval of Air Recirculation System. You will note that the application covers eight (8) machines that are used in our 47 Fabricating Shop. We are also attaching a sketch of the Fab Shop and you will note that we have indicated in red openings to the outside. This sketch also shows the size of these openings.

I regret the delay in submitting this application; it was misplaced.

Very truly yours,



WM. ACTON
Manager of Industrial Relations

WA:cm
Enc.

Reproduction of an Original Record
FBI/DOJ

PA STATE ARCHIVES

550 North Second Street, Harrisburg, PA 17120-0000
PA Historical & Museum Commission

Architectural drawing of a building elevation. The drawing shows a structure with a gabled roof on the left and a lower, hipped roof on the right. Dimensions are provided in feet and inches:


- Left section height: 59' 6 1/2"
- Left section width: 65' 5 1/4"
- Right section height: 46' 0"
- Right section width: 52' 0"
- Far right section height: 21' 0"
- Far right section width: 20' 0"
- Overall right section height: 61' 8"
- Overall right section width: 94' 3"

Roof

FLOOR AREA 209,260 SQ. FT.

FLOOR CONST. DIRT

SECTION "A-A"



1.1 INDICATES OPENINGS AND SIZE TO OUTSIDE

CRANE DATA

CRANE NO.	SPAN	HOOK HT.	SWAYING	SWAYING	SWAYING
15-2042	80'	57'-1"	60'	20T	5'
15-3051	80'	57'-1"	60'	30T	5'
15-3054	80'	57'-4"	60'	30T	10T
15-1515	80'	52'-5"	60'	15T	-
15-1051	80'	28'-8"	32'	10T	5'
15-2057	80'	29'-10"	32'	20T	5'
15-1511	80'	28'-4"	32'	15T	-
15-1558	80'	29'-5"	32'	10T	5'
15-1015	30'	18'-5"	21'	15T	-
15-1513	76'-6"	53'-7"	56'-3"	15T	-
15-1015	76'-6"	53'-7"	56'-3"	10T	-

SUN SHIPBUILDING
& D.D.CO.
C. I. FARM. SHOP
DATE 5-22-62

BLDG. NO.

25

Reproduction of an Original Record
Please Credit:

PA STATE ARCHIVES

360 PA 17129-009
PA State Archives, 360 Chest. Harrisburg, PA 17129-009

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF HEALTH
OCCUPATIONAL HEALTH

EACH SYSTEM REQUIRES
SEPARATE APPLICATION

APPLICATION FOR APPROVAL OF AIR RECIRCULATION SYSTEM

DATE March 13, 69

PLANT NAME Sun Shipbuilding & Dry Dock Company

ADDRESS Foot of Morton Avenue

CITY AND ZIP CODE

Chester, Pennsylvania 19013

COUNTY

Delaware

CONTAMINANTS COLLECTED

Ferric Oxide
Zinc

LOCATION OF AIR RECIRCULATION SYSTEM

(DEPARTMENT, BUILDING, ROOM, ETC.)

Eight (8) machines in 47 Fabrication Shop.

LIST OPERATIONS EXHAUST VENTILATED TO COLLECTOR AND ALL MATERIALS USED IN THESE OPERATIONS

OPERATIONS

Vacu-blasting

Steel Shot

MATERIALS USED IN OPERATION (SPECIFIC INGREDIENTS)

AIR RECIRCULATION SYSTEM INFORMATION

MANUFACTURER OF COLLECTOR Chamberlain's Vacu-Blast Sales Co., Inc. Cinnaminson, NJ.

MODEL NUMBER

S-1-HPASF-50-U4

TYPE COLLECTOR

Vacu-blaster

AIR VOLUME RATE
OF SYSTEM

55 CFM

DAILY OPERATION

TIME 6 hours

DIMENSIONS OF ROOM TO WHICH AIR IS RECIRCULATED

47 LENGTH 1,040 FT.

8 WIDTH 201 FT.

h HEIGHT 84 FT.

p NUMBER OF EMPLOYEES FULL TIME Approx. 50
IN THE AREA PART TIME

QUANTITY OF MAKE-UP AIR SUPPLIED TO AREA Natural Ventilation

LIST SPECIFIC REASONS WHY SYSTEM

CANNOT BE EXHAUSTED TO THE OUTSIDE Nature of machine essentially is a vacuum cleaner.

COLLECTOR EFFICIENCY DATA 95% by centrifugal cyclone. The rest collected by a dust pot and dust bag collector.

MAINTENANCE PROGRAM (DESCRIBE) Dust pot and filters and emptied each shift.

SOURCE OF MAKE-UP AIR Natural Ventilation

OTHER EXHAUST VENTILATION

SYSTEMS IN THE AREA (DESCRIBE) None

TITLE Manager of Industrial Relations

SIGNATURE

[Signature]

PHONE

TR 6-9121

EXTENSION NUMBER

454

FOR DEPARTMENTAL USE ONLY

☒ REGION REPORT AND RECOMMENDATIONS ON REVERSE SIDE

APPLICATION NO.

REGION I DATE REC'D 3/18/69 BY WC

COMMITTEE DATE REC'D BY

REGION DATE REC'D BY

PLANT NOTIFIED DATE NOTIFIED 3/28/69 BY WC

COMMITTEE ACTION:

☐ APPROVED

☐ DISAPPROVED

☐ APPROVED (CONDITIONAL)

CONDITIONS:

APPROVED

Pennsylvania Dept. of Health
Division of Occupational Health


(USE REVERSE SIDE FOR ADDITIONAL COMMENTS)

3/28/69

Considering contaminants (Zinc and iron oxide dusts) and size of building and opening, I recommend that these units be approved.

Walter Chrostek

O.K. - 200 3/20/69 + J.W.K. by phone



RECEIVED

MAR 18 1969

Regional Office

Reproduction of an Original Record
Please Credit:

PA STATE ARCHIVES

300 North Street, Harrisburg, PA 17120-0060

PA Historical & Museum Commission

FIELD ACTIVITY REPORT

REGION I
 PROD. MFG. OR SERVICE Ship building
 DATE OF ACTIVITY 3/10/69

1. File 1/1
 2. Prod. more
 3. File

EMPLOYEES	COUNTY
MALE	<u>Delaware</u>
FEMALE	IND. CODE
TOTAL <u>5,000</u>	<u>2731</u>

PLANT

Sun Ship Building Company

ADDRESS

Chester, Pa.

ZIP

19013

PHONE

215-SA6-9500

PERSON INTERVIEWED

Mr. Lloyd Piccin

TITLE

Safety Director

PURPOSE: INVEST.; SURVEY; INSPECT.; PRELIM.; F.U.I. CONF.; VISIT;

REASON: SELF-INIT.; O.D. REP.; COMPL.; REQUEST; SOURCE

SPECIFIC HAZARD OR CONDITION	WORKERS EXPOSED	RECOMMENDATIONS		ACCOMPLISHED		
		WRITTEN	VERBAL	YES	NO	IN PROG.
		See remarks				

SAMPLES COLLECTED
 (NO. & KIND)

TOTAL

DETERM. MADE
 (NO. & KIND)

TOTAL

MEDICAL - O.D. REPORTED, NO. & KIND

PUNCH CARD

YES ☒NO ☐

FOLDER

YES ☒NO ☐

REMARKS:

A visit was made to the above company to show the film "All in a Days Work". Twelve people attended the showing all from safety and top management. The consensus of opinion was that the film was too technical and could not be shown to all employees. Company is going to request the film "Hidden Hazards" and see if it would not fit in better to their program.

During the course of my visit with Mr. Ross, chemist, at the above company, I learned that the company is going to start insulating pipes and has contacted Clarke Stevens to do their asbestos dust counting. This may be of interest to this department.

Reproduction of an Original Record
 Please Credit:

PA STATE ARCHIVES

800 North Second, Harrisburg, PA 17120-0009
 PA Historical & Museum Commission

by W. Chrostek

RIN LTG

WINS 2.0

DEPARTMENT OF HEALTH
OCCUPATIONAL HEALTH

EMPLOYEES	COUNTY
MALE	Delaware
FEMALE	IND. CODE
TOTAL 3,000	3731

 REGION I
 PROD. MFG. OR SERVICE
Ship Building
 DATE OF ACTIVITY 1/9/69

FIELD ACTIVITY REPORT

PLANT

Sun Ship Building Company

ADDRESS

Chester Pa.

PERSON INTERVIEWED

Mr. Joseph Ross

ZIP

19013

PHONE

215
5A6-9500

TITLE

ChemistPURPOSE: INVEST.; SURVEY; INSPECT.; PRELIM.; F.U.; CONF.; VISIT; Phone

REASON: SELF-INIT.; O.D. REP.; COMPL.; REQUEST; SOURCE

SPECIFIC HAZARD OR CONDITION	WORKERS EXPOSED	RECOMMENDATIONS	ACCOMPLISHED		
			YES	NO	IN PROG.
<u>Recirculation</u>	<u>500</u>	<u>R(10/11/68) Request permission to recirculate</u>			
		<u>air on vacuum blasters</u>			

SAMPLES COLLECTED
(NO. & KIND)

TOTAL

DETERM. MADE
(NO. & KIND)

TOTAL

MEDICAL - O.D. REPORTED, NO. & KIND

PUNCH CARD

YES ☒NO ☐

FOLDER

YES ☒NO ☐

REMARKS:

Mr. Ross called this office and requested 3 sets of
recirculation forms as they have three different models. Forms
were sent on 1/9/69.

 Reproduction of an Original Record
 Please Credit:

PA STATE ARCHIVES

 330 North Street, Harrisburg, PA 17120-0090
 PA Historical & Museum Commission
BY W. Chrostek RHH LTCWINS 6

1100 West Spring Garden Street
Philadelphia, Pennsylvania 19130

October 11, 1968

Sun Shipbuilding and Drydock Company
Foot of Horton Street
Chester, Pennsylvania

Attention: Mr. William B. Acton
Manager of Industrial Relations

Gentlemen:

On October 10, 1968, Walter J. Chrostak, industrial hygienist, visited your plant. Mr. Joseph Ross, chemist, accompanied the industrial hygienist. As a result of this visit, the following recommendation is made:

Request approval in accordance with Article 432, Section 6A, to recirculate air from the local exhaust ventilation system on the vacuum blaster. An application in triplicate is necessary (forms enclosed) and should be submitted to this office within 30 days. Please specify the number of units in use on the application.

Our Hygienic Information Guide entitled "Air Recirculation" and Article 432, as revised, are enclosed. If you have any questions, please let us know.

Very truly yours,

Leon T. Gonsior
Regional Industrial Hygienist
Human Services - Region I

LTG/WJC/p

Enclosures

Reproduction of an Original Record
Please Credit:

PA STATE ARCHIVES

380 North Street, Harrisburg, PA 17120-0090
PA Historical & Museum Commission

Sent
10/14/68

REGION T
 PROD. MFG. OR SERVICE
Shipbuilding
 DATE OF ACTIVITY 10/10/68

 1. Basic 578 1/2 Redwood File
 COMMONWEALTH OF PENNSYLVANIA
 DEPARTMENT OF HEALTH
 OCCUPATIONAL HEALTH
 FIELD ACTIVITY REPORT

 EMPLOYEES
 MALE
 FEMALE
 TOTAL 3,000
 COUNTY
Delaware
 IND. CODE
3731

 PLANT
Sun Shipbuilding Company
 ADDRESS
Chester, Penna.
 PERSON INTERVIEWED
Mr. Joseph Ross - Mr. William Acton
 ZIP
19013
 PHONE
215 SA6 9500
 TITLE
Chemist - Mgr. Ind. Relatic

PURPOSE: INVEST.; SURVEY; INSPECT.; PRELIM.; F.O.I. CONF. IT:

REASON: SELF-INIT.; O.D. REP.; COMPL.; REQUEST; SOUR.

SPECIFIC HAZARD OR CONDITION	WORKERS EXPOSED	RECOMMENDATIONS		ACCOMPLISHED		
		WRITTEN	VERBAL	YES	NO	IN PROG.
<u>Zinc oxide</u>	<u>50</u>					
<u>fumes</u>						
<u>recirculation</u>		Request permission to recirculate air on vacuum blasters. (written 10/11/68)				

 SAMPLES COLLECTED
 (NO. & KIND) TOTAL

 DETERM. MADE
 (NO. & KIND) TOTAL

MEDICAL - O.D. REPORTED, NO. & KIND

 PUNCH CARD YES ☒ NO ☐ FOLDER YES ☒ NO ☐

REMARKS:

Following a receipt of a complaint of men becoming sick as a result of exposure to zinc oxide fume during welding, a visit was made to the above plant. The complaint was from the company union to Mr. Oscar DiSilvestro of the United States Department of Labor.

Operations in question are tacking and welding steel which has been precoated with Amer Coat, 1 package Primer (Brea, Calif.) composition 25% Zn and 2% filler with the remainder being alcohols, glycols and polymers.

Company has performed their own monitoring and the results were analyzed by Delare Lab. Some of the results shown I. H. were:

5/15/68	Total particulate	Zinc oxide
	7 mg	1 mg
6/29/68	8 samples	
	3/7 - 22.8	1.8 - 3.6
	15 samples	
8/16/68	5.9 - 25.9	
	Highest concentrations	
	NI	0.01
	Cr Oy	0.09
	F	2.0

 Reproduction of an Original Record
 PA SYSTEM ARCHIVES
 800 North Street, Harrisburg, PA 17120-0000
 PA Historical & Archival Commission

(OVER)

 BY Walter J. Chrostek RTH LTC

 WINS 2.5

I. H. observed men during welding. Most of the men utilize blowers; however, I. H. was informed certain men objected to using blowers.

Company claimed they had no O. D. cases although they did have men claiming they felt bad.

Company had Dr. Briezer in for two days as a consultant.

A survey for ZnO will be done.

Reproduction of an Original Record
 Page Four

PA STATE ARCHIVES
300 North Street, Harrisburg, PA 17120-0000
PA Historical & Museum Commission

RECEIVED
OCT 25 1968
PENNA. DEPT. OF HEALTH
INDUSTRIAL HYGIENE SECTION

SUN SHIPBUILDING & DRY DOCK CO.

CHESTER, PENNSYLVANIA

R. GALLOWAY
VICE PRESIDENT
DIRECTOR OF OPERATIONS

October 23, 1967

RECEIVED

REGION VII

BUREAU OF SERVICES

OCT 25 1967

AM 7,8,9,10,11,12,1,2,3,4,5,6 PM

Mr. Leon T. Gonsior
Regional Industrial Hygienist
Commonwealth of Pennsylvania
Department of Health
Region 7
1400 W. Spring Garden Street
Philadelphia 30, Pennsylvania

Dear Leon,

I would like to thank you for the time you spent with Joe and me going over your report dated September 28, 1967.

We appreciate your cooperation in coming at our request to help us evaluate the prime coat which we had under consideration.

As you know, for the tests we deliberately picked the worst conditions available in our attempt to arrive at a reasonable evaluation on the effect of the paint.

As we discussed in your office, the following action has been or is being taken on the recommendations contained in your report.

1. We have made significant changes in our ventilating techniques and are now placing emphasis on general area ventilation. Greater use will be made of our 440 Volt blowers which move air at a rate of up to 15,000 cfm. Methods of placing these blowers and make up air holes, which will reduce the need of local exhaust, are being sought. In areas where air flows do not meet standards, local exhaust ventilation will be used.
2. All employees who have occasion to use local exhaust are instructed in its proper use.

Incidentally, we are using U.S.A. Standard 49.1 "Safety in Welding & Cutting" as our guide in establishing our ventilation program.

Very truly yours,

Lloyd J. Piccin
Safety Director

LJP:ks

PA STATE ARCHIVES
300 North Street, Harrisburg, PA 17120-0000
PA Historical & Library Commission