

Monsanto

FROM (NAME & LOCATION) Bill Corlew, Krummrich

DATE February 4, 1971

cc: J. R. Savage
G. L. Bratsch
D. W. Jackson/W. C. Engman
C. N. Deubner/C. B. Williams
J. Smith

SUBJECT Results Against 1970 Product
Group Objectives, Published

REFERENCE 1/28/70 AROCLORS

TO : Messrs.
R. M. McCutchan
J. R. Kuster
W. A. Krull
V. G. Brawley
T. N. Carrico
W. Young

Reference: Results

A review of subject objectives indicates the following results:

I. SAFETY

'70 Results

Objectives

- | | |
|--|--------------------|
| 1. No serious injuries for Dept. 246 and maintenance personnel in 246 area. | 1 |
| 2. No disabling injuries for Dept. 246 and maintenance personnel in 246 area. | 0 |
| 3. 0.75 minor injuries per man per year for Dept. 246 personnel. | 0.55 |
| 4. Three minor injuries per year for all maintenance personnel while in Dept. 246. | experienced <3 (2) |

II. QUALITY

Objectives

- | | |
|--|--|
| 1. Maintain 1969 Aroclor quality level | 1969 |
| a. Resistivity (10^9 OHM-CM) | $\frac{1242}{3021}$ $\frac{1254}{19785}$ exceeded target-12 ¹ |
| b. Power Factor(% at 60 CY) | 2.09 0.61 " " |
| c. TCC (PPM) | 0.15 0.52 missed |
| 2. Customer Complaints: <0.3/100 shipments (1969 Actual: 0.51/100 shipments) | Good gains made in customer service and reputation with Marketing. |
| 3. Improve reproducibility of electrical analysis. | Plans developed at year's end. |

DSW 250271

III. CAPACITY

Objectives

1. Meet 1970 sales forecast of 42M pounds Aroclors and 12M pounds Aroclor blends.

No missed sales in spite of big push in July and in Dec
Two production records.

Total output:

49.6M lbs. Aroclors
15.2M lbs. blends

IV. COSTS

Objectives

1. No negative variance from 1970 cost standard.
2. Mechanical expense not to exceed 1970 budget.
3. Overtime for Dept. 246 personnel - 8%.
4. Absenteeism for Dept. 246 personnel - 3%.
5. Mechanical overtime - 4%.

Positive variance of \$160,000 from standard.

Total mechanical expense variance for the year was \$15,000 plus on Aroclor - even with heavy untargeted pollution projects.

Overtime at 12% for year; intentional average, however to cover demand in July, August.

Missed - at 4.3%.

overtime was <4%. (~1%)

V. YIELDS

Objective

A. Objectives

	<u>Goal</u>	<u>70 Std.</u>	<u>69 Act.</u>	<u>70 Act.</u>
Biphenyl	99	98	99.24	100.4
TCB	98	98	98.34	99.6
TTCB	98	98	94.30	101.3
TCP	98	99	91.66	98.7

VI. PROCESS CONTROL

Objective

1. Improve operational control of the process

Most actions per se missed
New SMP was essentially ready at year's end, also operating instructions.

DSW 250272

VII. POLLUTION

'70 Results

Objectives

1. Reduce Aroclor losses to sewer from 130 pounds per day to 10 pounds per day from department.
2. Evaluate need to reduce HCl air pollution.

Average loss at ~2 lbs./day
at year's end.

Successful project
installed.

Based on the above results against objectives, I think that the "team" can take justifiable pride in a job well done in 1970.

Bill Corlew

Bill Corlew

/gjs

DSW 250273

STLCOPCB4060586