Monsanto

CALL REPORT — ORGANIC DIVISION

DICTATE IN SEQUENCE:
1. HEADING INFORMATION
2. NAMES OF ADDRESSEES
3. NAMES OF CARBONEES
4. IMMEDIATE ACTION NEEDED
5. REPORT ON CALL

REPORT CAPTIONS:
1. OBJECTIVE
2. PERSONS CONTACTED
3. RESULTS
4. ACTION REQUIRED

CUSTOMER NAME					DATE OF CALL
Products Research					9/18/70
CITY AND STATE			DATE RECEIVED		DATE TYPED
Burbank, California			9/21/70		9/21/70
CUSTOMER MAILING LIST CHANGES – SERVICE CENTER USE ONLY					
NAME AND TITLE	PUT ON	TAKE OFF	MP	MAG.	CATEGORY CODES
REGION	SERVICE CENTER	SALESMAN			
Western	Los Angeles	R. E. Lamkin/ek			

TO Will Clark - St. Louis

CC Charley Farley - St. Louis
Brell/McCabe - Wilmington

CONTACTED
Mel Young - Group Leader

AROCLORS
Young indicated A-6062 and our other A-1221 contained blends would not be satisfactory because of volatility in twin glass sealant applications. Santicizer 278 is being looked at but price and moisture vapor transmission are drawbacks. Recommended A-5432 and Young requested 5-gal. sample for testing.

Young indicated that the Japanese Kanechlors had been introduced but this was only a last resort. Believe S-278/Aroclor or A-5432 system will be employed.

PHOSGARD 2XC-20
PRC has been having problems flame retarding urethane elastomeric systems for some time. Wes Maurice will head up this effort. Phosgard 2XC-20 sample being sent to his attention.