No. A
Effective
Jan. 1, 1979
Supersedes
All Previous A
Price Lists

NAPA American Brakeblok®

America's Safety Brake Lining

Confidential WAREHOUSE Net Price Schedule

AUTOMOTIVE AND INDUSTRIAL BRAKE LINING

	Page		Page
Brake Lining Sets	2	Self-Adjusting Plug Kit	6
Thick Block Sets	3	Standard Woven Lining	7
121 Heavy Duty Brake Lining Sets	4	Heavy Duty Woven Lining	7
121 Heavy Duty Thick Block Sets	4	Flexible Molded Lining ("FM" Rolls)	8
Stopper Thick Block Sets	5	Tractor Disc Brakes	8
Extra Heavy Duty Thick Block Sets	5	Molded Lining In Rolls	9
Bolt Assemblies, Bolt Hole Plugs	5	Industrial Lining Sets	10
Crossing Guard Lining	6		

Part Numbers and/or Prices not shown available on Quoted Price, Quantity and Delivery basis.

Drilled Sets–Lining Numbers with **D** suffix are drilled and counterbored.

Undrilled Sets–Set Numbers **without D** suffix are not available drilled.

All 4000 Series Sets are for trucks, trailers or buses.

Classification Letters–W, A, B, C, D, M, and O indicate 1979 status.

IMPORTANT NOTE REGARDING PRICE OF OVERSIZE MATERIAL

Add 20% to price of standard size for Molded Brake Lining sets 1/16" (X) oversize.
Add 10% to price of standard size for Thick Block sets 1/16 (X) oversize.
Add 20% to standard price for 1/8" (XX) oversize; 30% to standard price for 3/16" (XXX) oversize.
Add 30% to price of standard size for "P.T." (premium thick blocks).

Prices and discounts subject to change without notice. Federal Excise tax included where applicable.

All F.M.S.I. numbers used herein are the property of and are copyrighted by Friction Materials Standards Institute, Inc., Paramus, N.J.

AMERICAN BRAKEBLOK
Winchester, Virginia 22601

LITHO IN U.S.A.

KHALL00572

ALL-STATE LEGAL
PLAINTIFF'S EXHIBIT
NAPA 184

KAZ 000572

SCF-NAPA-1545

AMERICAN BRAKEBLOK BRAKE LINING SETS

Confidential Warehouse Net

Stock Class	ABB Set No.	Pcs. Per Set	A-5	A-5 .030" oversize	A-5X .060" oversize	Whse. Net	Whse .030" oversize	Whse. .060" oversize
B	1530	†4	7.08	..	..	5.66	..	..
S	224AD	†4	9.99	..	..	7.99	..	..
O	S-5420	†2	3.81	..	..	3.05	..	..
S	S-5570	†2	8.03	..	..	6.42	..	..
S	S-5590	†2	9.04	..	..	7.23	..	..
S	6440	†4	6.60	..	..	5.28	..	..
S	6540	†4	14.44	..	..	11.55	..	..
S	6590	†4	16.54	..	..	13.23	..	..
W	6598D	†4	16.54	16.54	19.85	13.23	13.23	15.88
S	6840	†4	20.09	..	..	16.07	..	..
W	696AD	†2	3.81	..	..	3.05	..	..
O	8650	†4	2.58	..	..	2.06	..	..
O	103013	†2	5.65	..	..	4.52	..	..
S	1139AD	†4	21.44	..	..	17.15	..	..
O	11398D	*4	20.15	..	..	16.12	..	..
O	11540	†4	8.63	..	..	6.90	..	..
O	11640	†2	5.58	..	..	4.46	..	..
O	11670	†4	4.25	..	..	3.40	..	..
S	11729	†4	8.60	..	..	6.88	..	..
S	11740	†4	14.98	..	..	11.98	..	..
O	11900	†4	6.50	..	..	5.20	..	..
S	11910	†4	16.71	16.71	..	13.37	13.37	..
S	11920	†4	15.93	..	..	12.74	..	..
W	11930	†4	24.59	24.59	..	18.67	19.67	..
S	11950	†4	22.35	..	..	17.88	..	..
S	11960	†4	28.85	..	..	22.92	..	..
S	11980	†4	23.04	..	..	18.43	..	..
S	11990	†4	34.93	..	..	27.94	..	..
O	12190	†4	4.41	..	..	3.53	..	..
S	12300	†4	22.08	..	..	17.66	..	..
M	12330	†4	11.05	11.05	..	8.84	8.84	..
M	12340	†4	13.85	..	..	11.08	..	..
S	12350	†4	12.19	..	..	9.75	..	..
S	12380	†4	17.88	17.88	..	14.30	14.30	..
S	12390	†4	15.45	..	..	12.36	..	..
S	1240D	†4	20.39	..	..	16.31	..	..
A	1245AD	†4	17.33	17.33	20.80	13.86	13.86	16.63
A	*1245CD	†4	21.79	21.79	26.15	17.43	17.43	20.92
A	1252D	†4	23.61	23.61	28.33	18.89	18.89	22.67
S	1253D	†4	28.18	..	..	22.53	..	..
W	1254D	†4	29.71	29.71	35.65	23.77	23.77	28.52
W	1255D	†4	35.21	35.21	42.25	28.17	28.17	33.80
S	1258D	†4	9.54	..	..	7.63	..	..
S	1261D	†4	27.64	..	..	22.11	..	..
M	1269D	†4	11.74	..	..	9.39	..	..
A	1276D	†4	14.54	14.54	17.45	11.63	11.63	13.96
S	1278D	†4	18.41	..	..	14.73	..	..
W	1279D	†4	21.51	21.51	25.81	17.21	17.21	20.65
W	1280D	†4	19.43	19.43	23.32	15.54	15.54	18.65
S	1280AD	†4	19.43	..	..	15.54	..	..
S	*1280BD	†4	21.08	..	..	16.85	..	..
S	1283D	†4	31.63	31.63	..	25.30	25.30	..
W	1290D	†4	16.84	16.84	20.21	13.47	13.47	16.16
O	1291D	†4	3.54	..	..	2.83	..	..
W	1294D	†4	12.58	12.58	15.07	10.05	10.05	12.06
S	*1294AD	†4	17.33	17.33	20.80	13.86	13.86	16.63
S	13030	†2	6.76	..	..	5.41	..	..
S	1307D	†4	22.15	22.15	26.58	17.72	17.72	21.26
S	1308D	†4	23.24	..	..	18.59	..	..
S	1308AD	†4	22.60	22.60	27.12	18.08	18.08	21.70
S	13110	*4	34.21	..	..	27.37	..	..
S	1317D	†8	62.09	..	..	49.67	..	..
S	1319D	†4	25.38	..	..	20.29	..	..
S	13200	†4	50.69	..	..	40.55	..	..
O	2006AD	†4	5.46	..	..	4.37	..	..
S	2006TD	†4	6.54	..	..	5.23	..	..
S	20110	*4	3.41	..	..	2.73	..	..
O	2012BTD	†4	3.69	..	..	2.95	..	..
S	20260	†4	6.86	6.86	8.23	5.49	5.49	6.59
A	20320	†4	16.20	16.20	19.44	12.96	12.96	15.55
S	20330	†2	11.94	..	..	8.55	..	..
W	20390	†4	9.09	9.09	10.91	7.27	7.27	8.72
S	20400	†4	6.13	..	..	4.90	..	..
S	20410	†4	18.05	19.05	22.86	15.24	15.24	18.29
W	20420	†4	10.18	10.16	12.19	8.13	8.13	9.76
M	2042ATD	†4	13.40	13.40	16.08	10.72	10.72	12.86
S	2043D	†4	8.79	8.79	..	7.03	7.03	..
S	2058ATD	†4	4.18	..	..	3.34	..	..
A	20600	†4	9.66	9.66	11.59	7.73	7.73	9.28
S	2073D	†4	8.44	..	..	6.75	..	..
S	2073TD	†4	9.28	..	..	7.42	..	..
O	2077ATD	†4	3.99	..	..	3.19	..	..
O	2078D	†2	5.69	..	..	4.55	..	..
S	2080AD	†4	6.65	..	..	5.32	..	..
S	2083AD	†4	7.98	..	..	6.38	..	..
S	2085D	†2	8.71	..	..	6.97	..	..
S	2086D	†2	4.11	..	..	3.29	..	..
O	2088TTD	†4	5.84	..	..	4.67	..	..
O	2091D	†4	4.44	..	..	3.55	..	..
S	2095D	†2	3.78	..	..	3.02	..	..
O	2102ATD	†4	4.79	..	..	3.83	..	..
O	2114TTD	†4	5.70	..	..	4.56	..	..
S	2121TD	†4	6.68	..	..	5.34	..	..
S	2131D	†4	8.19	8.19	9.83	6.55	6.55	7.86
S	2137D	†4	9.88	9.88	11.86	7.90	7.90	9.48
S	2140ATD	†4	9.88	..	..	7.90	..	..
O	2144ATD	†4	3.89	..	..	3.11	..	..
O	2145TD	†4	3.28	..	..	2.62	..	..
S	2146TD	†4	7.24	7.24	..	5.79	5.79	..
O	2151TD	*4	3.56	..	..	2.85	..	..
O	2152TD	†4	4.86	..	..	3.88	..	..
O	2154TD	†4	3.35	..	..	2.68	..	..
S	2157TD	†4	17.38	17.38	..	13.90	13.90	..
S	2158D	†4	9.93	..	..	7.94	..	..
S	4211D	†4	24.73	24.73	29.68	19.78	19.78	23.74
S	4244D	†2	16.30	..	..	13.04	..	..
S	4307D	†4	22.00	..	..	17.60	..	..
S	4356D	†2	11.33	..	..	9.06	..	..
O	4375D	†4	24.96	..	..	18.97	..	..
O	4380D	†4	30.40	..	..	24.32	..	..
O	4442D	†4	24.54	..	..	19.63	..	..
S	4465D	†4	17.41	..	..	13.93	..	..
S	4546D	†4	38.55	..	..	30.84	..	..
C	4546AD	†4	36.48	..	..	29.18	..	..
O	4560D	†4	23.01	..	..	18.41	..	..
S	4561BD	†4	22.34	..	..	17.87	..	..
W	4561D	*4	22.34	22.34	..	17.87	17.87	..
S	4562D	†4	22.70	..	..	18.16	..	..
S	4562AD	†4	22.70	22.70	27.24	18.16	18.16	21.79
S	4564D	†4	30.45	..	..	24.36	..	..
O	4564AD	†4	30.45	..	..	24.36	..	..
S	4580D	†4	22.81	..	..	18.25	..	..
B	4596D	*4	34.38	..	..	27.49	..	..
W	4597D	†4	39.33	39.33	47.20	31.46	31.46	37.75
S	4613D	†4	32.08	..	..	25.66	..	..
A	4639D	†4	26.10	26.10	31.32	20.88	20.88	25.06
M	4640D	†4	20.94	20.94	25.13	16.75	16.75	20.10
S	4645AD	†4	26.26	..	..	21.01	..	..
A	4648D	†4	28.20	28.20	33.84	22.56	22.56	27.07
S	4647D	†4	24.75	..	..	19.80	..	..
O	6038D	†2	5.84	..	..	4.67	..	..
O	6050D	†2	3.38	..	..	2.70	..	..
O	8026AD	†4	3.26	..	..	2.61	..	..
O	8129D	†4	3.95	..	..	3.16	..	..

KHALL00573

*Includes Self-Adjusting Plug Kit. .. Available on Quoted Price Quantity & Delivery Basis *Price Increase

KAZ 000573

AMERICAN BRAKEBLOK THICK BLOCK SETS
Confidential Warehouse Net

Stock Class	ABB Set No.	Pcs. Per Set	A-5	A-5X .060" oversize	A-5XX .125" oversize	Whse. Net	Whse.X .060" oversize	Whse XX .125" oversize
S	4152AD	†8	37.70	..	..	30.16	..	..
S	4153AD	†8	45.25	..	..	36.20	..	..
S	4155BD	†8	39.58	..	..	31.67	..	..
S	4223AD	†8	39.18	..	..	31.33	..	..
S	4227AD	†8	25.38	..	..	20.30	..	..
O	4227ED	†8	23.63	..	..	18.90	..	..
O	4227GD	†8	25.38	..	..	20.30	..	..
S	42840	†8	78.68	..	..	63.74	..	..
S	42880	†8	45.93	..	..	36.74	..	..
S	4311BD	†8	48.09	52.90	..	38.47	42.32	..
S	4311CD	†8	48.09	52.90	..	38.47	42.32	..
A	4311BD	†8	48.09	..	..	38.47	..	..
S	4311JD	†8	48.09	52.90	..	38.47	42.32	..
S	4316D	†8	38.00	..	..	28.80	..	..
W	4317CD	†8	42.95	47.25	..	34.36	37.80	..
W	4317GD	†8	42.95	47.25	..	34.36	37.80	..
S	43280	†8	47.74	..	..	38.19	..	..
S	4354AD	†8	57.05	..	..	45.64	..	..
S	43670	†8	102.83	..	..	82.10	..	..
S	437680	†8	46.03	..	..	36.82	..	..
S	43960	†8	43.95	..	..	35.16	..	..
S	*43980	†8	30.94	34.03	37.13	24.75	27.23	29.70
O	4398AD	†8	29.08	..	..	23.26	..	..
S	*4398BD	†8	30.94	34.03	37.13	24.75	27.23	29.70
A	44880	†8	53.05	58.36	..	42.44	46.68	..
S	4471D	†8	50.19	..	..	40.15	..	..
S	4471AD	†8	50.19	..	..	40.15	..	..
S	4471BD	†8	50.19	..	..	40.15	..	..
O	45018	†4	32.55	..	..	26.04	..	..
S	45080	†8	32.20	..	..	25.76	..	..
A	45140	†8	41.25	45.38	..	33.00	36.30	..
S	4514AD	†8	41.25	..	..	33.00	..	..
S	4514CD	†8	41.25	..	..	33.00	..	..
O	4514FD	†8	39.06	..	..	31.25	..	..
S	4514GD	†8	41.25	45.38	..	33.00	36.30	..
B	4515D	†8	42.74	47.01	51.29	34.19	37.61	41.03
M	4515AD	†8	42.74	..	..	34.19	..	..
S	4515BD	†8	42.74	47.01	..	34.19	37.61	..
S	4515CD	†8	42.74	..	..	34.19	..	..
M	4515ED	†8	42.74	47.01	..	34.19	37.61	..
	4515FD	USE 4515CD						
S	4515GD	†8	42.74	..	..	34.19	..	..
O	4516AD	†8	43.94	..	..	35.15	..	..
W	45240	†8	36.86	40.55	..	29.49	32.44	..
S	4524AD	†8	36.86	..	..	29.49	..	..
S	4524BD	†8	36.86	..	..	29.49	..	..
S	4524CD	†8	36.86	40.55	..	29.49	32.44	..
S	4526D	†8	39.36	..	..	31.49	..	..
O	4541D	†8	52.35	..	..	41.88	..	..
S	*4541BD	†8	52.35	57.59	62.82	41.88	46.07	50.26
S	*4541CD	†8	52.35	57.59	62.82	41.88	46.07	50.26
S	45440	†8	35.33	38.86	..	28.26	31.09	..
S	4545D	†8	34.79	..	..	27.83	..	..
S	4549D	†8	33.31	36.64	..	26.65	29.32	..
S	4549AD	†8	33.31	36.64	..	26.65	29.32	..
S	4551D	*8	61.64	..	..	49.31	..	..
S	4551CD	†8	61.64	..	..	49.31	..	..
S	4551ED	†8	61.64	..	..	49.31	..	..
S	4567AD	†8	82.95	..	..	66.36	..	..
S	4570B	†8	35.09	38.60	..	28.07	30.88	..
S	45820	†8	67.23	..	..	53.78	..	..
S	4592AD	†8	67.23	..	..	53.78	..	..
M	4594D	†8	43.21	47.53	..	34.57	38.03	..
W	4595B	†8	53.68	59.05	..	42.94	47.23	..
O	4598D	†8	42.64	..	..	34.11	..	..

Stock Class	ABB Set No.	Pcs. Per Set	A-5	A-5X .060" oversize	A-5XX .125" oversize	Whse. Net	Whse.X .060" oversize	Whse.XX .125" oversize
O	46008	†8	71.18	..	..	56.94	..	..
S	4601D	†8	45.04	..	..	36.03	..	..
O	4601AD	†8	35.15	..	..	28.12	..	..
A	46020	†8	45.51	50.06	..	36.41	40.05	..
O	46040	†8	92.26	..	..	73.81	..	..
W	46050	†8	38.89	42.56	..	30.95	34.05	..
S	4607D	†8	48.18	52.98	..	38.53	42.38	..
O	46090	†8	78.99	..	..	63.19	..	..
S	46100	†8	28.74	31.61	..	22.98	25.29	..
O	4611D	†8	52.23	..	..	41.78	..	..
O	46120	†8	59.49	..	..	47.59	..	..
S	4615D	†8	37.78	41.56	..	30.22	33.24	..
S	4616AD	†8	95.53	..	..	76.42	..	..
S	4618D	†8	105.81	..	..	84.65	..	..
S	4618AD	†8	105.81	..	..	84.65	..	..
S	46190	†8	112.14	..	..	89.71	..	..
O	46200	†8	36.66	..	..	29.33	..	..
S	46210	†8	45.01	49.51	..	36.01	39.61	..
S	46220	†8	89.84	..	..	71.87	..	..
O	46230	†8	33.31	..	..	26.65	..	..
C	46240	†8	111.76	..	..	89.41	..	..
S	46250	†8	52.44	57.68	..	41.95	46.15	..
S	4625AD	†8	52.44	57.68	..	41.95	46.15	..
S	4625BD	†8	52.44	57.68	..	41.95	46.15	..
O	46260	†8	31.20	..	..	24.96	..	..
O	4626AD	†8	31.20	..	..	24.96	..	..
S	46270	†8	44.98	..	..	35.98	..	..
S	4627AD	†8	44.98	..	..	35.98	..	..
O	46280	†8	59.78	..	..	47.83	..	..
O	46290	†8	67.45	..	..	53.96	..	..
S	46300	†8	62.98	..	..	50.38	..	..
S	4633D	†8	75.01	..	..	60.01	..	..
O	46350	†8	55.40	..	..	44.32	..	..
S	46360	†8	43.34	..	..	34.67	..	..
S	46370	†8	60.20	..	..	48.16	..	..
S	46420	†8	119.35	..	..	95.48	..	..
S	46440	†8	87.96	..	..	70.37	..	..
S	4644AD	†8	87.96	..	..	70.37	..	..
S	46490	†8	46.71	..	..	37.37	..	..
S	46500	†8	58.96	64.86	..	47.17	51.89	..
S	46510	†8	56.74	..	..	45.39	..	..
S	46520	†8	57.08	..	..	45.66	..	..
S	4653D	†8	40.76	..	..	32.61	..	..
S	46540	*8	49.44	..	..	39.55	..	..
S	46650	↓8	69.86	..	..	55.89	..	..
S	46660	↓8	85.05	..	..	68.04	..	..

*Available XXX (PT) Thickness; Add 30% to Standard Price

. . Available on Quoted Price, Quantity & Delivery Basis

†Price Increase

↓Price Decrease

KHALL00574

KAZ 000574

AMERICAN BRAKEBLOK 121 HEAVY DUTY BRAKE LINING SETS

Confidential Warehouse Net

Stock Class	ABB Set No.	Pcs. Per Set	A-5	A-5X .030" oversize	A-5X .060" oversize	Whse. Net	Whse .030" oversize	Whse .060" oversize
O	$13070	†4	22.16	--	--	17.73	--	--
S	$13080	†4	23.24	--	--	18.59	--	--
S	$1308AD	†4	22.60	22.60	--	18.08	18.08	--
O	$43750	†4	24.26	--	--	19.41	--	--
S	$45610	*4	22.34	--	--	17.87	--	--
S	$ 456180	†4	22.34	--	--	17.87	--	--

(As new brakes are released for 121 applications, other part numbers will be available)

Caution: This material to be used only on vehicles equipped with anti-skid systems. Specifically for use on vehicles equipped with anti-skid systems that comply with FMVSS 121 safety standards.

*Price Increase -- Available on Quoted Price, Quantity & Delivery Basis

AMERICAN BRAKEBLOK 121 HEAVY DUTY THICK BLOCK SETS

Confidential Warehouse Net

Stock Class	ABB Set No.	Pcs. Per Set	A-5	A-5X .060" oversize	A-5XX .125" oversize	Whse. Net	Whse.X .060" oversize	Whse.XX .125" oversize
S	$4223AD	†8	39.16	--	--	31.33	--	--
S	$4311JD	*8	48.09	$2.90	--	38.47	42.32	--
O	$43176D	†8	40.88	--	--	32.54	--	--
O	$4326BD	†8	29.95	--	--	23.96	--	--
O	$4327BD	†8	38.06	--	--	30.45	--	--
O	$4328ED	†8	44.86	--	--	35.89	--	--
O	$4358CD	†8	52.40	--	--	41.92	--	--
O	$4376D	†8	43.59	--	--	34.87	--	--
S	$4468D	†8	53.05	--	--	42.44	--	--
O	$4471BD	†8	50.18	--	--	40.15	--	--
S	$4514GD	*8	41.25	--	--	33.00	--	--
S	$4515D	*8	42.74	47.01	51.29	34.19	37.61	41.03
S	$4515ED	†8	42.74	47.01	51.29	34.19	37.61	41.03
S	$4515GD	†8	42.74	--	--	34.19	--	--
S	$4524BD	†8	36.86	--	--	29.49	--	--
O	$4527CD	*8	50.70	--	--	40.56	--	--
O	$4544D	†8	31.56	--	--	25.25	--	--
O	$4545D	†8	28.56	--	--	22.85	--	--
S	$4549CD	†8	33.31	--	--	26.65	--	--
O	$4550AD	†8	65.90	--	--	52.72	--	--
S	$4551BD	†8	61.64	--	--	49.31	--	--
O	$4552D	*8	70.98	--	--	56.78	--	--
O	$4591D	†8	34.28	--	--	27.42	--	--
S	$4602D	†8	45.51	--	--	36.41	--	--
O	$4605D	†8	36.64	--	--	29.31	--	--
O	$4607D	†8	40.73	--	--	32.58	--	--
O	$4610D	†8	26.85	--	--	21.56	--	--
O	$4615D	*6	31.94	--	--	25.55	--	--
O	$4620AD	*8	42.29	--	--	33.83	--	--
S	$4625BD	†8	52.44	57.68	--	41.95	46.15	--
O	$4626AD	†8	31.20	--	--	24.96	--	--
O	$4627AD	†8	44.98	--	--	35.98	--	--
O	$4650D	†8	55.31	--	--	44.25	--	--
O	$4651D	†8	53.21	--	--	42.57	--	--
O	$4652D	†8	54.15	--	--	43.32	--	--
O	$4653D	†8	38.88	--	--	30.94	--	--
S	$4654D	†8	49.44	--	--	39.55	--	--

(As new brakes are released for 121 applications, other part numbers will be available)

Caution: This material to be used only on vehicles equipped with anti-skid systems. Specifically for use on vehicles equipped with anti-skid systems that comply with FMVSS 121 safety standards.

*Price Increase

-- Available on Quoted Price, Quantity & Delivery Basis

KHALL00575

KAZ 000575

STOPPER THICK BLOCK SETS

Confidential Warehouse Net

Stock Class	ABB Set No.	Pcs. Per Set	A-5	A-5X .060" oversize	A-5XX .125" oversize	Whse. Net	Whse.X .060" oversize	Whse.XX .125" oversize
S	A4311BD	†8	26.84	--	--	21.31	--	--
S	A4311CD	†8	26.84	--	--	21.31	--	--
S	A4311ED	†8	26.84	29.30	--	21.31	23.44	--
S	A4311JD	†8	26.84	--	--	21.31	--	--
S	A4317CD	†8	27.98	--	--	22.38	--	--
S	A4317ED	†8	27.98	--	--	22.38	--	--
S	A4317BBD	†8	28.20	--	--	22.56	--	--
M	A4468D	†8	27.98	30.78	--	22.38	24.62	--
S	A4514D	†8	27.98	30.78	--	22.38	24.62	--
W	A4515D	†8	25.45	28.00	30.54	20.36	22.40	24.43
S	A4515AD	†8	25.45	28.00	--	20.36	22.40	--
S	A4515BD	†8	25.45	--	--	20.36	--	--
S	A4515CD	†8	25.45	--	--	20.36	--	--
S	A4515ED	†8	25.45	28.00	--	20.36	22.40	--
S	A4548D	†8	24.41	--	--	19.53	--	--
S	A4551D	†8	36.98	--	--	29.57	--	--
S	A4594D	†8	31.80	--	--	25.44	--	--
S	A4595D	†8	38.85	--	--	31.08	--	--
S	A4602D	†8	28.35	28.99	--	21.08	23.19	--
S	A4605D	†8	28.11	28.72	--	20.89	22.98	--
S	A4607D	†8	28.56	31.42	--	22.85	25.14	--
O	A4610D	†8	25.20	--	--	20.16	--	--
S	A4615D	†8	28.24	--	--	22.59	--	--
S	A4625D	†8	27.23	--	--	21.78	--	--

-- Available on Quoted Price, Quantity & Delivery Basis

*Price Increase

AMERICAN BRAKEBLOK EXTRA HEAVY DUTY THICK BLOCK SETS

Confidential Warehouse Net

Stock Class	ABB Set No.	Pcs. Per Set	A-5	A-5X .060" oversize	A-5XX .125" oversize	Whse. Net	Whse.X .060" oversize	Whse.XX .125" oversize
S	W4227AD	†8	42.60	46.86	51.12	34.08	37.49	40.90
S	*W4227ED	†8	42.60	46.86	51.12	34.08	37.49	40.90
S	W4227GD	†8	42.60	46.86	51.12	34.08	37.49	40.90
S	*W4228FD	†8	58.88	64.53	70.39	46.83	51.62	56.32
O	W4311BD	†8	51.88	--	--	41.34	--	--
S	W4311GD	†8	59.18	65.08	--	47.33	52.06	--
O	W4354AD	†8	58.98	--	--	47.19	--	--
S	*W4398D	†8	41.58	45.75	49.91	33.27	36.60	39.92
S	W4398AD	†8	41.58	45.75	49.91	33.27	36.60	39.92
S	*W4398BD	†8	41.58	45.75	49.91	33.27	36.60	39.92
O	W4468D	*8	55.13	--	--	44.10	--	--
O	W4471D	†8	52.85	--	--	42.28	--	--
S	W4514D	†8	53.91	--	--	43.13	--	--
O	W4514CD	†8	43.06	--	--	34.45	--	--
O	W4514FD	†8	43.06	--	--	34.45	--	--
S	W4515D	†8	55.94	61.53	67.13	44.75	49.23	53.70
S	W4515AD	†8	55.94	61.53	67.13	44.75	49.23	53.70
S	W4515CD	†8	55.94	--	--	44.75	--	--
S	W4515ED	†8	55.94	61.53	--	44.75	49.23	--
S	W4524D	†8	40.48	44.51	48.55	32.37	35.61	38.84
S	*W4541BD	†8	58.03	63.83	69.64	46.42	51.06	55.70
S	*W4541CD	†8	58.03	63.83	69.64	46.42	51.06	55.70
S	W4549D	†8	37.95	--	--	30.36	--	--
O	W4551D	†8	64.01	--	--	51.21	--	--
S	*W4592D	†8	70.23	77.25	84.28	56.18	61.80	67.42
S	W4592AD	†8	70.23	77.25	84.28	56.18	61.80	67.42
O	W4602D	†8	50.26	--	--	40.21	--	--
O	W4625BD	†8	54.83	--	--	43.86	--	--
S	W4627AD	†8	53.66	--	--	42.93	--	--
S	W4637D	†8	71.88	--	--	57.50	--	--
S	W4652D	†8	68.13	--	--	54.50	--	--
S	W4653D	†8	51.09	--	--	40.87	--	--
S	*W4665D	8	87.33	96.06	104.80	69.88	76.85	83.83
S	*W4668D	8	106.31	116.94	127.57	85.05	93.56	102.06

*Available XXX (PT) Thickness; Add 30% to Standard Price

-- Available on Quoted Price, Quantity & Delivery Basis

*Price Increase

↓Price Decrease

MISCELLANEOUS ITEMS

BOLT HOLE PLUGS

Class	Part No.		A-5	Whse. Net
S	B-125	PKG. 500	27.03	21.62
S	B-125	PKG. 100	5.70	4.56
S	B-173	PKG. 500	25.63	20.50
S	B-173	PKG. 100	5.18	4.14

BOLT ASSEMBLIES

(Price per hundred)

Class	Part No.		A-5	Whse. Net
A	B-80	3/8X1-1/2NC	22.70	18.16
S	B-120	3/8X1 NF	21.38	17.10
A	B-140	3/16X1 NF	8.40	6.72
S	*B-141A	1/4X1NF	11.03	8.82
S	B-143	3/8X1 NC	21.38	17.10
S	†B-151	1/4X1NC	10.81	8.65

S *150 C.B. †82 C.B.

*Price Increase

KHALL00576

KAZ 000576

CROSSING GUARD SETS

Stock Class	ABB Set No.	Pcs. Per Set	A-5	A-5 .030" oversize	A-5X .060" oversize	Whse. Net	Whse. .030" oversize	Whse. .060" oversize
O	CG12340	†4	14.23	..	..	11.38	..	..
O	CG12350	†4	12.66	..	..	10.12	..	..
W	CG1245AD	†4	18.83	18.83	22.60	15.06	15.06	18.07
W	*CG1245CD	†4	24.73	24.73	29.68	19.78	19.78	23.74
M	CG12520	†4	25.41	..	..	20.33	..	..
M	CG12540	†4	32.31	32.31	38.77	25.85	25.85	31.02
S	CG12550	†4	47.46	..	..	37.97	..	..
O	CG12780	†4	19.61	..	..	15.69	..	..
S	CG12600	†4	20.23	..	..	16.18	..	..
O	*CG12606D	†4	24.04	..	..	19.23	..	..
O	CG12940	†4	13.44	..	..	10.75	..	..
S	*CG1294AD	†4	19.00	..	..	15.20	..	..
W	CG20320	†4	17.66	..	..	14.13	..	..
W	CG20390	†4	9.94	..	..	7.95	..	..
W	CG20600	†4	9.53	..	..	7.62	..	..

Stock Class	ABB Set No.	Pcs. Per Set	A-5	A-5 .030" oversize	A-5X 060" oversize	Whse. Net	Whse. .030" oversize	Whse. .060" oversize
A	CG43960	†4	35.84	35.84	43.01	28.67	28.67	34.40
S	CG45970	†4	41.00	..	..	32.80	..	..
W	CG46380	†4	27.80	27.80	..	22.24	22.24	..
S	CG46400	†4	23.85	..	..	19.08	..	..
S	CG46460	†4	33.56	33.56	40.27	26.85	26.85	32.22
S	CG46470	†4	28.65	..	..	22.92	..	..

*Includes Self-Adjusting Plug Kit .. Available on Quoted Price, Quantity & Delivery Basis †Price Increase

SELF-ADJUSTING PLUG KIT

ABB Part No.		Pcs. Per Box	A-5 Per Box	Whse. Per Box	ABB Part No.	Pcs. Per Box	A-5 Per Box	Whse. Per Box
FC71548	†	4	6.41	5.13				

†Price Increase

KHALL00577

KAZ 000577

STANDARD WOVEN LINING IN ROLLS

Confidential Warehouse Net Price Per Foot

Stock Class	ABB Part No.	Size	A-5 Per Ft.	Whse. Per Ft.
		3/16" THICK		
S	257-616	† 1	1.09	.87
S	257-612	† 1-1/8	1.16	.93
W	257-614	† 1-1/2	1.26	1.01
S	257-616	† 1-3/4	1.46	1.17
W	257-620	† 2	1.60	1.28
S	257-622	† 2-1/4	1.93	1.54
W	257-624	† 2-1/2	2.19	1.75
O	257-626	† 2-3/4	2.66	2.13
S	257-630	† 3	2.83	2.26
		1/4" THICK		
S	257-614	† 1-1/2	1.71	1.37
S	257-616	† 1-3/4	1.81	1.45
W	257-620	† 2	2.09	1.67
S	257-622	† 2-1/4	2.34	1.87
W	257-624	† 2-1/2	2.69	2.15
M	257-630	† 3	3.31	2.65
S	257-634	† 3-1/2	3.76	3.01
S	257-640	† 4	4.48	3.58
		5/16" THICK		
O	257-1020	† 2	2.65	2.12
S	257-1024	† 2-1/2	3.26	2.61
S	257-1030	† 3	4.11	3.29
O	257-1034	† 3-1/2	4.45	3.56
S	257-1040	† 4	5.49	4.39

NOTE: All sizes furnished in approx 25 ft. rolls only, from American Brakeblok

†Price Increase

HEAVY DUTY WOVEN LINING IN ROLLS

Confidential Warehouse Net Price Per Foot

Stock Class	ABB Part No.	Size	A-5 Per Ft.	Whse. Per Ft.
		3/16" THICK		
S	258-614	† 1-1/2	1.54	1.23
S	258-616	† 1-3/4	1.86	1.49
W	258-620	† 2	2.13	1.70
S	258-622	† 2-1/4	2.24	1.79
W	258-624	† 2-1/2	2.58	2.06
S	258-630	† 3	3.06	2.45
O	258-640	† 4	3.59	2.87
		1/4" THICK		
S	258-814	† 1-1/2	1.96	1.57
S	258-816	† 1-3/4	2.23	1.78
W	258-820	† 2	2.55	2.04
S	258-822	† 2-1/4	2.76	2.23
W	258-824	† 2-1/2	3.21	2.57
W	258-830	† 3	3.75	3.00
S	258-834	† 3-1/2	4.38	3.50
S	258-840	† 4	5.03	4.02
S	258-850	† 5	6.03	4.82
S	258-860	† 6	7.41	5.93
		5/16" THICK		
S	258-1020	† 2	3.03	2.42
S	258-1022	† 2-1/4	3.33	2.66
M	258-1024	† 2-1/2	3.91	3.13
M	258-1030	† 3	4.65	3.72
S	258-1034	† 3-1/2	5.15	4.12
S	258-1040	† 4	6.11	4.89
O	258-1044	† 4-1/2	6.73	5.38
S	258-1050	† 5	7.78	6.22
		3/8" THICK		
S	258-1220	† 2	3.75	3.00
S	258-1224	† 2-1/2	4.65	3.72
S	258-1230	† 3	5.56	4.46
S	258-1234	† 3-1/2	6.48	5.18
S	258-1240	† 4	7.43	5.94
S	258-1244	† 4-1/2	8.35	6.68
S	258-1250	† 5	8.88	7.10
S	258-1254	† 5-1/2	10.20	8.16
S	258-1260	† 6	11.14	8.91
		1.2" THICK		
O	258-1634	† 3-1/2	7.16	5.73
S	258-1640	† 4	9.85	7.88
O	258-1644	† 4-1/2	10.59	8.47
S	258-1650	† 5	12.24	9.79
S	258-1660	† 6	13.98	11.18
S	258-1670	† 7	14.34	11.47
S	258-1680	† 8	18.78	15.02

NOTE: All sizes furnished in approx 25 ft. rolls only, from American Brakeblok

†Price Increase

KHALL00578

KAZ 000578

AMERICAN BRAKEBLOK FLEXIBLE MOLDED LINING

† 12-1/2 ft. rolls. All others 25 ft. rolls.

Warehouse Net Per Foot

ABB Part No.		Size	A-5 Per Ft.	Whse. Per Ft.
		3/16" THICK		
255-614	†	1-1/2	1.38	1.09
255-616	†	1-3/4	1.68	1.34
255-620	†	2	2.30	1.84
255-622	†	2-1/4	2.05	1.64
255-624	†	2-1/2	2.24	1.79
255-630	†	3	2.64	2.11
		1/4" THICK		
255-616	†	1-3/4	2.26	1.81
255-620	†	2	2.38	1.90
255-622	†	2-1/4	2.66	2.13
255-624	†	2-1/2	3.03	2.42
255-630	†	3	3.56	2.85
255-634	*	3-1/2	4.18	3.34
255-640	*	4	4.81	3.85
†255-650	*	5	6.04	4.83
†255-654	†	5-1/2	6.50	5.20

ABB Part No.		Size	A-5 Per Ft.	Whse Per Ft.
		5/16" THICK		
255-1024	†	2-1/2	3.74	2.99
255-1030	†	3	4.40	3.52
255-1034	†	3-1/2	5.14	4.11
255-1040	†	4	5.86	4.69
		3/8" THICK		
255-1224	*	2-1/2	4.40	3.52
255-1230	†	3	5.33	4.26
255-1234	*	3-1/2	6.21	4.97
255-1240	*	4	7.11	5.69
†255-1244	†	4-1/2	7.99	6.39
†255-1250	*	5	8.91	7.13
†255-1260	*	6	10.65	8.52
		1/2" THICK		
†255-1640	†	4	9.46	7.57
†255-1650	†	5	11.79	9.43
†255-1660	†	6	14.08	11.26

†12-1/2 ft. rolls. All others 25 ft. length.

*Price Increase

AMERICAN BRAKEBLOK TRACTOR DISC BRAKES

Confidential Warehouse Net

Stock Class	ABB Part No.	No. Pcs.	A-5	Whse Net
S	36-2003	† 4	8.44	6.75
S	36-2007	† 4	9.20	7.36
O	36-2010	† 4	9.20	7.36
S	36-2108	† 1	6.11	4.89
O	36-2110	† 1	8.85	7.08
TA	36-2114	* 1	11.19	8.95
TW	36-2201	* 1	5.11	4.09
TW	36-2203	* 1	5.14	4.11
S	36-2206	* 1	6.70	5.36
TW	36-2207	† 1	5.48	4.38
TW	36-2208	† 1	7.73	6.18
TA	36-2210	† 1	8.45	6.76
TW	36-2212	* 1	8.39	5.11
S	36-2214	† 1	7.73	6.18
TA	36-2215	† 1	6.54	5.23
TW	36-2217	† 1	7.69	6.15
S	36-2218	† 1	14.04	11.23
S	36-2220	* 1	8.10	6.48
S	36-2221	† 1	9.36	7.49
S	36-2222	* 1	6.13	4.90
S	36-2223	* 1	6.13	4.90
O	36-2224	† 1	12.33	9.86

*Price Increase

KHALL00579

KAZ 000579

AMERICAN BRAKEBLOK MOLDED LINING IN 15 FT. ROLLS

Roll Price Based on 15 Ft. Roll

Stock Class	ABB Part No.	Size	A-5 Price Full Roll	Whse. Price Full Roll
		3/16" THICK		
S	259-612	† 1-1/4	6.81	5.45
S	259-614	† 1-1/2	7.66	6.14
S	259-616	† 1-3/4	8.39	7.50
M	259-620	† 2	10.51	8.41
S	259-622	† 2-1/4	12.21	9.77
S	259-624	† 2-1/2	13.35	10.68
S	259-630	† 3	17.91	14.33
		1/4" THICK		
O	259-614	† 1-1/2	11.66	9.33
S	259-616	† 1-3/4	13.35	10.68
W	259-620	† 2	13.91	11.13
M	259-622	† 2-1/4	16.49	13.19
M	259-624	† 2-1/2	17.91	14.33
S	259-626	† 2-3/4	19.86	15.91
S	259-630	† 3	23.03	18.42
S	259-634	† 3-1/2	25.88	20.70

Stock Class	ABB Part No.	Size	A-5 Price Full Roll	Whse Price Full Roll
		5/16" THICK		
S	259-1020	† 2	18.34	15.47
S	259-1022	† 2-1/4	23.86	19.09
S	259-1024	† 2-1/2	26.14	20.91
S	259-1030	† 3	29.84	23.87
S	259-1034	† 3-1/2	34.68	27.74
S	259-1040	† 4	38.08	30.46
		3/8" THICK		
S	259-1224	† 2-1/2	29.84	23.87
S	259-1230	† 3	35.24	28.19
S	259-1234	† 3-1/2	42.93	34.34
S	259-1240	† 4	48.05	38.84
S	259-1244	† 4-1/2	52.03	41.62
S	259-1250	† 5	55.14	44.11
S	259-1254	† 5-1/2	63.96	51.17

†Price Increase

KHALL00580

KAZ 000580

AMERICAN BRAKEBLOK INDUSTRIAL LINING SETS

Confidential Warehouse Net

ABB Part No.	Pcs. Per Set	A-5	Whse. Net
18010	† 4	38.71	29.37
18014	† 11	33.05	26.44
18056	† 2	13.40	10.72
18341	† 2	12.28	9.82
18344ADR	† 3	12.34	9.87
183440R	† 5	34.26	27.41
184000R	† 4	12.08	9.65
184010R	† 4	40.09	32.07
18401ADR	† 4	40.09	32.07
18402R	† 4	19.84	15.71
184720R	† 6	45.50	36.40
185000R	† 14	62.15	49.72
185010R	† 6	11.85	9.48
185020R	† 13	56.66	45.35
185030R	† 2	11.09	8.87
185040R	† 2	13.11	10.49
185050R	† 2	11.43	9.14
185060R	† 9	14.60	11.68
185080R	† 4	7.09	5.67
185100R	† 6	36.25	29.00
185110R	† 3	24.34	19.47
185320R	† 3	33.35	26.68
18533	† 6	43.81	35.05
185330R	† 10	27.78	22.22
185340R	† 19	67.16	53.73
185350R	† 12	18.21	15.37
185360R	† 20	41.00	32.80
185370R	† 14	51.01	40.81
185380R	† 6	24.34	19.47
185390R	† 8	28.54	22.83
185400R	† 8	28.96	23.17
185410R	† 12	27.35	21.88
185420R	† 20	72.46	57.97
185430R	† 17	47.46	37.97
185440R	† 10	44.16	35.33
185450R	† 3	50.85	40.52
185590R	† 14	67.98	54.38
185600R	† 12	93.26	74.61
185610R	† 18	121.34	97.07
185620R	† 18	40.51	32.41
185630	† 3	72.58	58.14
185650R	† 9	17.30	13.84
18571R	† 10	13.08	10.46
18574R	† 4	32.01	25.61
18593	† 2	13.48	10.77
18595	† 8	70.89	56.71
18596	† 9	51.88	41.50
185970	† 20	802.39	641.91
18599K	† 15	218.10	174.48
18599XXX	† 15	261.71	209.37
18600K	† 8	155.81	124.48
18600XXX	† 8	186.74	149.39
186130R	† 4	19.01	15.21
186150R	† 2	8.91	7.13
18620	† 12	180.84	144.67
186220	† 8	60.94	48.75
186310R	† 2	17.70	14.16
186340	† 3	20.75	16.60
18638AD	† 12	670.09	536.07
186380	† 12	184.65	147.72
186430	† 4	16.94	13.55
186440	† 7	16.59	13.27
18645K	† 24	597.04	477.63
186460	† 14	265.21	212.17
186540R	† 18	105.69	84.55
18657D	† 8	80.06	64.05
186650R	† 4	54.28	43.42
18668	† 1	44.73	35.78
186830R	† 4	29.25	23.40
18686A	† 4	173.29	138.63
16688	† 2	23.93	19.14
186940	† 8	97.65	78.12
16695	† 1	13.78	11.02
16697	† 1	11.88	9.50
16698	† 1	37.00	29.60
16713	† 6	148.54	118.83
16715	† 1	31.15	24.92
167270	† 8	287.61	230.09
167280	† 8	359.31	287.45
167300	† 8	112.36	89.89
17102AR	† 6	19.69	15.75
17103AR	† 6	12.10	9.68
17103R	† 6	11.05	8.84
17104AR	† 6	8.74	6.99
17104R	† 6	7.48	5.98
17121ADR	† 5	18.90	15.12
17126ADR	† 5	34.58	27.66
17126BDR	† 5	38.35	30.68
17142F	† 13	54.30	43.44
17200A	† 8	29.30	23.44
17260C	† 5	30.19	24.15
17272ADR	† 6	49.19	39.35
17334	† 4	17.20	13.76
17500	† 7	30.43	24.34
177200R	† 6	19.15	15.32
177230R	† 6	27.56	22.05
177300	† 12	167.13	133.70
177310	† 8	163.34	130.67
177330	† 8	216.39	173.11
177350	† 4	126.61	101.29
177370	† 6	380.19	304.15
177390R	† 14	81.31	65.05
177400R	† 12	73.33	58.66

†Price Increase

KHALL00581

KAZ 000581