

DATE 11/26/74

SHIFT 8-4 (let) Foreman

POINT

DATA

710 75 71

1 — 0.9 4.0 2.8 2.0 4.5 1.1 0.9 1.0 1.0 4.3 4.2 2.0 1.9
1.6 1.2 4.8 1.3 2.7 2.2 1.6 1.3 1.2 1.4 1.2 1.4

3-1 PUMP ROOM

2 — (7.8) (7.7) 4.0 (10+) (8.1) 7.1 (6.4) 4.7 (5.6) 7.0 (7.4) (10+) (10+)
(5.1) 4.2 (8.7) 1.4 (7.1) (6.7) 6.1 (5.8) (8.7) 7.4 (9.2) 3.8

BETWEEN 3-1 SELECTROS

3 — (10+) (8.0) (7.5) (10+) (8.1) (5.4) 4.7 2.5 (5.6) (8.7) (5.7) (6.3) (5.8)
3.8 3.2 (10+) (5.1) (5.4) 4.9 4.4 3.1 (8.1) 4.4 4.0 2.8

NORTH BANK OF REACTORS

4 — 2.2 1.7 (6.9) (10+) 2.3 2.0 3.1 0.5 0.9 0.6 3.6 1.6 2.5
0.7 1.0 1.2 1.3 1.0 0.6 0.5 0.5 1.4 0.6 0.7 0.4

CONTROL ROOM

5 1.6 0.7 1.3 1.1 1.2 1.9 2.3 1.6 1.7 1.5 1.6 3.3 3.1 2.3
ST 1.2 1.4 2.0 0.9 1.2 1.2 1.0 0.6 0.8 0.9 0.7 —

CENTER WHSE. ISLE IN E-2

6 0.3 0.0 0.0 0.0 0.0 0.3 0.0 0.2 0.2 0.0 0.0 0.0 0.0 0.0
0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 —

40' ABOVE S. ROOF OF E-2 ON TV TOWER

7 1.6 1.4 3.7 4.1 3.2 1.4 2.1 2.0 0.6 1.0 0.5 (10+) (10+) 1.3
2.0 0.7 0.4 0.9 0.6 0.5 0.4 0.7 0.9 0.5 0.4 —

NORTH SELECTRO IN E-2

8 (7.3) 4.4 (10+) (5.6) 3.6 2.6 (5.2) 1.3 0.6 0.8 0.5 (10+) (10+) 0.9
1.1 0.5 0.4 1.2 0.6 0.6 0.6 0.8 0.8 0.6 0.5 —

Transfer box overflow

SOUTH SELECTRO IN E-2

9 0.6 0.5 4.5 1.0 1.1 1.4 0.8 0.5 0.2 0.3 0.4 2.1 2.3 0.4
0.3 0.3 0.3 0.4 0.6 0.4 0.3 0.2 0.3 0.2 0.3 —

CONTROL ROOM IN E-2

10 3.2 3.5 (10+) (10+) 2.3 4.5 (6.1) 1.5 0.6 0.8 0.5 (10+) (10+) 2.1
2.4 (9.1) 3.7 (6.0) 1.7 0.8 0.7 0.7 0.7 1.3 0.7 —

200643

REACTOR AREA IN E-2

DATE 11/26/74SHIFT 4-12 (2nd) Foreman

POINT

DATA

10 75 21

1	— 0.9 (10+) 1.4 1.5 1.8 1.5 1.6 2.1 2.4 2.1 1.6 1.7 2.1 1.9 4.5 (5.5) 1.7 2.0 2.0 (5.3) 2.1 (8.3) 4.5 (10+)	2	5	21
E-1 PUMP ROOM				
2	— 4.6 (10+) (10+) (10+) (10+) 9.6 (6.2) 4.6 (6.8) 4.7 (5.9) (10+) (10+) 3.4 (6.9) (10+) 3.0 (10+) (7.6) (10+) (10+) (10+) (10+) (10+)	13	19	21
BETWEEN E-1 SELECTROS				
3	— 3.3 (10+) (10+) 9.4 (7.8) (6.5) (7.3) 4.3 (6.9) 4.4 4.4 (9.8) (10+) 4.6 (8.4) (7.0) 3.6 (10+) 9.8 (9.0) (10+) (10+) (10+) (10+)	8	18	21
NORTH BANK OF REACTORS				
4	— 0.5 0.8 (10+) 1.5 0.9 0.6 1.4 3.0 1.5 1.2 0.7 0.8 1.0 1.9 2.7 1.4 1.2 1.1 0.7 0.5 0.4 0.6 0.6 0.6	1	1	11
CONTROL ROOM				
5	0.8 0.6 1.4 1.2 1.2 1.8 3.9 1.8 1.4 0.6 0.6 0.4 0.7 0.8 ST 0.8 0.9 0.4 0.6 0.5 0.6 0.7 1.7 1.0 0.7 —	0	0	8
CENTER WHSE. ISLE IN F-2				
6	0.0 0.0 0.0 0.3 0.2 (3.0) 0.0 0.7 (1.5) 0.6 0.4 0.2 0.0 0.5 0.9 (2.3) 0.3 (1.9) 0.0 0.0 0.3 0.0 0.0 0.2 —	0	0	4
40' ABOVE S. ROOF OF E-2 ON TV TOWER				
7	0.4 0.9 0.5 2.2 (7.7) 0.7 0.3 1.1 0.9 1.8 0.5 0.3 0.5 0.5 0.9 4.3 0.8 0.8 0.5 0.4 0.3 0.4 1.9 1.8 —	0	1	7
NORTH SELECTRO IN E-2				
8	0.5 1.9 0.4 3.1 4.9 0.7 0.6 1.9 1.5 1.8 0.6 0.6 0.8 0.9 1.2 (5.7) 0.8 1.0 0.8 0.7 0.6 0.6 1.6 2.2 —	0	1	10
SOUTH SELECTRO IN E-2				
9	0.0 1.0 1.1 1.4 0.9 0.6 0.2 1.2 1.5 1.1 0.3 0.3 0.9 0.5 0.8 3.9 0.9 0.7 0.5 0.5 0.5 0.3 0.0 0.4 —	0	0	6
CONTROL ROOM IN E-2				
10	0.6 1.8 0.8 4.1 2.3 1.1 0.8 2.2 2.2 1.7 0.8 0.9 1.0 1.0 1.4 4.3 1.1 1.4 0.8 0.7 0.6 0.6 1.0 0.9 —	0	0	11
REACTOR AREA IN E-2				

200644

SHIFT 12-8 (3rd) Foreman

POINT	DATA	>10	75	>1
1	— (5.4) (6.3) 2.2 (10+) 2.0 (10+) 9.2 4.7 (10+) 8.0 4.1 (9.8) (8.3) (10+) (7.8) 4.2 2.9 2.1 1.1 2.0 2.9 1.8 1.0 E-1 PUMP ROOM	4	11	2
2	— (10+) (10+) (10+) (10+) (10+) (10+) (10+) (10+) (10+) (10+) (10+) (10+) (10+) (10+) (10+) (10+) (10+) 2.9 7.0 5.7 5.6 (10+) 8.0 5.2 3.3 BETWEEN E-1 SELECTROS	16	22	2
3	— (10+) (10+) (10+) (10+) 9.5 (10+) (10+) (10+) (10+) (10+) (10+) (10+) (10+) (10+) (10+) (10+) 9.3 (10+) 7.5 4.7 5.4 5.3 (10+) 9.6 3.4 NORTH BANK OF REACTORS	15	21	2
4	— 0.7 0.4 0.4 0.3 0.3 0.3 0.8 0.7 0.7 0.6 0.4 1.6 0.9 0.5 0.5 0.0 0.3 0.0 0.3 0.3 0.0 0.0 0.5 CONTROL ROOM	0	0	1
5	0.6 0.7 0.7 0.5 0.3 0.4 0.3 0.4 0.5 0.4 0.3 0.3 0.8 0.7 0.5 0.5 0.5 0.3 0.4 0.4 0.3 0.5 0.3 0.4 CENTER WHSE. ISLE IN E-2	0	0	C
6	0.2 0.2 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.4 0.0 0.0 0.0 0.0 0.4 0.0 0.0 0.0 0.0 0.0 40' ABOVE S. ROOF OF E-2 ON TV TOWER	0	0	C
7	(10+) 0.4 0.3 0.2 0.2 0.3 0.4 0.4 (10+) 1.0 1.6 0.6 5.0 0.9 (7.3) 0.4 0.4 0.3 0.4 0.4 0.4 0.4 0.3 1.0 NORTH SELECTRO IN E-2	2	3	C
8	(10+) 0.5 0.2 0.2 0.3 0.3 0.4 0.3 (8.3) 0.5 0.9 0.5 2.5 0.6 E-5 0.5 0.4 0.3 0.3 0.3 0.4 0.4 0.4 — SOUTH SELECTRO IN E-2	1	2	C
9	1.3 0.0 0.3 0.0 0.0 0.0 0.0 0.0 0.4 0.3 0.0 0.0 0.0 0.0 0.2 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 — CONTROL ROOM IN E-2	0	0	
10	2.3 0.5 0.6 0.4 0.5 0.4 0.4 0.5 3.7 1.0 0.4 0.9 0.9 0.6 1.1 0.3 0.3 0.3 0.3 0.4 0.5 0.4 1.0 — REACTOR AREA IN E-2	0	0	

200645

DATE 11/22/74SHIFT 8-4 (1st) Foreman

POINT	DATA	>10	>5	>1
1	— 2.7 2.7 2.0 (10+) 3.5 3.8 2.9 1.3 (10+) 1.7 (10+) (10+) (9.8) 1.7 2.1 2.1 2.6 (10+) 4.1 3.0 3.1 3.9 (10+) 4.8 (6.7) 3.8 3.0 4.4 3.6 (10+) E-1 PUMP ROOM	7	9	3
2	— 4.8 3.2 2.2 (5.8) 3.8 (7.6) 3.4 3.5 (10+) 2.7 (9.6) (10+) (5.3) (10+) 4.1 3.6 (5.8) (6.2) (7.9) (9.5) 3.6 (5.2) 5.0 3.2 2.3 2.9 3.1 3.6 (10+) (10+) BETWEEN E-1 SELECTROS	5	14	3
3	— (9.1) (5.9) (6.6) (10+) 4.1 (10+) 4.7 4.9 (7.8) 2.9 (10+) (10+) (8.5) (10+) (5.1) (5.1) (10+) (10+) (10+) (10+) (6.6) (8.5) (10+) (6.1) 4.5 (6.9) (7.5) 4.1 (10+) (10+) NORTH BANK OF REACTORS	12	24	3
4	— 0.4 0.6 0.5 1.3 0.5 0.4 1.6 0.8 3.2 0.6 0.6 2.2 (10+) 2.7 (10+) 2.1 2.1 1.4 2.1 1.2 0.8 1.2 0.9 0.0 0.5 0.3 0.7 (10+) 1.0 1.9 CONTROL ROOM	3	3	14
5	2.1 2.1 0.7 1.1 0.7 (10+) 0.9 0.9 0.8 3.1 2.9 3.1 3.5 1.6 3.1 2.5 3.1 3.9 1.2 0.8 0.4 0.6 0.6 0.9 1.7 1.6 4.0 2.3 0.7 0.9 1.1 CENTER WHSE. ISLE IN F-2 (LOADING AREA)	1	1	14
6	0.0 0.0 0.0 0.0 0.0 (10+) 0.0 0.0 0.0 0.0 0.0 0.5 0.5 0.0 0.0 0.6 0.5 0.0 0.0 0.0 0.4 0.0 0.5 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 40' ABOVE S. ROOF OF E-2 ON TV TOWER	1	1	1
7	0.6 0.5 0.0 0.3 0.3 0.0 2.1 0.4 0.3 0.6 0.5 0.3 0.8 (9.6) 1.3 2.8 0.6 1.2 4.7 2.0 0.6 0.6 1.0 0.8 2.8 0.6 0.6 (10+) (10+) 1.2 2.2 NORTH SELECTRO IN E-2	2	3	1
8	0.6 1.4 0.4 0.0 0.2 0.6 2.1 0.7 0.4 1.3 0.5 0.5 1.0 (10+) 2.0 (7.9) 1.7 0.9 3.2 1.0 0.8 0.9 1.3 1.1 2.4 2.8 0.9 (10+) (9.8) 1.1 2.3 SOUTH SELECTRO IN E-2	2	4	1
9	0.3 0.3 0.3 0.3 0.2 0.6 0.8 0.8 (10+) 0.7 0.4 2.1 (10+) (10+) 1.3 2.2 0.5 0.5 0.7 0.9 0.5 0.7 0.4 0.4 0.0 0.0 0.0 (10+) 0.6 0.4 0.6 CONTROL ROOM IN E-2	4	4	1
10	1.3 1.8 0.6 0.8 0.6 1.2 1.2 1.8 (6.9) 2.0 0.8 2.3 (10+) (10+) (5.7) (10+) 1.9 1.6 3.0 2.7 1.7 2.6 1.8 2.0 2.3 1.2 1.1 (10+) 3.2 1.7 4.3 REACTOR AREA IN E-2	4	6	-

INTERFERENCE WITH AUTO-2600

POSSIBLE

200646

DATE 11/22/74

SHIFT 4-12 (2nd)

FOREMAN

POINT	DATA	>10	>5	>
1	(10+) (10+) (8.6) (10+) 4.9 3.1 3.3 3.0 4.0 3.5 3.7 3.4 4.9 (10+) ST (6.5) 2.8 (5.8) (7.6) 1.6 1.5 2.3 (10+) (10+) (10+)	7	11	2
	E-1 PUMP ROOM			
2	(10+) (10+) (10+) (5.1) 3.2 4.0 3.1 2.7 4.4 4.6 4.6 3.6 3.2 3.8 (6.7) 3.2 3.6 3.2 2.4 3.0 4.3 (10+) (10+) (6.8)	5	8	2
	BETWEEN E-1 SELECTROS			
3	(10+) (10+) (10+) (9.0) (7.1) (5.7) (6.6) 4.7 (10+) (10+) (9.6) (10+) (7.3) (10+) (8.5) (9.7) 4.6 3.5 (6.9) 3.1 3.7 (10+) (10+) (6.8)	9	19	2
	NORTH BANK OF REACTORS			
4	1.5 1.3 0.9 0.7 1.2 4.4 4.2 1.3 0.6 2.3 0.8 0.8 0.0 0.0 0.3 0.5 0.0 0.4 0.0 0.4 0.6 0.7 0.0 0.0	0	0	
	CONTROL ROOM			
5	0.7 1.1 1.0 1.0 1.3 1.4 0.8 1.3 1.6 3.6 2.9 4.1 3.2 1.8 2.8 2.4 1.3 2.3 1.0 1.8 1.8 2.9 3.7 3.3	0	0	1
	CENTER WHSE. ISLE IN E-2			
6	0.0 0.4 1.3 0.0 0.0 0.3 0.0 0.0 0.0 0.0 0.5 0.3 0.0 0.0 0.0 0.0 0.4 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0	0	2
	40' ABOVE S. ROOF OF E-2 ON TV TOWER			
7	3.7 1.0 2.7 1.8 1.8 3.4 (10+) 1.8 1.4 1.8 1.8 1.3 0.9 0.7 0.6 0.5 (10+) 0.7 0.5 4.3 1.7 3.7 (10+) (10+)	4	4	1
	NORTH SELECTRO IN E-2			
8	2.8 1.2 1.6 1.6 1.2 2.3 (10+) 1.2 1.0 1.4 1.3 1.2 0.7 0.7 0.6 0.5 (7.4) 0.6 0.7 (5.8) 0.8 2.5 (5.5) (5.2)	1	5	1
	SOUTH SELECTRO IN E-2			
9	1.1 0.6 0.3 0.4 0.4 1.0 0.6 0.0 0.4 0.3 0.6 0.0 0.0 0.0 0.0 0.0 0.5 0.0 0.0 0.0 0.0 0.0 0.3 0.0	0	0	
	CONTROL ROOM IN E-2			
10	3.4 1.8 1.5 2.3 4.7 (10+) (5.8) 1.8 2.0 2.8 2.4 1.9 1.6 1.0 1.0 1.1 4.4 0.8 1.3 2.5 3.7 1.1 1.1 (8.0)	1	3	
	REACTOR AREA IN E-2			

200647

DATE 11/23/74

SHIFT 12-8 (3rd)

Foreman

POINT	DATA	>10	>5	>
1	4.7 2.9 2.7 (6.1) (10+) (5.4) 3.2 3.5 3.6 (6.2) (10+) (6.6) 3.1 3.8	3	7	2
ST	2.4 2.3 2.5 2.5 3.3 4.1 3.4 (10+)			
	E-1 PUMP ROOM			
2	2.8 2.8 1.6 3.4 (10+) 3.5 2.1 1.5 2.8 (10+) (10+) (10+) 3.6 2.6	5	5	2
	2.0 1.7 2.1 2.4 3.8 2.0 5.0 (10+)			
	BETWEEN E-1 SELECTROS			
3	(5.1) 3.4 3.0 4.2 (10+) 3.6 3.2 3.6 (10+) (10+) (10+) (5.4) 2.6 2.8	5	10	
	1.6 1.5 3.8 3.8 (8.4) (5.4) (7.4) (10+)			
	NORTH BANK OF REACTORS			
4	(7.4) 0.7 0.4 0.6 0.4 0.0 0.0 0.3 0.7 0.6 0.5 0.8 0.6 0.5	0	1	
	0.0 0.0 0.0 0.0 0.4 0.6 0.6 0.5			
	CONTROL ROOM			
5	2.8 1.2 1.7 1.8 2.0 1.5 2.7 3.7 1.6 1.6 2.9 3.3 2.8 3.4	0	0	
	1.1 2.4 2.2 1.7 1.9 2.0 2.3 3.7			
	CENTER WHSE. ISLE IN F-2			
6	0.0 0.0 0.0 0.0 0.0 0.0 0.3 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0	0	C
	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.3			
	40' ABOVE S. ROOF OF E-2 ON TV TOWER			
7	(8.2) (7.0) 0.8 1.1 0.7 0.8 0.8 0.7 1.3 0.8 3.1 1.1 1.1 0.6	0	2	
	0.6 4.0 0.8 0.7 0.7 1.6 0.8 0.7			
	NORTH SELECTRO IN E-2			
8	(8.1) 1.3 0.7 0.7 0.6 0.7 0.8 0.7 0.9 0.8 2.3 1.5 2.4 0.6	0	1	
	0.8 0.8 2.0 0.7 0.7 1.9 1.3 1.1			
	SOUTH SELECTRO IN E-2			
9	0.6 0.0 0.0 2.0 0.0 0.0 0.0 1.2 0.0 0.0 0.0 0.0 0.3 0.0	0	0	
	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0			
	CONTROL ROOM IN E-2			
10	(9.6) 2.0 1.6 1.0 0.6 0.6 0.8 (10+) 0.8 0.6 1.8 0.8 4.7 0.6	1	2	
	0.6 0.9 1.3 0.9 0.9 1.8 0.9 0.7			
	REACTOR AREA IN E-2			

200648

DATE 11/23/74

SHIFT 8-4 (1st)

FOREMAN

POINT

DATA

10 75 7

1	ST	(10+) (10+) (10+) (10+) (6.3) (10+) (9.3) (6.1) (10+) (5.5) (10+)	10	14	1
		4.7 4.1 4.8 (10+) (10+) (10+) 4.3			
		E-1 PUMP ROOM			
2		(10+) (10+) (10+) (10+) (7.5) (8.9) (7.7) (5.5) (10+) (7.1) (7.8)	8	15	
		(7.6) 4.0 4.6 (10+) (10+) (10+) 4.7			
		BETWEEN 3-1 SELECTROS			
3		(10+) (10+) (10+) (10+) (6.2) (7.5) (9.7) (5.8) (10.0) (10+) (9.4)	7	17	
		(5.2) 3.2 (5.2) (10+) (9.8) (10+) (5.1)			
		NORTH BANK OF REACTORS			
4		0.6 0.9 0.4 0.5 0.4 0.5 0.4 0.4 0.4 0.4 0.4	0	0	
		0.0 0.0 0.0 0.4 0.0 0.4 0.5			
		CONTROL ROOM			
5		1.5 1.6 2.7 1.5 1.3 0.8 1.5 1.4 0.6 0.4 0.5	0	0	
		1.2 0.7 0.5 0.5 0.4 0.5 0.4			
		CENTER WHSE. ISLE IN F-2			
6		0.0 0.3 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0	0	
		0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0			
		40' ABOVE S. ROOF OF E-2 ON TV TOWER			
7		0.7 0.7 2.6 0.9 0.7 0.7 0.6 0.6 0.6 0.8 0.8	0	0	
		0.7 1.0 0.7 2.7 0.8 0.7 1.1			
		NORTH SELECTRO IN E-2			
8		1.0 1.0 1.0 1.9 0.8 0.7 0.9 1.1 0.8 1.3 1.0	0	0	
		1.2 1.9 1.1 2.0 0.9 0.8 1.2			
		SOUTH SELECTRO IN E-2			
9		0.0 0.0 0.0 0.0 0.3 0.0 0.0 0.0 0.0 0.0 0.0	0	0	
		0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0			
		CONTROL ROOM IN E-2			
10		0.8 0.9 0.8 0.9 0.7 0.7 0.7 0.7 0.9 0.6 0.5	0	0	
		0.6 0.7 0.5 0.7 0.7 3.4 0.7			

200649

DATE 11/23/74

SHIFT 4-12 (2nd) Foreman

POINT	DATA	75	75	75
1	3.8 (6.7) 3.5 4.5 4.3 3.7 (8.7) (7.1) (6.3) (6.9) 4.4 4.0 4.3 (5.9) (7.3) (7.5) (6.5) (6.5) (8.6) (10+) (8.9) (10+) (10.0) (10+)	3	16	2
	E-1 PUMP ROOM			
2	(7.0) (6.6) 1.8 3.7 (10+) (9.0) (7.7) 4.2 (6.7) 4.1 4.2 3.7 4.9 (6.0) (4.6) 3.8 (2.1) (5.1) (10+) (5.9) (7.8) (10+) (10+) (10+)	5	16	2
	BETWEEN E-1 SELECTORS			
3	(6.5) (5.8) 3.8 3.8 (5.9) (6.3) (6.7) (5.5) (9.9) (7.4) (9.5) (10+) (9.2) (10+) (10+) (8.6) (7.4) (8.8) (10+) (8.9) (8.5) (10+) (7.9) (10+)	6	22	2
	NORTH BANK OF REACTORS			
4	0.0 0.4 0.0 0.0 0.4 0.4 0.4 0.4 0.3 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.4 0.3 0.7 0.9 1.7 4.2	0	0	2
	CONTROL ROOM			
5	0.4 0.5 0.3 0.3 0.0 0.5 0.6 0.5 0.6 0.4 0.4 0.5 0.4 0.5 0.5 0.4 0.6 0.5 0.5 0.5 0.5 0.5 0.4 0.6	0	0	2
	CENTER WHSE. ISLE IN F-2			
6	0.0 0.3 0.0 0.0 0.0	0	0	0
	40' ABOVE S. ROOF OF E-2 ON TV TOWER			
7	0.7 1.8 0.7 1.5 0.8 1.5 1.6 0.8 0.7 0.7 0.6 0.5 0.6 0.5 0.5 0.5 2.6 0.6 2.2 1.4 2.4 4.9 4.0 4.6	0	0	1
	NORTH SELECTRO IN E-2			
8	0.9 1.5 1.0 2.1 1.1 1.3 0.9 0.8 0.8 0.7 0.8 0.9 0.7 0.8 0.0 0.7 1.9 0.5 1.5 2.5 3.8 (6.7) (5.9) 4.3	0	2	1
	SOUTH SELECTRO IN E-2			
9	0.0 0.3 0.5 0.6	0	0	1
	CONTROL ROOM IN E-2			
10	1.0 1.0 0.9 3.4 0.9 0.8 0.8 0.8 0.6 0.6 0.6 0.4 0.4 0.4 0.0 0.6 0.6 0.4 0.8 0.7 1.6 3.4 (7.3) (10+)	1	2	

200650

DATE 11/20/74

SHIFT 12-8 (3rd) FOREMAN

POINT	DATA	→10	75	21
1	47 4.9 2.7 5.4 3.1 (10.7) (9.1) (7.4) 3.8 3.6 (10.0) 4.5 4.7 (6.4) (6.2) (6.4) 2.8 2.4 3.0 3.1 2.7 (6.7)	1	8	2
E-1 PUMP ROOM				
2	44 4.8 3.9 (6.0) (6.6) (10.7) (9.0) (8.8) (7.2) — (9.8) 4.1 (6.7) (10.7) 4.6 (6.9) 2.3 2.0 2.8 2.6 2.7 (5.9)	2	11	2
BETWEEN E-1 SELECTROS				
3	(10.7) (6.6) 3.8 2.7 (5.5) (9.4) (10.7) (8.2) (5.6) — (7.0) 4.9 (10.7) (10.7) 3.6 4.4 2.2 2.1 2.8 2.9 (5.6) (6.2)	4	12	2
NORTH BANK OF REACTORS				
4	(6.3) 0.5 0.5 1.5 0.5 0.4 0.5 0.5 0.4 — 0.0 0.5 0.6 0.5 0.3 0.4 0.4 0.4 1.4 0.5 0.6 0.4	0	1	3
CONTROL ROOM				
5	0.6 0.4 0.4 0.4 0.0 0.5 0.4 0.4 0.5 — 0.4 0.3 0.4 0.5 0.5 0.4 0.5 0.4 0.5 0.5 0.5 —	0	0	2
CENTER WHSE. ISLE IN F-2				
6	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 — 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 —	0	0	0
40' ABOVE S. ROOF OF E-2 ON TV TOWER				
7	(6.7) 0.8 1.5 1.9 2.5 0.9 0.8 (10.7) 0.8 — 3.5 0.6 1.4 0.9 0.6 0.7 0.7 2.0 2.2 (10.7) 3.6 —	2	3	1
NORTH SELECTRO IN E-2				
8	(6.3) 0.8 1.4 2.1 1.2 0.9 0.9 (8.1) 0.8 — 4.6 0.6 2.1 0.7 0.5 0.5 0.7 4.0 2.0 2.7 0.8 —	0	2	1
SOUTH SELECTRO IN E-2				
9	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.3 0.0 — 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 —	0	0	0
CONTROL ROOM IN E-2				
10	1.6 0.8 1.6 1.5 0.8 0.8 0.9 1.5 0.6 0.5 1.1 0.9 1.8 0.9 0.8 0.6 0.6 1.3 1.0 1.5 0.9 —	0	0	0
REACTOR AREA IN E-2				

200651

DATE 11/24/74

SHIFT 8-4 (1st) Foreman

POINT	DATA	>10	>5	>
1	— (5.1) 5.0 3.3 3.1 2.8 2.9 3.6 (6.9) 4.7 (6.3) 3.7 3.6 (5.1) (9.9) (10+) 4.3 4.6 3.2 4.0 3.4 3.6 4.3 5.0 5.0	1	6	2
	E-1 PUMP ROOM			
2	— 4.7 4.0 3.7 2.9 2.5 3.1 (8.9) (6.0) 3.1 2.9 3.0 4.8 5.0 (9.5) (7.5) 2.1 2.4 2.5 2.7 2.4 3.0 4.4 4.7 3.6	0	4	<
	BETWEEN E-1 SELECTORS			
3	— (10+) 4.5 (6.3) 2.3 2.4 3.0 (10+) (6.1) 2.8 2.8 2.7 4.4 (5.8) (10+) (7.2) 2.6 2.6 2.9 3.5 4.6 3.5 (6.9) (10+) (6.7)	4	10	2
	NORTH BANK OF REACTORS			
4	— 0.6 0.5 0.9 0.3 0.4 0.4 0.5 0.4 0.4 0.6 0.5 0.5 0.4 0.4 0.3 0.4 0.4 0.4 0.4 0.3 0.4 0.6 0.4 0.4	0	0	C
	CONTROL ROOM			
5	0.5 0.6 0.6 0.4 0.4 0.6 0.5 0.5 0.5 0.5 0.4 0.5	0	0	C
ST	0.5 0.5 0.8 0.6 0.8 0.6 0.4 0.5 0.6 0.7 0.8 0.9 —			
	CENTER WHSE. ISLE IN F-2			
6	0.0 —	0	0	C
	40' ABOVE S. ROOF OF E-2 ON TV TOWER			
7	(5.7) 1.0 1.6 1.2 1.4 1.4 1.3 1.8 2.2 1.9 1.6 2.6 1.3 1.2 1.9 2.2 2.7 0.6 0.5 0.5 0.7 0.7 0.9 0.8 —	0	1	1
	NORTH SELECTRO IN E-2			
8	3.7 0.5 0.8 0.8 1.5 0.8 1.3 1.3 1.1 1.6 1.5 2.6 1.2 1.0 1.0 1.0 0.7 0.5 0.6 0.5 0.7 0.7 0.7 0.7 —	0	0	
	SOUTH SELECTRO IN E-2			
9	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.3 0.0 0.0 0.0 0.0 0.0 0.0 0.0 —	0	0	C
	CONTROL ROOM IN E-2			
10	1.0 1.0 4.4 0.5 1.0 0.8 1.2 1.0 1.0 1.0 0.9 0.8 0.8 0.7 0.6 0.6 0.6 0.7 0.7 0.5 0.6 0.7 0.5 0.5 —	0	0	
	REACTOR AREA IN E-2			

200652

DATE 11/4/74SHIFT 4-12 (2nd) Foreman

POINT	DATA	→10	→5	→
1	— 3.9 3.1 (7.7) (7.1) (6.9) (5.2) (5.2) 4.3 4.2 3.1 2.7 2.7 2.6 2.4 2.9 4.5 4.3 (7.0) (9.3) 4.2 (9.1) 2.5 2.3 (8.7) 2.0 3.0	0	9	2
	E-1 PUMP ROOM			
2	— 4.9 3.8 (8.3) (6.4) 4.0 4.8 5.0 (7.5) (6.6) 4.7 (5.4) 4.9 4.2 4.8 (10+) (10+) (10+) (10+) (10+) (10+) (10+) (8.3) 5.0 (10+) 7.3 (8.8)	8	16	2
	BETWEEN E-1 SELECTORS			
3	— (8.6) 3.1 (10+) (8.0) (5.9) (6.7) (5.8) (6.1) 7.8 3.8 4.1 (6.5) 4.5 4.9 (8.4) (10+) (10+) (10+) (10+) (10+) (10+) 9.1 (5.7) (10+) (5.7) (6.3)	8	21	2
	NORTH BANK OF REACTORS			
4	— 0.3 0.3 0.8 0.5 0.3 0.9 0.7 0.7 1.1 0.4 0.7 0.7 0.6 0.6 0.6 0.8 0.9 0.7 1.7 0.6 1.8 1.8 2.0 1.9 1.0 0.4	0	0	0
	CONTROL ROOM			
5	0.6 0.7 0.6 0.8 0.5 0.5 0.6 0.5 0.7 0.9 0.8 1.2 1.4 1.2 1.1 1.1 0.9 1.1 1.3 1.2 (6.9) 4.9 2.6 2.0 (10+) (10+) —	2	3	1
	CENTER WHE. ISLE IN E-2			
6	0.0 0.0 0.0 0.3 0.0 0.0 0.0 0.0 0.0 1.1 0.0 0.0 0.2 0.0 0.0 0.0 0.0 0.2 0.0 0.0 0.4 0.0 0.0 0.0 0.3 0.0 —	0	0	1
	40' ABOVE S. ROOF OF E-2 ON TV TOWER			
7	4.7 0.9 0.7 1.8 0.8 0.9 0.9 1.0 1.7 1.3 0.8 0.7 0.7 0.7 0.6 0.5 0.5 0.6 0.7 0.7 0.5 (10+) (10+) (10+) (6.7) 1.3 —	3	4	
	NORTH SELECTRO IN E-2			
8	3.2 0.7 0.6 2.4 0.7 0.7 1.0 1.0 1.5 1.6 1.0 0.8 0.7 0.6 0.5 0.5 0.5 0.6 0.6 0.7 1.3 (10+) (10+) (10+) (7.5) 1.1 —	3	4	
	SOUTH SELECTRO IN E-2			
9	0.0 0.0 0.3 0.4 0.2 0.0 0.3 0.4 0.6 0.8 0.0 0.4 0.3 0.3 0.3 0.6 0.4 0.4 0.3 0.7 0.5 1.6 1.3 1.4 0.7 0.4 —	0	0	
	CONTROL ROOM IN E-2			
10	0.8 0.6 0.5 1.2 0.6 2.9 1.3 1.1 2.2 1.2 1.1 1.1 1.1 0.2 0.7 0.8 0.8 0.8 0.8 1.1 1.1 3.3 3.0 3.0 1.7 0.7 —	0	0	
	REACTOR AREA IN E-2			

200653

DATE 11/25/74

SHIFT 12-8 (3rd) Foreman

POINT	DATA	→10	75	7
1	— 2.5 2.2 2.4 2.5 4.0 2.2 2.0 2.3 2.7 2.4 2.4 4.8 3.4 4.0 3.9 2.5 3.3 2.7 2.2 2.9 4.6 2.6 1.7 2.7 1.9	0	0	2
E-1 PUMP ROOM				
2	— 4.9 3.5 3.2 (10+) (10+) (10+) (10+) 4.5 (10+) 3.4 2.6 3.0 3.3 3.9 3.1 4.4 2.8 2.9 3.0 4.7 (10+) (7.5) 2.6 3.5 3.0	6	7	2
BETWEEN E-1 SELECTROS				
3	— 4.6 4.0 3.4 (6.0) (10+) (5.9) (10+) 3.9 (10+) 3.5 2.9 3.8 3.8 4.6 3.2 (5.3) 2.9 3.4 3.4 4.3 (9.3) (6.3) 2.9 3.6 3.6	3	8	
NORTH BANK OF REACTORS				
4	— 0.4 0.0 0.0 0.0 0.6 0.5 0.6 0.4 0.6 0.3 0.0 0.0 0.5 0.9 (6.1) 0.5 2.7 0.4 1.7 0.4 0.4 0.4 0.0 0.3 0.6	0	1	
CONTROL ROOM				
5	4.0 2.4 1.6 1.2 1.2 1.2 1.0 1.4 1.7 1.4 0.9 0.9 0.8 0.9 1.5 1.0 1.1 1.1 0.9 0.6 0.9 1.0 1.2 1.0 1.0 —	0	0	1
CENTER WHSE. ISLE IN F-2				
6	0.0 —	0	0	
40' ABOVE S. ROOF OF E-2 ON TV TOWER				
7	0.5 0.4 0.3 0.4 0.3 1.3 0.4 0.5 0.3 0.2 0.3 0.5 0.3 (5.7) 0.7 1.2 (7.3) 0.9 0.7 0.8 0.5 0.5 0.5 0.5 —	0	2	
NORTH SELECTRO IN E-2				
8	0.4 0.3 0.4 0.4 0.4 0.8 0.4 0.4 0.3 0.0 0.0 0.4 0.3 (7.9) 0.4 1.7 (5.7) 1.5 0.6 0.8 0.3 0.3 0.5 0.5 (10+) —	1	3	
SOUTH SELECTRO IN E-2				
9	0.0 0.0 0.0 0.0 0.0 0.3 0.0 0.4 0.0 0.0 0.0 0.0 0.0 1.0 0.5 0.8 0.8 0.4 1.2 0.0 0.0 0.0 0.0 0.0 1.6 —	0	0	
CONTROL ROOM IN E-2				
10	1.5 0.5 0.4 0.3 0.6 0.6 0.6 0.4 0.4 0.4 0.4 0.5 4.3 0.8 1.5 2.2 0.7 (7.8) 0.6 0.3 0.5 0.6 0.6 1.1 —	0	1	
REACTOR AREA IN F-2				

200654

DATE 11/5/74 SHIFT 8-4 (1st) FOREMAN _____

INT	DATA	AUG.	Std. Dev.	N	EX	EX	25	75
1	0.7 1.0 1.0 2.6 (7.7) 3.7 2.7 1.1 1.0 0.7 0.7 1.0 0.9 1.0 0.9 1.2 2.5 3.6 0.9 2.0 1.2 0.6 0.5 0.6 0.6 0.5 2.9 E-1 PUMP ROOM						0	1
2	(17.6) (14.1) (8.7) (9.5) (12.6) (15.0) (17.9) (13.7) (8.8) (7.4) (8.6) (9.7) (6.4) (9.5) (8.6) (10.7) (13.1) (11.2) (6.4) 4.9 (6.4) 3.5 4.0 (5.5) 3.5 3.5 (16.7) BETWEEN E-1 SELECTROS						0	2
3	(21.6) (19.1) (23.1) (22.1) (25+) (25+) (24.1) (25+) (21.0) (21.6) (21.2) (25+) (25+) (25+) (25+) (25+) (23.9) (25+) (11.4) (10.6) 3.9 5.6 2.9 4.1 3.7 4.9 (8.1) NORTH BANK REACTORS						9	2
4	0.8 0.6 0.9 0.6 0.7 0.5 0.6 0.6 0.6 0.6 0.5 0.4 0.5 0.4 0.5 0.4 0.4 0.5 0.7 0.9 0.6 0.4 0.5 0.6 1.8 0.5 CONTROL ROOM						0	C
5	— 6.0 (19.7) 4.6 (8.4) (6.0) (5.4) (24.4) 4.5 2.3 2.1 2.4 2.0 2.0 2.9 3.0 3.9 5.0 3.8 4.6 3.2 2.5 1.1 2.0 1.9 2.6 SOUTH BANK OF REACTORS						0	S
6	— 0.2 0.3 0.1 — 20' ABOVE S. ROOF OF E-2						0	C
7	— 0.4 0.9 0.4 0.4 0.4 0.4 0.4 0.2 0.3 0.1 0.3 0.3 0.4 0.4 0.4 0.3 0.4 0.4 0.5 0.2 0.3 0.2 0.3 0.5 0.2 NORTH SELECTRO IN E-2						0	C
8	— 0.4 0.7 0.3 0.3 0.3 0.4 0.2 0.1 0.1 0.1 0.1 0.4 0.4 0.4 0.3 0.3 0.3 0.5 0.6 0.4 0.4 0.2 0.9 0.5 0.4 SOUTH SELECTRO IN E-2						0	C
9	0.4 0.1 0.4 0.0 0.1 0.0 0.1 0.1 0.1 0.2 0.0 0.1 0.0 0.0 0.0 0.1 0.1 0.0 0.2 0.4 0.4 0.5 0.1 3.9 0.2 0.3 CONTROL ROOM IN E-2						0	C
10	1.0 0.7 0.9 0.5 0.6 1.0 0.6 0.6 0.9 0.6 0.6 0.5 0.6 0.5 0.6 0.7 0.6 0.5 0.9 1.0 0.9 1.0 0.7 2.3 1.0 0.9 REACTOR AREA IN E-2						0	7

200655

DATE 11/6/94 SHIFT 12-8 (3rd) FOREMAN _____

DATA

Aug. Std. N EX EX 225 25

1 1.9 0.9 0.4 (25+) 3.2 (9.9) 2.4 1.5 1.6 1.4 3.4 (5.6)
 12.5 (6.4) (10.4) (11.6) (8.9) 3.0 2.6 2.0 2.1 1.6 1.6 1.6
 2.0 2.8 2.9

E-1 PUMP ROOM

2 (5.3) 2.5 1.1 (25+) (7.1) (16.6) (25+) (14.0) (9.5) (11.4) (18.0) (17.4)
 (17.3) (17.4) (14.4) (7.4) (9.4) 4.7 (5.9) 4.5 (9.6) (7.4) 3.6 3.5
 3.7 (5.7) (5.6)

BETWEEN E-1 SELECTROS

3 (8.6) 4.0 2.4 0.9 (20.5) (23.6) (25+) (11.6) (12.2) (11.6) (23.9) (22.9)
 (25+) (22.3) (20.5) (13.3) (14.8) (11.9) (12.4) (12.8) (13.4) (12.5) 4.4 (5.3)
 (6.6) (9.0) (6.9)

NORTH BANK REACTORS

4 2.7 2.0 0.4 4.1 2.0 2.2 1.8 2.9 1.8 1.8 2.9 4.1
 4.3 4.6 2.7 0.9 0.7 0.9 1.1 1.0 1.0 1.7 1.3 2.6
 1.4 0.9 1.9

CONTROL ROOM

5 2.1 1.1 0.0 3.5 (15.0) (15.0) (10.9) (6.6) 3.7 4.7 (10.5) (12.5)
 (25+) (25+) (17.0) 4.9 (6.5) (9.5) 4.3 3.6 (5.8) (9.6) 3.5 4.1
 4.0 (5.7) 4.5

SOUTH BANK OF REACTORS

6

20' ABOVE S. ROOF OF E-2

7 0.7 0.5 0.0 1.3 2.0 2.3 1.5 3.7 1.7 1.5 4.9 4.6
 3.4 (5.1) 2.4 1.2 1.0 1.1 2.7 2.6 2.1 1.4 1.6 1.6
 0.7 0.6 0.7

NORTH SELECTRO IN E-2

8 0.7 0.4 (25+) 2.1 2.2 2.1 1.9 2.5 1.5 2.1 4.3 4.9
 3.8 4.4 2.0 1.1 0.9 1.0 2.9 4.0 2.6 1.4 1.4 1.2
 0.5 0.5 0.6

SOUTH SELECTRO IN E-2

9 0.4 0.0 0.5 0.6 3.0 1.8 2.9 3.5 2.9 (5.9) (6.4) (5.4)
 4.9 (5.4) 3.4 1.7 1.4 1.5 2.4 0.5 0.5 0.5 0.6 1.9
 1.0 0.9 1.1

CONTROL ROOM IN E-2

10 2.6 1.6 (25+) (6.4) (5.3) (6.4) 4.3 3.1 2.4 (9.1) (6.3) (11.7)
 3.1 (5.6) 2.2 1.9 1.9 1.9 2.4 2.5 2.4 2.6 (5.8) 2.5
 1.6 1.4 2.0

REACTOR AREA IN E-2

200656

DATE 11/5/74 SHIFT 4-12 (2nd) F REMAN

DATA

Aug. Std. N EX² EX 225 25

1	- 3.4 0.9 0.9 0.6 0.9 3.7 (14.8) (10.9) (13.2) 1.5 1.0 1.6 3.4 (14.4) (12.9) (5.8) (25+) (8.9) (19.5) (10.6) (5.9) (5.6) (5.1) 3.6 3.6 (5.3)											1	14
E-1 PUMP ROOM													
2	- (8.0) 4.0 (25+) (6.5) 3.0 (6.9) (7.4) (7.5) (24.9) (25+) (16.7) (6.6) (25+) 2.5 (8.7) (14.2) (19.7) (13.1) (17.0) (9.7) (6.7) (8.4) (8.7) (8.0) (6.8) (14.8)											3	23
BETWEEN E-1 SELECTROS													
3	- (6.1) 4.0 (20.2) (5.6) 4.1 (15.4) (10.3) (9.0) (25+) (25+) (18.9) (6.1) (16.2) 4.0 (25+) (9.6) (25+) (21.2) (17.4) (12.6) (7.4) (8.5) (8.7) (8.6) (7.1) (14.9)											4	23
NORTH BANK REACTORS													
4	0.5 0.5 0.4 0.5 0.4 1.3 0.6 0.7 0.6 0.7 2.9 2.2 0.8 1.5 2.5 4.4 (6.0) (10.0) (7.4) (9.5) (9.3) (6.9) (5.9) (10.6) (8.9) (7.6) (5.5)											0	11
CONTROL ROOM													
5	3.6 (11.7) 1.6 (25+) 2.6 1.8 3.4 3.9 2.9 (16.0) (22.0) (16.4) 3.5 4.4 0.5 3.1 3.1 (6.0) (6.9) (6.3) 3.9 2.5 (8.6) 3.9 3.8 3.8 (5.5)											1	10
SOUTH BANK OF REACTORS													
6													
20' ABOVE S. ROOF OF E-2													
7	0.2 0.4 0.5 0.7 0.6 1.2 0.8 0.6 0.6 1.7 2.1 2.5 1.1 1.4 1.4 2.5 1.5 2.1 2.5 1.9 2.0 2.4 3.2 2.0 2.4 1.7 1.1											0	0
NORTH SELECTRO IN E-2													
8	0.3 0.3 0.4 0.5 0.9 1.3 0.8 0.8 0.4 2.4 2.7 1.6 1.2 0.9 1.5 2.0 (21.1) 1.9 2.4 1.7 2.6 3.9 (5.1) 1.7 2.0 1.6 1.0											0	2
SOUTH SELECTRO IN E-2													
9	0.0 0.3 0.1 0.4 0.4 0.4 0.4 0.4 0.1 1.0 0.6 0.4 0.2 0.4 0.4 0.9 1.2 1.0 1.1 1.1 1.0 1.0 1.4 1.4 1.0 0.9 0.5											0	0
CONTROL ROOM IN E-2													
10	1.0 0.7 0.7 0.7 2.8 1.5 0.7 1.0 1.4 (6.6) (7.9) (5.1) (5.1) 5.0 (7.4) (7.9) (12.9) (16.0) (13.9) (14.9) (17.2) (15.9) (17.7) (14.5) (10.4) (7.8) 4.5											0	
REACTOR AREA IN E-2													

200657

200657

DATE 11/11/74 SHIFT 8-4 (1st) foreman

RWT	DATA												>25	>5	>1
1	(10.3)	(2.3)	4.4	(6.7)	(9.4)	0.1	(13.4)	(12.9)	(12.2)	(9.0)	(9.4)	(14.9)	0	20	2
5	(20.8)	(12.4)	(11.4)	(10.2)	(5.5)	4.6	(10.1)	(11.9)	(8.6)	(5.4)	(6.4)				
	E-1 PUMP ROOM														
2	(11.0)	(8.1)	(6.4)	(8.5)	(25+)	(25+)	(25+)	(25+)	(25+)	(25+)	(25+)	(25+)	11	21	2
	(25+)	(25+)	(25+)	(15.3)	(8.7)	(12.2)	(23.4)	(10.0)	(11.9)	4.1	4.7				
	BETWEEN E-1 SELECTROS														
3	(12.3)	(8.9)	(7.1)	(11.4)	(25+)	(25+)	(22.1)	(25+)	(25+)	(25+)	(20.4)	(12.5)	8	23	2
	(25+)	(25+)	(25+)	(14.5)	(14.0)	(14.9)	(12.0)	(9.6)	(8.5)	(6.6)	(5.7)				
	NORTH BANK OF REACTORS														
4	0.2	0.3	0.1	0.3	0.6	0.3	0.0	0.3	0.5	0.7	0.4	0.2	0	0	0
	0.5	0.5	0.4	0.6	0.4	0.2	0.3	0.1	0.3	0.0	—				
	CONTROL ROOM														
5	0.2	0.3	0.5	0.5	0.4	0.9	0.5	0.6	0.6	1.3	2.1	1.0	0	0	6
	1.1	1.4	2.4	1.0	1.3	0.6	0.2	0.4	0.3	0.3	—				
	SOUTH BANK OF REACTORS CENTER WARE ISLE IN F-2														
6	0.1	0.0	0.2	0.1	0.3	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0	0	0
	0.3	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.0	—				
	40' ABOVE S. ROOF OF E-2 ON TV TOWER														
7	0.6	0.6	0.5	1.9	0.5	1.0	0.4	1.4	2.3	0.6	0.9	0.6	0	0	6
	1.5	0.4	0.4	0.5	0.4	0.3	0.3	1.3	0.8	2.5	—				
	NORTH SELECTRO IN E-2														
8	0.9	0.5	0.5	0.5	0.6	0.9	0.4	0.4	4.4	0.6	(7.5)	0.5	0	1	4
	0.9	0.4	0.3	1.6	0.3	0.4	0.3	0.5	0.6	1.8	—				
	SOUTH SELECTRO IN E-2														
9	0.1	0.3	0.2	0.2	—	0.2	0.1	0.2	0.1	0.1	0.4	0.3	0	0	0
	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.1	—				
	CONTROL ROOM IN E-2														
10	0.9	0.8	0.9	0.5	—	0.4	0.3	0.5	(11.3)	0.6	(25+)	0.5	1	2	4
	0.6	0.4	0.4	1.4	0.3	0.6	0.8	0.4	0.5	3.7	—				
	REACTOR AREA IN E-2														

200658

DATE 11/11/74

SHIFT 4-12 (2nd) foreman

POINT	DATA												>10	>5	>1
1	(10+)	3.5	1.5	1.8	3.2	3.7	4.7	4.6	(7.2)	(6.4)	(6.2)	(6.8)	5	11	20
ST	(10+)	(10+)	(10+)	(6.9)	(10+)	(9.0)	4.0	3.1							
	E-1 PUMP ROOM														
2	(10+)	(2.9)	(5.4)	4.9	(10+)	(10+)	(10+)	(7.5)	(6.7)	4.9	4.8	(8.6)	7	15	20
	(10+)	(10+)	(8.9)	(8.4)	(10+)	(5.7)	2.8	2.3							
	BETWEEN E-1 SELECTROS														
3	(10+)	(10+)	(8.9)	(10+)	(10+)	(10+)	(10+)	(10+)	(10+)	(10+)	(10+)	(10+)	19	20	20
	(10+)	(10+)	(10+)	(10+)	(10+)	(10+)	(10+)	(10+)							
	NORTH BANK OF REACTORS														
4	0.5	0.4	0.3	0.3	0.4	0.3	0.4	1.7	1.5	1.1	1.2	0.8	0	0	4
	1.0	0.3	0.3	0.3	0.2	0.2	0.5	0.9							
	CONTROL ROOM														
5	0.4	0.4	0.3	0.3	0.3	0.4	0.5	0.6	0.4	0.4	0.3	0.4	0	0	0
	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2							
	SOUTH BANK OF REACTORS CENTER WARE. ISLG IN A-2														
6	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.1	0.1	0	0	0
	0.3	0.2	0.2	0.1	0.1	0.2	0.2	0.1							
	40' ABOVE S. ROOF OF E-2 ON TV TOWER														
7	0.4	0.7	0.5	0.3	0.3	0.4	1.2	1.8	1.4	4.9	2.2	1.7	0	0	9
	1.4	0.8	0.3	0.5	0.5	0.3	1.4	1.3							
	NORTH SELECTRO IN E-2														
8	0.7	0.7	0.8	0.5	0.4	0.7	1.0	1.3	1.0	2.8	3.0	1.3	0	1	6
	1.1	0.5	0.5	0.3	0.3	0.8	(9.2)	1.0							
	SOUTH SELECTRO IN E-2														
9	0.2	0.2	0.1	0.2	0.2	0.2	1.6	0.4	0.7	0.7	0.7	0.5	0	0	1
	0.2	0.2	0.1	0.2	0.2	0.2	0.6	0.2							
	CONTROL ROOM IN E-2														
10	1.0	1.2	0.9	0.6	0.6	0.8	2.5	1.1	1.5	1.7	2.0	1.1	0	0	8
	1.0	0.5	0.6	0.5	0.4	0.7	2.2	0.9							
	REACTOR AREA IN E-2														

200659

DATE 11/12/74

SHIFT 12-8 (3rd) foreman

PLANT

DATA

>10 >5 >1

1	5.9	5.1	4.8	2.8	2.9	3.8	4.3	10+	5.2	4.9	9.1	9.3	1	11	2
ST	7.1	6.9	6.1	6.2	5.3	4.6	4.8	4.7	4.2	2.8					
E-1 PUMP ROOM															
2	4.9	3.8	2.1	1.2	2.2	4.2	3.3	6.6	8.3	4.4	10+	10+	2	8	2
	9.3	5.6	3.4	3.1	4.8	4.8	2.6	6.0	3.2	2.8					
BETWEEN E-1 SELECTORS															
3	10+	8.8	7.2	6.8	5.8	7.2	7.1	10+	9.2	7.5	10+	10+	7	22	2
	10+	10+	6.6	6.3	6.1	5.7	10.0	10+	5.3	6.0					
NORTH BANK OF REACTORS															
4	0.3	0.3	0.2	0.2	0.3	0.3	0.3	0.2	0.3	0.4	0.3	0.3	0	0	1
	0.2	0.5	0.3	0.4	0.3	4.9	0.3	0.3	0.4	0.2					
CONTROL ROOM															
5	0.2	0.8	0.6	0.9	0.4	0.8	0.4	0.3	0.0	0.1	0.2	0.2	0	0	0
	0.1	0.2	0.2	0.1	0.1	0.3	0.1	0.2	0.1	0.2					
SOUTH BANK OF REACTORS CENTER WHSE. ISLE IN F-2															
6	0.2	0.3	0.3	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0	0	0
	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.1					
40' ABOVE S. ROOF OF E-2 ON TV TOWER															
7	1.0	0.5	1.5	2.3	3.3	2.7	1.7	1.1	0.9	2.9	0.4	0.4	0	0	9
	0.3	0.5	0.8	0.6	0.5	1.3	0.7	2.8	0.7	0.4					
NORTH SELECTRO IN E-2															
8	0.7	1.6	1.0	1.6	4.8	2.0	1.3	10+	2.2	10+	0.8	0.6	3	3	15
	0.2	0.7	0.8	1.6	10+	1.4	0.5	1.1	2.1	0.5					
SOUTH SELECTRO IN E-2															
9	0.2	0.1	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.7	0.1	0.2	0	0	1
	0.2	0.1	0.4	0.1	1.4	0.2	0.2	0.2	0.1	0.2					
CONTROL ROOM IN E-2															
10	1.6	0.6	1.5	1.0	1.8	1.1	0.9	1.5	1.6	5.8	0.9	0.9	1	3	14
	6.8	1.0	3.0	1.0	10+	1.6	1.1	1.4	1.2	0.9					
REACTOR AREA IN E-2															

200660

DATE 11/1/74 Shift 8-4 (1st) Foreman

POINT	DATA	Avg.	Std. Dev.	N	EX ²	EX	ΣΣ	Σ
1	1.0 1.4 1.0 1.3 1.0 1.5 1.0 1.9 1.1 0.8 1.4 5.0 (6.4) (5.5) (12.5) (7.8) (25+) (11.9) (7.1) 1.8 2.3 2.1 2.4							1
	E-1 PUMP ROOM							
2	4.0 4.4 4.4 3.2 3.0 4.5 2.4 2.4 (5.3) 1.6 2.6 4.9 (8.1) (6.8) (5.9) (6.4) (25+) (8.9) (5.5) 4.0 4.9 (6.4) 3.7							1
	BETWEEN E-1 SELECTROS							
3	(12.9) (5.9) (7.7) (5.6) 4.4 3.5 (14.6) (8.7) (8.6) (8.4) (6.4) (6.2) ST 4.6 (12.1) (17.3) (21.9) (22.7) (25+) (13.1) (7.1) (12.6) (14.3) (16.2) (16.0)							1
	NORTH BANK REACTORS							
4	2.0 2.5 1.0 1.8 0.8 0.7 0.9 0.7 0.6 0.6 0.5 (10.9) 4.4 3.1 0.6 0.8 1.0 1.4 0.7 0.7 0.6 0.5 0.6 1.5							0
	CONTROL ROOM							
5	(5.9) (11.4) (6.4) (7.1) 4.5 4.5 (6.9) 3.4 3.8 2.6 2.5 4.3 (5.5) (11.7) (13.4) (12.5) (21.3) (25+) (7.7) 3.9 (6.5) (22.5) (6.5) (13.7)							1
	SOUTH BANK OF REACTORS							
6	0.6 0.5 0.4 0.4 0.4 0.4 0.1 0.3 0.4 0.1 0.3 0.0 0.1 0.5 0.4 0.4 0.5 0.4 0.4 0.4 0.1 0.4 0.2 0.5							0
	20' ABOVE S. ROOF OF E-2							
7	1.5 2.5 0.8 1.0 1.5 1.4 1.0 1.1 1.4 1.1 1.6 1.3 1.5 1.9 0.9 1.0 2.9 0.7 0.8 1.1 1.3 0.9 1.4 1.5							0
	NORTH SELECTRO IN E-2							
8	2.4 2.0 0.9 0.9 1.0 0.8 0.8 0.9 0.9 0.7 0.9 0.9 0.9 2.2 0.7 0.8 2.6 0.4 0.7 0.9 0.7 0.8 0.9 0.9							0
	SOUTH SELECTRO IN E-2							
9	1.0 0.9 0.4 0.5 0.5 0.4 0.5 0.4 0.4 0.4 0.4 0.4 0.5 0.5 0.4 0.4 0.9 0.1 0.5 0.4 0.4 0.4 0.5 0.5							0
	CONTROL ROOM IN E-2							
10	4.4 3.6 1.2 0.9 1.2 0.8 0.8 0.9 0.9 0.9 0.9 1.4 1.0 1.0 0.9 1.0 1.6 0.5 0.6 0.6 0.5 0.6 0.7 0.7							0
	REACTOR AREA IN E-2							

200661

Shift 4-12 (2nd) FOREMAN

DATA

AUG. Std. Dev. $N \sum X^2 \sum X$ 225 7

POINT

57

2.9	2.6	2.3	1.5	2.4	2.1	3.9	3.7	1.4	2.4	1.8	1.9
1.9	4.1	3.0	2.2	2.3	3.4	1.7	1.3	1.1	1.5	1.4	0.7

E-1 PUMP ROOM

2

2.8 2.1 2.1 (2.5) (8.7) (9.1) (14.8) 4.8 3.1 3.5 5.0 (5.6)
4.4 (6.9) (5.7) (7.1) (7.5) (9.9) (8.4) (10.1) (9.4) (9.4) (9.5) (8.7)

BETWEEN E-1 SELECTROS

3

12.8 12.9 13.9 19.6 23.8 21.4 25+ 7.0 25+ 25+ 25+ 22.6
 25+ 25+ 19.9 25+ 25+ 25+ 23.4 25+ 25+ 25+ 23.9 25+

NORTH BANK REACTORS

4

0.5 0.4 0.5 0.9 0.9 0.4 0.7 0.6 0.9 0.9 0.6 0.6
0.8 0.9 0.9 0.9 1.0 1.2 1.0 0.8 0.9 0.9 1.0 1.4

CONTROL ROOM



5.0 3.4 4.0 9.6 17.4 17.9 9.9 3.1 3.2 4.8 5.7 5.6
5.5 8.1 14.5 7.7 16.4 8.9 6.4 6.4 6.2 6.9 7.0 25+

SOUTH BANK OF REACTORS

6

0,5 0,5 0,3 0,4 0,5 0,4 0,4 0,4 0,4 0,5 0,1 0,4
0,4 0,5 0,5 0,4 0,6 0,4 0,0 0,1 0,4 0,1 0,0 0,1

20' ABOVE S. ROOF OF E-2

7

0.7 1.4 0.9 5.0 1.9 0.4 3.4 6.6 2.1 1.6 1.6 1.3
1.6 1.5 1.4 1.6 2.5 1.3 1.0 1.8 1.3 1.4 1.9 1.4

NORTH SELECTRO IN E-2

8

0.6 0.8 0.8 3.4 1.5 0.5 0.9 3.7 3.1 1.1 1.4 0.9
1.1 1.8 1.2 1.2 1.4 0.6 1.5 0.9 0.7 0.7 1.4 0.7

SOUTH SELECTRO IN E-2

9

0.6 0.4 0.5 0.3 0.6 0.7 0.5 0.4 0.6 0.6 0.4 0.6
0.7 1.6 0.7 0.5 0.5 0.4 3.0 0.4 0.5 0.6 0.9 0.6

CONTROL ROOM IN E-2

10

0.4	0.6	0.9	1.5	0.9	0.9	0.9	1.2	2.0	0.9	0.7	0.9
1.0	1.5	1.9	0.9	1.0	0.5	1.5	0.9	0.9	0.9	1.4	1.2

200662

DATE 11/2/74

SHIFT 12-8 (3rd)

FOREMAN

POINT	DATA	Avg.	Std. Dev.	N	EX ²	EX	ΣΣ	Σ
1	0.9 1.2 1.1 1.1 1.0 0.7 0.6 0.5 0.6 0.7 2.3 1.8 ST 0.9 1.4 1.1 1.1 1.0 0.8 1.4 1.6 2.9 1.7 0.9 1.5							0
	E-1 PUMP ROOM							
2	(10.1) (9.4) (8.0) (8.9) 3.5 2.4 2.7 2.1 3.7 4.4 (25+) (5.9) (9.0) (6.6) 1.5 1.4 2.5 1.4 (5.6) 1.5 (16.4) 4.6 4.1 (6.6)							1
	BETWEEN E-1 SELECTROS							
3	(25+) (25+) (24.5) (9.9) (9.6) (8.6) (9.4) (11.2) (22.1) (11.8) (8.0) (8.4) (5.5) (9.9) (9.0) (6.9) 4.1 (9.4) (7.5) (9.7) (23.1) (15.6) (19.5) (20.8)							2
	NORTH BANK REACTORS							
4	1.6 1.4 1.4 0.6 1.7 1.1 1.7 2.6 (9.9) (8.4) (10.2) (19.5) 4.6 (10.3) (13.6) (8.5) (7.7) 1.5 1.8 1.5 2.1 3.4 1.0 1.4							0
	CONTROL ROOM							
5	(5.4) (8.3) (6.4) (6.7) 4.9 3.0 2.9 4.4 (12.5) 4.9 4.4 (6.6) 3.4 (5.4) 1.9 1.9 2.0 1.5 4.5 (14.1) (14.9) 3.9 3.1 4.4							0
	SOUTH BANK OF REACTORS							
6	0.3 0.2 0.2 1.2 0.2 0.0 0.0 1.4 0.4 0.2 0.4 0.4 0.5 0.4 0.1 0.3 0.3 0.0 0.4 0.0 0.1 0.0 0.0 1.5							0
	20' ABOVE S. ROOF OF E-2							
7	1.5 1.3 0.8 0.4 0.5 0.4 0.4 1.4 0.9 0.6 1.0 2.1 0.5 1.2 1.0 1.5 1.8 0.4 0.4 0.4 0.4 1.1 1.9 2.1							0
	NORTH SELECTRO IN E-2							
8	1.2 0.6 0.6 0.4 0.5 0.6 0.6 1.4 1.0 1.1 1.9 2.9 1.4 2.2 1.2 (8.4) 1.5 0.4 0.9 0.5 0.3 3.2 2.5 3.0							0
	SOUTH SELECTRO IN E-2							
9	0.7 0.6 0.4 0.3 0.4 0.1 0.4 0.5 1.0 1.4 2.4 2.4 1.6 1.1 0.7 1.5 0.5 0.4 0.4 0.5 0.6 1.1 1.0 1.0							0
	CONTROL ROOM IN E-2							
10	1.4 1.4 1.1 0.9 1.6 1.4 1.5 (8.7) (5.3) (6.9) (15.9) (11.1) (10.3) (12.0) (11.1) (9.2) 1.5 1.5 2.7 1.9 2.9 2.6 1.4 2.4							0
	REACTOR AREA IN E-2							

200663

DATE 11/2/74 SHIFT 8-4(1st) FOREMAN _____

POINT

DATA

Aug. Std. Dev. N EX² EX >25 >5

1	4.8 1.9 4.7 —								0	0	
	E-1 PUMP ROOM										
2	(25) (6.1) 2.4 —								1	2	
	BETWEEN E-1 SELECTROS										
3	(25) (16.5) (7.4) —								1	3	
	NORTH BANK REACTORS										
4	1.5 0.9 0.7 —								0	0	
	CONTROL ROOM										
5	(25) 5.0 2.4 1.5 —								1	1	
	SOUTH BANK OF REACTORS										
6	0.4 0.1 0.1 (7.7) 0.1 0.1 0.4 0.4 0.3 0.2 0.3 1.5 0.1 0.3 0.5 0.1 0.1 0.1 (5.7) 0.4 0.6 0.1 0.2 0.0 0.1 0.1 0.4 0.1 0.0 0.1 0.1 0.1 0.0 0.2 0.6 20' ABOVE S. ROOF OF E-2								0	2	
7	(17.0) 0.8 0.5 — — — — — — — — — — — — — 0.4 0.3 0.4 0.4 0.5 1.1 0.5 0.5 0.4 0.4 0.6 — — — — — — — — — — NORTH SELECTRO IN E-2								0	1	
8	(2.9) 1.0 0.8 1.4 1.0 0.8 0.7 0.4 0.4 0.4 0.4 1.7 1.6 1.6 0.6 0.4 0.4 0.4 2.1 1.2 0.9 0.5 0.4 0.3 0.3 0.3 0.4 0.4 0.0 0.3 0.4 0.4 0.1 0.4 0.4 0.4 0.4 0.5 1.0 0.5 0.5 0.5 0.5 0.5 0.7 SOUTH SELECTRO IN E-2 0.9 0.8 0.6 1.4 0.9 0.5									0	1
9	1.5 0.8 0.3 2.8 0.4 0.3 0.2 0.1 0.1 0.1 0.4 1.2 3.1 0.5 0.4 0.3 0.3 0.4 1.8 0.5 0.3 0.3 0.1 0.3 0.3 0.1 0.0 0.2 0.1 0.1 0.3 0.1 0.1 0.1 0.2 0.2 0.1 0.1 0.3 0.2 0.1 0.2 0.3 0.3 0.1 CONTROL ROOM IN E-2 0.4 0.4 0.6 0.4 0.5 0.1									0	0
10	1.6 1.2 1.1 1.9 1.0 1.0 0.6 0.6 0.5 0.5 1.8 (5.8) 2.8 1.4 1.4 0.6 0.4 2.3 4.1 2.4 1.2 0.8 0.8 0.5 0.6 0.7 0.7 0.6 0.4 0.5 0.9 0.5 0.4 0.7 0.7 0.6 0.6 1.7 0.9 0.7 0.8 0.8 REACTOR AREA IN E-2							200664		0	1

SHIFT 4-12(2nd) FOREMAN

DATA

Aug. Std. N EX² EX 225 74

[illegible]

DATE 11/3/74 SHIFT 12-8(3rd) FOREMAN _____

POINT	DATA	Avg.	Std. Dev.	N	EX ²	EX	ΣΣ	ΣΣΣ
1	3.9 4.5 2.2 1.4 1.4 1.9 3.0 1.7 1.8 1.8 2.7 (5.6) 2.4 (25+) 2.8 (5.9) (25+) (17.0) (12.1) 4.5 3.1							2
	E-1 PUMP ROOM							
2	(7.9) (21.4) (5.5) 4.4 2.5 4.4 (8.9) 2.4 3.0 2.3 (17.8) (14.0) (6.3) (25+) 4.7 (15.6) (25+) (14.0) (9.4) (25+) (25+)							4
	BETWEEN E-1 SELECTROS							
3	(8.0) (7.7) 3.7 3.0 3.5 (5.8) (9.1) 4.9 (5.9) 3.4 (7.5) (15.0) (9.0) (25+) (13.3) (13.8) (25+) (21.5) (25+) (25+) (25+)							5
	NORTH BANK REACTORS							
4	1.1 1.1 1.0 0.5 1.3 0.9 (20.5) (8.9) 2.0 1.1 0.6 2.3 2.0 2.0 1.9 (12.9) 4.4 0.5 1.6 0.6 0.5							0
	CONTROL ROOM							
5	2.1 3.5 1.0 1.0 1.3 2.8 (8.9) 1.5 1.7 1.0 2.9 (16.9) (6.7) (25+) (6.6) (11.4) (25+) 4.4 (11.3) (25+) (25+)							4
	SOUTH BANK OF REACTORS							
6	1.0 1.2 1.5 4.4 3.1 1.5 (25+) (25+) (5.1) 1.2 2.6 3.9 2.0 2.4 1.7 (6.0) 4.3 0.9 1.1 1.0 0.4							2
	20' ABOVE S. ROOF OF E-2 #8R E-2							
7	0.7 0.4 0.4 1.9 1.0 0.4 (7.8) (13.4) 1.1 1.1 0.9 2.3 2.1 2.0 2.1 (10.1) 1.6 1.9 1.6 0.5 0.9							0
	NORTH SELECTRO IN E-2							
8	0.5 0.4 1.0 2.9 1.6 0.9 (6.0) (8.6) 4.4 0.6 2.6 2.0 2.5 2.8 1.4 4.0 1.4 3.7 1.4 0.5 0.4							0
	SOUTH SELECTRO IN E-2							
9	0.7 1.1 0.1 0.5 0.4 0.4 3.8 (5.2) 1.3 0.6 1.0 2.5 1.7 1.6 1.6 (5.7) 1.8 0.9 1.1 0.7 0.7							0
	CONTROL ROOM IN E-2							
10	0.9 1.1 0.8 1.9 1.1 1.5 (5.4) 2.9 2.2 1.1 1.7 3.3 1.9 1.9 3.6 (8.8) 1.1 1.9 1.9 1.4 1.1							0

200666

DATE 11/3/74 SHIFT 8-4 (1st) FOREMAN _____

POINT

DATA

AD. STD. N EX- EX 225 2

1 (6.4) 2.8 3.5 3.7 3.4 4.9 4.2 2.7 2.4 4.4 2.8 2.2
ST 3.8 3.7 1.9 3.9 (7.4) (12.9) 4.4 3.2 4.4 4.4 2.6 2.7

E-1 PUMP ROOM

2 (22.9) (15.8) (15.1) (13.1) (11.6) (13.4) (12.4) (8.4) (9.3) (10.3) (9.1) (5.4)
(20.6) (19.4) (6.0) (6.6) (11.4) (10.6) (9.0) (7.0) 3.7 3.0 (13.6) (9.7)

BETWEEN E-1 SELECTROS

3 (24.9) (19.9) (18.9) (25+) (24.0) (22.4) (17.4) (9.3) (19.7) (16.6) (13.7) (7.2)
(25+) (25+) (11.2) (13.0) (15.4) (15.1) (12.4) (12.9) (9.6) (8.8) (16.9) (17.9)

NORTH BANK REACTORS

4 0.5 0.8 0.5 0.4 0.6 0.4 0.5 1.0 1.4 1.5 3.4 2.7
1.4 1.8 0.7 1.3 1.6 1.7 2.9 1.5 1.1 0.9 1.3 0.9

CONTROL ROOM

5 (9.3) (6.1) (5.8) (5.5) (5.8) (6.3) 4.9 4.0 3.6 (7.4) (7.0) 4.0
(9.4) (6.7) 4.4 (7.6) 4.9 (6.4) (6.0) 4.4 1.9 2.0 (8.0) (5.7)

SOUTH BANK OF REACTORS

6 0.2 0.6 0.3 0.5 0.4 0.6 0.6 1.0 1.4 (25+) 4.0 2.6
1.4 1.6 1.2 1.4 1.6 (11.6) (5.4) 2.7 1.9 1.9 1.5 1.7

~~20' ABOVE S. ROOF OF E-2~~ *FR E-2

7 0.7 1.1 0.5 1.7 0.6 2.1 1.9 1.1 0.8 3.9 2.4 1.1
0.7 1.7 0.8 0.6 1.3 1.4 0.9 0.6 0.5 0.8 0.5 0.5

NORTH SELECTRO IN E-2

8 0.4 0.6 0.4 2.6 0.5 1.7 2.0 1.1 0.8 (5.4) 2.4 0.9
0.6 1.7 0.5 0.5 1.2 1.4 0.9 0.6 0.5 0.5 0.5 0.5

SOUTH SELECTRO IN E-2

9 0.4 0.7 0.4 0.4 0.4 1.1 0.5 0.5 0.2 1.3 0.6 0.3
0.3 0.5 0.1 0.4 0.4 0.6 0.3 0.1 0.2 0.1 0.3 0.3

CONTROL ROOM IN E-2

10 1.2 1.0 0.8 1.0 0.6 0.5 2.5 1.0 1.5 (5.6) 2.4 1.9
2.2 1.1 1.1 1.4 1.2 (7.4) 2.4 1.4 1.4 1.1 1.0 0.9

REACTOR AREA IN E-2

200667

DATE 11/3/74 SHIFT 4-12 (2nd) FOREMAN _____

DATA

QNT	DATA	Aug.	Std. Dev.	N	EX ²	EX	225	25
1	2.4 3.2 2.4 3.5 2.9 3.0 2.8 4.5 4.9 (9.9) (7.4) (9.1) ST (11.0) (11.9) (7.3) (5.4) (8.0) 3.4 (7.5) 2.8 (7.4) 4.0 (25+) 2.0						1	11
	E-1 PUMP ROOM							
2	(9.0) (6.5) 4.3 (13.8) 1.8 1.9 1.8 1.5 (23.4) (22.7) (11.5) (8.7) (9.4) (14.0) (7.4) (7.6) (8.5) (8.4) (9.4) (25+) (25+) (25+) (25+) (12.4)						4	19
	BETWEEN E-1 SELECTORS							
3	(15.4) (14.8) (15.9) (10.1) (5.4) (5.7) (5.4) (5.7) (16.9) (19.9) (16.4) (16.0) (16.9) (14.6) (16.9) (15.0) (19.0) (15.9) (18.4) (25+) (25+) (25+) (25+) (19.9)						4	24
	NORTH BANK REACTORS							
4	1.3 1.4 (6.5) (5.5) 2.4 0.9 0.6 0.6 1.3 1.9 2.4 2.4 2.3 1.4 1.4 1.4 4.5 2.6 (9.5) (6.9) (8.6) (5.4) (6.4) 3.7						0	7
	CONTROL ROOM							
5	(5.1) 4.1 (8.6) 2.7 1.0 1.4 1.3 0.9 2.2 (5.1) (5.1) 4.4 4.7 4.1 3.4 3.2 3.5 3.9 (25+) (25+) (25+) (25+) (25+) (13.4)						5	1
	SOUTH BANK OF REACTORS							
6	1.0 1.9 (10.9) (6.7) 2.4 1.4 1.4 1.3 2.2 2.6 2.6 1.9 2.7 (6.0) 2.7 3.1 (5.9) (10.7) (25+) (10.4) (9.6) (5.3) (6.8) (5.5)						1	11
	20' ABOVE S. ROOF OF B-2 #8R E-2							
7	0.5 0.5 1.1 (6.3) 0.6 0.5 0.4 0.4 0.8 1.4 1.5 1.8 2.2 3.4 1.4 1.9 2.6 2.4 (6.7) 1.5 3.9 4.6 3.1 (8.9)						0	3
	NORTH SELECTRO IN E-2							
8	0.5 0.5 1.4 (6.5) 0.4 0.4 0.5 0.5 0.6 0.9 1.1 2.4 2.0 3.9 2.6 2.5 3.1 2.6 (7.0) 1.9 3.2 3.3 2.6 2.6						0	6
	SOUTH SELECTRO IN E-2							
9	0.3 0.1 0.4 0.4 0.0 0.2 0.1 0.2 0.3 0.1 0.3 0.4 0.3 0.2 0.5 0.4 4.4 0.9 4.5 0.5 1.9 0.8 2.1 1.7						0	0
	CONTROL ROOM IN E-2							
10	1.4 0.9 4.5 2.9 1.5 0.8 1.0 1.1 1.7 2.7 1.4 1.7 1.7 1.5 1.3 1.3 (6.5) (5.6) (11.4) 4.4 (5.4) (6.8) 4.7 4.3						0	
	REACTOR AREA IN E-2							

200668

DATE 11/4/74 SHIFT 12-8 (3rd) F REMAN

DATA

POINT

Aug. Std. N EX² EX >25 >2

1	1.9 1.7 1.2 1.3 2.8 (5.4) 3.4 2.8 (4.7) 2.9 2.4 2.4									0	2
5	2.5 1.4 0.9 1.0 1.2 1.4 1.2 1.4 1.7 0.3 1.7 1.3										
E-1 PUMP ROOM											
2	(7.4) (6.1) 3.4 5.0 3.6 (8.8) (13.3) 4.3 4.4 (6.8) 3.5 2.8									0	5
	(6.3) (5.9) 4.9 (10.4) (5.2) 4.9 4.7 4.0 4.3 4.5 3.9 3.5										
BETWEEN E-1 SELECTORS											
3	(13.9) (11.4) (6.1) (13.0) (6.1) (9.5) (13.4) (7.8) (7.9) (7.8) (6.4) (5.5)									0	2
	(6.4) (6.6) (5.8) (7.4) (5.9) (5.3) (5.7) (5.4) (6.0) (5.7) (5.7) (7.4)										
NORTH BANK REACTORS											
4	3.4 2.9 3.7 4.4 4.0 (7.5) (6.7) 3.9 (7.3) 4.3 2.9 2.0									0	4
	2.0 2.9 4.5 (7.9) 3.0 2.4 2.4 1.1 2.0 0.6 0.6 1.9										
CONTROL ROOM											
5	(6.4) 3.0 2.2 2.3 2.4 (6.1) (12.6) 2.9 4.4 (6.8) 3.6 3.1									0	5
	(5.2) 4.4 (5.7) (5.1) 4.6 4.4 3.5 4.4 3.9 3.6 3.5 2.9										
SOUTH BANK OF REACTORS											
6	(5.3) 4.6 4.1 (5.3) (11.7) (8.2) (12.4) 4.4 (6.8) 4.9 3.3 2.5									0	9
	4.5 3.4 (5.7) (6.7) (6.4) 2.8 2.5 1.1 1.6 0.7 0.5 1.3										
20' ABOVE E-1 ROOF OF E-2 #8R E-2											
7	2.9 1.4 1.6 1.7 1.3 1.4 2.5 1.3 1.4 1.4 1.1 0.9									0	6
	0.8 1.3 1.8 3.6 4.5 2.4 1.0 0.6 0.8 0.6 1.6 1.7										
NORTH SELECTRO IN E-2											
8	2.4 1.4 3.0 2.6 1.3 1.5 1.8 1.7 1.4 1.5 1.1 1.0									0	7
	1.2 1.3 1.9 (8.9) (9.4) (7.0) 0.9 0.4 0.5 0.4 0.4 1.7										
SOUTH SELECTRO IN E-2											
9	1.4 1.5 2.6 2.1 1.5 1.4 1.4 3.5 2.5 1.6 1.4 0.7									0	
	3.4 2.4 4.0 3.0 2.9 1.7 1.6 1.5 1.0 0.6 0.5 1.4										
CONTROL ROOM IN E-2											
10	4.6 3.0 (8.4) 4.6 (7.6) (7.1) (6.0) (10.4) (5.5) 3.4 2.4 2.2									0	7
	3.5 4.9 (7.3) 3.6 2.6 3.9 1.4 2.8 0.9 0.5 0.6 0.9										
REACTOR AREA IN E-2											

200669

DATE 11/7/74 SHIFT 2-4 (1st) FOREMAN _____

P. NT

DATA

>25 >5 >

1	(24.9)	2.1	4.1	(9.4)	(23.4)	(13.1)	4.0	2.3	3.7	3.5	0	5	1
	4.4	(6.4)	1.4	1.1	—								
E-1 PUMP ROOM													
2	(25+)	(7.1)	(7.4)	(8.9)	(13.3)	(25+)	(25+)	(24.8)	(15.9)	(20.5)	4	14	1
	(20.5)	(25+)	(7.9)	4.4	(7.4)								
BETWEEN E-1 SELECTORS													
3	(25+)	(16.8)	(24.1)	(14.4)	(22.9)	(18.5)	(5.3)	(7.1)	(10.9)	(8.2)	1	14	12
	(9.8)	(12.8)	(8.8)	(5.8)	1.7								
NORTH BANK OF REACTORS													
4	3.7	0.6	1.9	0.6	(9.5)	1.4	1.0	(25+)	3.4	2.4	1	7	10
	(5.1)	(5.0)	(5.1)	(5.9)	(5.2)								
CONTROL ROOM													
5	(9.4)	(5.6)	1.4	2.6	2.8	2.8	3.7	3.4	2.8	2.7	BETWEEN SKIDS	0	2
	1.6	2.9	2.0	1.4	1.4	1.7	1.2	1.5	1.0	0.8	1.4	2.6	2.4
	1.7	1.2	1.5	1.9	2.4	2.6	1.6	2.7	1.1	1.6	2.9	2.1	2.4
	1.5	CENTER WARE. ISLE IN P-2											
6				0.1	0.0	0.1	0.2	0.1	0.1	(1.4)	0.3	0.4	0.6
	0.3	0.1	0.0	0.0	0.0	0.6	0.2	0.1					
40' ABOVE S. ROOF OF E-2 ON TV TOWER													
7	2.8	0.4	1.6	4.0	(6.8)	1.0	1.2	(25+)	2.9	7.5	1	4	
	(6.4)	(6.6)	4.4	3.6	1.2								
NORTH SELECTRO IN E-2													
8	3.4	0.2	1.0	(12.5)	(6.6)	0.8	1.0	(16.4)	3.5	4.3	0	5	1
	(5.4)	(5.4)	3.7	2.7	1.0								
SOUTH SELECTRO IN E-2													
9	1.7	0.6	2.2	(25+)	(6.6)	3.1	0.9	3.4	0.9	1.0	1	2	
	1.0	1.2	1.0	0.7	0.4								
CONTROL ROOM IN E-2													
10	1.4	0.5	0.7	(16.6)	3.0	1.5	2.6	(18.6)	1.7	(7.0)	0	7	1
	(8.1)	(7.5)	(9.9)	(6.5)	1.4								
REACTOR AREA IN E-2													

200670

DATE 11/7/74 SHIFT 4-12 (2nd) FOREMAN

POINT	DATA													>25	>5	>
1	3.4	1.0	3.6	(5.8)	(5.5)	(9.4)	2.0	4.9	4.5	(8.4)	(25+)	(25+)	(13.0)	2	13	2
ST	(7.4)	(5.5)	(8.8)	3.0	2.6	1.7	(17.1)	(5.1)	4.2	(5.4)	3.4					
E-1 PUMP ROOM																
2	(5.6)	4.0	(5.4)	(6.1)	(15.4)	(25+)	4.3	2.8	(9.9)	(18.5)	(25+)	(7.9)	(8.6)	2	14	2
	5.0	3.4	2.8	4.9	3.5	4.0	(23.7)	(7.4)	4.3	(6.7)	(6.0)					
BETWEEN E-1 SELECTORS																
3	(6.9)	4.9	(6.4)	(7.1)	(16.8)	(25+)	(8.2)	(7.2)	(11.4)	(23.4)	(25+)	(14.4)	(11.9)	2	23	2
	(8.2)	(8.4)	(9.0)	(8.5)	(9.9)	(9.0)	(25.0)	(12.0)	(11.1)	(14.2)	(12.0)					
NORTH BANK OF REACTORS																
4	(25+)	(19.4)	(19.4)	(25+)	(6.3)	1.8	2.4	1.4	0.9	0.4	0.6	0.4	0.3	2	5	8
	0.4	0.5	0.5	0.6	0.5	0.7	0.6	0.6	0.5	0.8	0.4					
CONTROL ROOM																
5	1.2	0.9	1.0	1.0	0.9	0.9	0.5	0.5	0.5	0.5	0.6	0.4	0.4	0	0	1
	0.6	0.4	0.3	0.3	0.4	0.6	0.4	0.2	0.4	0.2	0.3					
CENTER WHEEL IN F-2																
6	0.4	0.2	0.1	1.6	0.1	2.3	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0	0	2
	0.1	0.2	0.4	0.1	0.2	0.1	0.1	0.3	0.3	0.3	0.0					
40' ABOVE S. ROOF OF E-2 ON TV TOWER																
7	(25+)	(6.9)	2.6	(25+)	1.5	1.2	1.0	0.9	0.9	0.4	0.4	0.4	0.4	2	4	1
	1.5	(5.9)	1.9	0.5	0.6	2.3	0.9	1.1	0.7	0.9	2.3					
NORTH SELECTRO IN E-2																
8	(18.2)	(5.4)	2.9	(25+)	1.1	1.4	0.7	0.9	0.6	0.4	0.4	0.4	0.3	1	4	11
	0.9	(5.4)	2.8	0.6	0.5	1.5	0.9	1.9	0.6	0.6	2.4					
SOUTH SELECTRO IN E-2																
9	1.6	1.8	1.7	(14.4)	0.6	1.4	0.4	0.4	0.2	0.0	0.1	0.1	0.1	0	1	5
	0.0	0.3	0.3	0.4	0.5	0.5	0.5	0.3	0.4	0.6	0.4					
CONTROL ROOM IN E-2																
10	(23.0)	(25+)	(7.0)	(25+)	2.4	1.5	1.0	1.8	0.8	1.0	0.5	0.4	0.3	2	4	1
	0.5	1.1	1.4	0.6	0.6	0.8	1.1	0.7	0.6	0.7	2.1					
REACTOR AREA IN E-2																

200671

DATE 11/8/74SHIFT 12-5 (3rd) foreman

POINT	DATA													>25	>5	>
1	2.8	2.4	2.9	(25+)	3.0	2.0	1.9	2.4	(17.5)	3.6	(5.1)	(6.4)	(25+)	5	16	2
ST	(25+)	(6.4)	(5.6)	(15.5)	(10.4)	(21.4)	(25+)	(25+)	(10.6)	(18.5)	(6.4)					
E-1 PUMP ROOM																
2	(5.4)	4.9	(9.0)	(25+)	(25+)	(7.5)	4.1	(25+)	(16.3)	(16.5)	(13.0)	(25+)	(25+)	9	22	2
	(25+)	(11.4)	(24.3)	(11.9)	(17.6)	(25+)	(25+)	(25+)	(18.4)	(8.9)	(7.3)					
BETWEEN E-1 SELECTROS																
3	(11.1)	(9.2)	(16.3)	(25+)	(11.9)	(10.9)	(10.4)	(9.4)	(16.4)	(10.7)	(15.7)	(25+)	(25+)	8	24	2
	(25+)	(17.0)	(23.3)	(19.1)	(25+)	(25+)	(25+)	(25+)	(24.5)	(12.2)	(13.1)					
NORTH BANK OF REACTORS																
4	1.0	0.6	0.5	1.5	1.6	1.6	1.2	2.3	3.2	2.4	4.0	1.4	1.0	0	0	1
	1.0	2.7	0.5	0.4	1.9	0.5	1.9	0.6	0.7	0.5	2.4					
CONTROL ROOM																
5	0.4	0.4	0.5	0.5	0.8	0.7	0.6	0.8	0.6	0.6	0.4	0.6	0.6	0	0	1
	0.5	0.7	0.9	0.5	1.0	0.5	0.8	0.9	0.4	0.9	1.2					
CENTER WARE ISLE IN F-2																
6	0.1	0.1	0.2	0.4	0.4	0.2	0.1	0.5	0.9	0.1	(8.4)	0.4	0.1	0	1	1
	0.3	0.4	0.5	0.5	0.1	0.1	0.6	0.6	0.0	0.2	—					
40' ABOVE S. ROOF OF E-2 ON TV TOWER																
7	0.6	0.8	0.6	2.0	2.0	1.2	1.1	(7.9)	2.4	2.3	(9.1)	3.4	1.9	0	6	19
	1.0	1.6	(5.9)	(6.1)	(10.9)	(6.1)	4.4	5.0	2.3	2.3	—					
NORTH SELECTRO IN E-2																
8	0.8	0.6	0.6	1.5	(5.5)	(13.8)	0.9	(6.9)	2.0	3.0	(5.9)	3.5	2.5	0	5	19
	1.4	1.6	1.5	(7.4)	4.6	1.4	2.0	1.8	1.4	2.2	—					
SOUTH SELECTRO IN E-2																
9	0.4	0.7	0.3	0.9	1.4	0.9	0.6	4.4	3.6	3.5	(8.2)	4.7	3.0	0	5	1
	(5.6)	(5.5)	3.6	(19.9)	(17.4)	3.7	4.0	4.0	2.8	2.4	—					
CONTROL ROOM IN E-2																
10	0.8	0.7	0.6	1.3	2.5	(5.5)	1.4	4.5	2.4	3.8	3.9	2.0	2.9	0	2	19
	0.9	0.9	0.9	4.0	1.4	0.9	1.1	1.0	0.9	(11.0)	—					
REACTOR AREA IN F-2																

200672

DATE 11/8/74 SHIFT 8-4 (Int) Foreman

POINT	DATA	>25	>5	>
1	— (5.4) 4.0 3.5 4.4 1.8 0.9	0	1	1
	E-1 PUMP ROOM			
2	— 5.0 4.5 2.4 (25+) 2.7 2.7	1	1	
	BETWEEN E-1 SELECTROS			
3	— (6.5) (9.6) (6.9) (11.9) 3.5 4.1	0	4	
	NORTH BANK OF REACTORS			
4	— 1.6 0.8 0.8 1.4 1.1 1.1	0	0	4
	CONTROL ROOM			
5	— 1.4 1.0 1.0 1.4 1.3 1.4 1.4 2.6 1.6 1.5 1.4 1.4 1.0 0.9 1.6 1.5 1.3 1.5 1.8 1.5 2.0 2.4 4.3 3.6 3.6 1.9 1.0 0.9 2.9 2.0 0.6 3.0 0.7 0.3 0.3 0.6 0.6 0.7 0.9 1.1 0.9 0.4 0.5 0.6 0.6 0.6 0.4 0.3 1.2 0.6 0.3 0.6 0.9 0.5 0.5 0.5 0.4 0.6 0.4 0.5 0.5 0.6 0.5 0.5 0.7 0.6 0.6 0.9 1.0 0.6 0.9 0.9 0.7 0.9 0.5 0.6 0.6 0.5 0.5 0.5 0.6 0.7 0.6 0.6 0.6 0.7 0.6 0.5 CENTER WARE ISLE IN F-2	0	0	2
6	0.2 0.2 0.1 2.0 0.2 0.6 0.4 0.4 0.4 0.3 0.4 0.2 0.4 0.4 0.3 0.4 0.3 0.5 0.3 0.3 0.0 0.3 0.3 0.4 0.4 0.2 0.2 0.2 0.8 0.3 0.2 0.2 1.1 0.5 0.1 0.2 0.3 0.3 0.3 0.6 0.3 0.2 0.5 0.5 0.4 1.2 0.2 0.6 0.3 0.2 0.4 0.4 0.2 1.0 0.5 0.4 0.3 0.1 0.1 0.3 0.1 0.0 0.4 0.0 0.1 0.2 0.0 0.2 0.2 0.4 0.2 0.5 0.3 0.3 0.3 0.4 0.3 0.3 0.3 0.1 0.3 0.3 0.4 0.0 0.3 0.1 0.4 0.0 0.1 0.3 0.3 0.5 0.1 40' ABOVE S. ROOF OF E-2 ON TV TOWER	0	0	3
7	4.4 2.0 1.6 3.4 0.8 1.8 2.4 0.8	0	0	4
	NORTH SELECTRO IN E-2			
8	4.8 2.4 2.0 2.7 1.7 2.4 2.7	0	0	1
	SOUTH SELECTRO IN E-2			
9	3.6 0.2 0.2 2.0 0.6 0.6 0.6	0	0	
	CONTROL ROOM IN E-2			
10	1.7 1.6 0.9 2.4 1.1 1.8 1.9	0		
	REACTOR AREA IN E-2			

200673

DATE 11/8/74 SHIFT 4-12 (2nd) FOREMAN

POINT

DATA

>25 >5 >

1																-	-	-
	E-1 PUMP ROOM															-	-	-
2																-	-	-
	BETWEEN E-1 SELECTORS															-	-	-
3																-	-	-
	NORTH BANK OF REACTORS															-	-	-
4																-	-	-
	CONTROL ROOM															-	-	-
5	0.5	0.6	0.5	0.6	0.6	0.5	0.4	0.5	0.7	0.5	0.7	0.8	1.1	1.0		0	0	-
ST	1.0	0.5	0.5	0.6	0.7	0.6	0.6	1.1	1.0	0.8	0.9	0.8	0.4	0.5	0.6	0.4		
	0.5	0.6	0.6	0.5														
	SOUTH BANK OF REACTORS CENTER WHSE. ISLE IN F-2																	
6	0.5	0.5	0.4	0.5	0.3	0.3	0.1	0.4	0.3	0.3	0.3	0.7	0.8	2.2	0.4	0	0	2
	0.6	0.7	0.9	0.3	0.3	1.9	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1			
	0.3	0.3	0.3															
	10' ABOVE S. ROOF OF E-2 ON TV TOWER																	
7																-	-	-
	NORTH SELECTRO IN E-2															-	-	-
8																-	-	-
	SOUTH SELECTRO IN E-2															-	-	-
9																-	-	-
	CONTROL ROOM IN E-2															-	-	-
10																-	-	-
	REACTOR AREA IN E-2															-	-	-

200674

DATE 11/7/74 SHIFT 12-8 (3rd) FOREMAN

POINT	DATA	>25	>5	>
1	E-1 PUMP ROOM	-	-	
2	BETWEEN E-1 SELECTROS	-	-	
3	NORTH BANK OF REACTORS	-	-	
4	CONTROL ROOM	-	-	
5	ST 2.9 2.2 1.4 1.4 0.7 0.8 1.5 2.4 2.2 1.4 0.9 1.3 1.7 1.6 1.3 1.5 1.4 1.1 3.3 3.9 1.9 2.0 1.9 1.6 1.3 1.0 0.9 1.4 1.2 0.8 0.8 0.8 0.7 0.6 0.5 0.6 0.5 0.5 1.4 3.2 4.0 2.6 2.2 3.7 (5.9) (5.8) 5.0 4.0 3.5 3.5 2.6 2.7 3.4 3.4 2.5 2.2 1.7 1.4 1.2 1.0 0.9 1.1 1.0 0.7 0.9 1.4 1.8 1.9 1.6 1.4 1.4 1.4 1.4 1.5 0.6 0.5 0.4 0.4 0.4 0.4 0.5 0.4 0.6 0.6 0.9 0.8 1.0 1.9 2.4 1.8 1.4 1.5 0.5 0.4 0.5 0.5 0.4 0.4 0.6 0.6 0.7 0.5 0.6 0.6 0.8 0.7 0.6 0.5 0.6 0.8	0	2	6
6	0.2 0.1 0.3 0.4 0.1 0.6 0.2 0.1 0.1 0.2 0.3 0.1 0.0 0.0 0.1 0.1 0.2 0.1 0.3 0.2 0.2 0.2 0.0 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.5 0.1 0.1 0.2 0.3 0.1 0.1 0.0 0.1 0.0 0.1 0.1 0.1 0.2 0.1 0.0 0.0 0.0 0.1 0.0 0.2 0.2 0.0 0.1 0.2 0.2 0.1 0.4 0.4 0.9 1.7 1.0 1.7 1.2 0.3 0.0 0.1 0.2 0.1 0.0 0.2 0.0 0.1 ABOVE S. ROOF OF E-2 ON TC TRUSS 0.1 0.0 0.0 0.0 0.1 0.1 0.0 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.1 0.1 0.1 0.1 0.1 0.1 0.0 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.2 0.2 0.0 0.1 0.2 0.1 0.0 0.0 0.1 0.3 0.1 0.0 0.1 0.1 0.0 0.1 0.2 0.1 2.4 0.8 0.0 0.1 0.1 0.3 0.9 0.3 0.1 0.1 0.1 0.0 0.1 0.1 0.2 0.0 0.1 0.1 0.2 0.0 0.1 0.1 0.0 0.2 0.0 0.1 0.2 0.1 0.1 0.0 0.1 0.1 0.2 0.0 0.1 0.2 0.1 0.1 0.2 0.0 0.0 0.1 0.1 0.0 0.1 0.0 0.1 0.0 0.0 0.1 0.0 0.0 1.0 0.1 0.0 0.1 0.2 0.3 0.6 (1.8)	0	1	
7	NORTH SELECTRO IN E-2	-	-	
8	SOUTH SELECTRO IN E-2	-	-	
9	CONTROL ROOM IN E-2	-	-	
10	REACTOR AREA IN E-2	-	-	

200675

DATE 11/21/74 SHIFT 2-4 (1st) FOREMAN

POINT	DATA	>25	>5	>
1	— 1.7 1.0 3.0 2.3 (6.6) (7.4) 3.9 (6.3) 4.9 3.0 1.2 3.4 4.4 3.1 (7.6) 4.5 (5.4) (5.5) (9.9)	0	7	1
	E-1 PUMP ROOM			
2	— (5.5) 3.4 (13.5) (25+) (21.4) (25+) (25+) (20.3) (15.6) (6.3) (9.9) (25+) (8.8) (8.0) (25.8) (7.8) 4.1 (5.4) (24.5)	4	17	1
	BETWEEN F-1 SELECTORS			
3	— 3.4 (6.4) 4.6 (6.4) (25+) (24.4) (25+) (14.6) (22.4) 4.4 3.7 (9.5) (8.0) (5.8) (12.6) (7.4) (5.9) (6.5) (25+)	3	15	1
	NORTH BANK OF REACTORS			
4	— 0.4 0.6 0.4 0.4 0.4 1.0 0.4 0.4 2.4 1.0 0.3 0.4 0.4 0.8 0.7 0.5 0.5 0.8 0.4	0	0	1
	CONTROL ROOM			
5 ST	1.6 1.5 1.5 1.4 1.4 1.1 1.1 1.0 1.5 3.1 1.8 1.4 1.4 1.8 1.9 1.9 1.6 1.7 1.4 2.3 1.6 1.8 2.8 1.6 1.8 1.7 1.5 1.3 2.6 2.5 2.5 2.9 1.4 2.7 1.4 1.7 2.9 1.2 2.5 1.8 1.5 1.5 2.1 2.4 2.3 3.0	0	0	4
	 CENTER WARE ISLE IN F-2			
6	1.8 (7.8) 1.2 4.8 1.4 (6.8) 0.8 3.4 2.2 1.7 0.6 0.3 1.0 0.6 1.6 0.7 0.5 0.5 0.2 0.3 0.2 0.9 0.4 0.4 0.1 0.0 0.2 1.0 0.0 0.0 0.1 0.1 0.1 0.2 0.9 0.1 2.9 0.1 0.1 0.1 0.4 0.1 0.3 0.2 0.0 0.2	0	2	1
	40' ABOVE S. ROOF OF E-2 ON TV TOWER			
7	1.4 1.3 1.5 1.0 0.6 0.7 0.6 0.4 0.4 1.6 1.5 1.9 0.4 0.3 0.4 0.4 0.5 (9.3) 1.5 0.7	0	1	2
	NORTH SELECTRO IN E-2			
8	0.6 0.6 0.7 0.5 0.5 1.1 0.6 0.4 0.5 3.9 1.4 2.9 0.4 0.4 0.6 0.4 0.5 (14.0) 1.0 0.8	0	1	5
	SOUTH SELECTRO IN E-2			
9	0.0 0.3 0.0 0.0 0.1 0.1 0.1 0.1 0.3 0.9 0.2 0.2 0.1 0.1 0.2 0.1 0.0 0.1 0.1 0.1	0	0	0
	CONTROL ROOM IN E-2			
10	0.5 1.3 0.7 0.5 0.5 1.4 0.6 0.4 0.6 2.4 1.0 0.6 0.4 0.5 1.6 0.5 0.5 1.3 0.5 0.4	0	0	2
	REACTOR AREA IN E-2			

200676

DATE 11/9/74SHIFT 4-12 (2nd) foreman

POINT	DATA													>25	>5	>
1	(25+)	(15.9)	(11.4)	(12.9)	2.0	2.7	1.9	3.4	(6.1)	(12.6)	(5.5)	1.9	(5.4)	1	12	2
	(8.0)	(10.6)	2.7	3.4	4.3	4.1	(8.9)	(5.7)	3.0	2.6	2.8					
E-1 PUMP ROOM																
2	(7.0)	(25+)	(25+)	(25+)	(12.3)	4.0	3.4	(5.7)	(6.9)	(22.9)	(9.8)	3.1	4.7	3	18	2
	(6.4)	(8.4)	(11.4)	(11.7)	4.9	(5.5)	(5.1)	(7.9)	3.8	(9.4)	(11.3)					
BETWEEN E-1 SELECTROS																
3	(25+)	(25+)	(25+)	(25+)	(8.6)	4.4	(6.7)	4.4	(6.5)	(12.5)	4.0	2.6	(5.4)	4	20	2
	(24.0)	(12.9)	(12.0)	(11.4)	(12.5)	(10.5)	(17.6)	(11.5)	(7.9)	(9.6)	(12.4)					
NORTH BANK OF REACTORS																
4	0.3	0.7	0.9	0.9	2.0	0.8	0.6	0.4	0.7	1.1	3.6	4.6	3.0	0	0	9
	2.3	1.6	1.2	1.1	0.5	0.6	0.6	0.5	0.4	0.5	0.4					
CONTROL ROOM																
5	0.8	2.1	2.5	2.1	1.6	3.0	2.9	2.7	2.8	2.8	2.4	1.8	1.9	0	0	2
	1.9	1.8	1.6	1.7	1.6	1.6	1.6	1.8	1.9	1.7	1.8					
REACTOR AREA IN E-2 CENTER WHSE. ISLE IN F-2																
6	0.3	0.3	0.1	2.0	1.7	2.0	0.1	(20.0)	0.5	0.8	0.8	0.0	0.7	0	1	
	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.6	0.0					
4' ABOVE S. ROOF OF E-2 ON TV TOWER																
7	1.5	2.8	1.7	2.4	1.6	(6.5)	1.7	1.4	1.7	2.1	3.6	2.4	2.4	0	1	
	3.0	3.9	2.5	1.1	0.4	3.5	0.5	2.0	0.9	1.4	0.6					
NORTH SELECTRO IN E-2																
8	2.3	3.5	1.7	(6.5)	1.9	(6.1)	1.6	1.6	1.6	1.8	2.4	2.5	4.4	0	4	
	(7.4)	(5.7)	5.0	1.1	0.4	2.2	0.4	1.6	0.9	1.6	0.4					
SOUTH SELECTRO IN E-2																
9	0.1	0.2	0.1	(8.4)	2.6	(11.0)	3.0	0.4	0.4	0.4	0.6	0.9	1.1	0	2	
	0.9	0.0	0.4	0.0	0.1	0.4	0.2	0.1	0.2	0.4	0.2					
CONTROL ROOM IN E-2																
10	0.6	0.6	0.6	4.4	2.4	2.4	1.0	1.6	2.9	4.4	(6.3)	(6.9)	(7.0)	0	3	
	3.1	2.7	2.5	1.3	1.4	2.0	1.5	1.4	1.0	1.4	0.7					
REACTOR AREA IN E-2																

200677

DATE 11/10/74 SHIFT 12-8 (3rd) FIREMAN

POINT	DATA													>25	>5	>1
1	(6.4)	2.4	2.0	3.2	2.7	2.9	(25+)	(12.9)	(7.6)	1.5	3.7	1.6	1.6	1	6	2
	1.8	2.4	(24.5)	(12.9)	3.0	1.9	2.6	2.0	1.0	1.6	1.6					
E-1 PUMP ROOM																
2	(6.6)	(5.1)	(7.5)	(8.4)	(5.5)	3.9	(25+)	(25+)	(9.9)	(15.2)	(9.0)	(13.9)	(9.0)	6	23	24
	(13.6)	(25+)	(25+)	(24.9)	(14.6)	(14.6)	(25+)	(25+)	(10.7)	(9.1)	(10.7)					
BETWEEN E-1 SELECTROS																
3	(12.7)	(12.0)	(19.7)	(21.7)	(9.6)	(6.8)	(25+)	(25+)	(8.9)	(12.6)	(10.0)	(9.5)	(10.9)	4	24	2
	(8.7)	(25+)	(25+)	(22.8)	(22.4)	(19.1)	(12.4)	(13.6)	(8.1)	(8.4)	(7.1)					
NORTH BANK OF REACTORS																
4	0.4	0.5	0.4	0.3	0.4	0.3	0.6	0.4	0.3	0.4	0.3	0.4	0.3	0	0	5
	0.5	3.9	0.9	0.5	1.3	1.1	1.6	1.6	0.6	0.5	0.4					
CONTROL ROOM																
5	1.6	1.5	1.8	1.9	1.5	1.4	1.5	1.5	1.4	1.5	1.6	1.3	1.4	0	0	2
	1.4	1.5	1.4	1.5	1.4	1.2	1.4	1.4	1.1	1.4	1.3					
SOUTH BANK OF REACTORS CENTER WARE ISLE IN F-2																
6	0.2	0.0	0.0	0.1	0.0	0.6	0.6	0.2	0.9	0.8	0.0	0.2	0.0	1	1	3
	1.1	0.3	0.0	0.0	(25+)	2.7	0.8	1.0	0.4	0.0	0.2					
40' ABOVE S. ROOF OF E-2 ON TV TOWER																
7	0.4	0.3	0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.3	0.2	0.4	0.8	0	1	9
	0.4	3.9	1.0	1.1	(11.0)	1.9	3.8	2.5	1.6	1.5	2.3					
NORTH SELECTRO IN E-2																
8	0.6	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.6	0.4	0.4	0.8	0	2	9
	0.4	4.8	1.1	1.0	(9.3)	3.6	(6.3)	3.9	2.3	1.3	4.1					
SOUTH SELECTRO IN E-2																
9	0.1	0.0	0.2	0.1	0.2	0.0	0.1	0.2	0.1	0.2	0.1	0.1	0.3	0	0	2
	0.3	0.3	0.3	0.4	1.9	0.6	0.6	0.8	0.2	0.4	1.3					
CONTROL ROOM IN E-2																
10	0.8	0.9	0.9	0.8	0.5	0.6	0.6	0.6	0.6	0.8	0.7	0.9	1.1	0	2	0
	1.5	2.5	0.6	(8.4)	(5.9)	3.8	3.0	1.3	1.0	0.9	1.5					
REACTOR AREA IN E-2																

200678

DATE 11/10/74 SHIFT 8-4 (1st) foreman

PINT	DATA													>25	>5	>1
1	0.9	4.5	(10.5)	1.5	5.0	4.0	3.6	(7.6)	(5.9)	3.1	2.5	(5.9)	3.9	0	7	23
	(5.5)	2.9	2.4	1.9	2.4	2.9	3.0	1.9	1.5	(6.4)	(8.6)					
	E-1 PUMP ROOM															
2	(6.9)	(7.4)	(10.4)	(25+)	(25+)	(12.6)	(12.8)	(16.8)	(14.5)	(23.6)	(9.5)	(7.6)	(6.6)	4	23	24
	(6.0)	(7.2)	4.4	(16.9)	(8.0)	(14.1)	(7.8)	(7.4)	(19.7)	(25+)	(25+)					
	BETWEEN E-1 SELECTROS															
3	(5.7)	(7.1)	(9.4)	(18.9)	(13.8)	(12.5)	(8.4)	(12.5)	(17.4)	(23.6)	(9.0)	(8.4)	(9.9)	2	20	24
	(8.4)	(7.2)	2.5	4.3	3.5	(5.4)	(5.6)	4.9	(22.9)	(25+)	(25+)					
	NORTH BANK OF REACTORS															
4	1.4	1.3	0.4	0.6	0.4	0.6	0.5	0.5	0.3	0.4	0.9	0.5	0.5	0	0	2
	0.3	0.3	1.0	0.6	0.4	0.4	0.4	0.4	0.6	0.4	0.4					
	CONTROL ROOM															
5	1.1	0.9	1.1	0.9	1.0	1.1	1.3	1.0	1.0	1.4	0.9	1.1	1.1	0	0	8
	1.0	0.8	1.1	0.9	0.9	0.8	1.0	1.0	1.0	1.0	0.5					
	SOUTH BANK OF REACTORS CENTER WHSE ISLE INF-2															
6	0.4	1.9	0.6	0.4	0.0	0.0	0.1	0.5	0.1	0.4	0.1	0.1	0.2	0	0	2
	0.0	0.4	0.5	0.7	1.4	0.1	0.0	0.1	0.1	0.0	0.4					
	40' ABOVE S. ROOF OF E-2 ON TU TOWER															
7	1.0	1.6	0.4	0.5	0.5	0.9	1.0	0.6	0.4	1.6	0.9	1.5	0.6	0	0	6
	0.6	2.1	3.4	0.7	0.8	0.7	0.6	0.6	1.3	0.8	0.6					
	NORTH SELECTRO IN E-2															
8	1.8	1.4	0.5	0.4	0.7	0.8	1.4	0.5	0.3	0.9	0.8	2.4	0.5	0	0	8
	1.0	2.1	3.0	0.6	0.4	0.6	0.5	1.4	1.7	0.9	0.9					
	SOUTH SELECTRO IN E-2															
9	0.5	0.5	0.5	0.3	1.7	0.2	0.0	0.1	0.4	0.5	0.5	0.7	0.1	0	0	2
	0.5	1.6	0.6	0.2	0.3	0.0	0.2	0.5	0.4	0.4	0.3					
	CONTROL ROOM IN E-2															
10	1.6	3.4	1.6	0.7	2.4	1.7	2.0	0.7	0.4	3.1	1.7	3.9	0.6	0	0	3
	2.4	2.5	1.8	0.8	0.9	0.6	0.6	3.0	0.6	0.6	0.5					
	REACTOR AREA IN E-2															

200679

DATE 11/10/74 SHIFT 4-12 (2nd) foreman

R.N.T	DATA													25	25	21
1	(5.6)	(11.0)	(6.0)	1.4	2.2	(8.4)	2.0	3.3	2.0	3.0	(5.1)	(7.9)	4.5	0	6	24
	2.9	2.5	1.8	1.4	1.5	1.5	1.4	1.6	1.3	1.3	1.1					
E-1 PUMP ROOM																
2	(25)	(18.5)	(15.0)	4.1	4.8	(6.4)	(25)	(7.2)	(13.4)	(10.5)	(6.9)	(9.4)	4.2	3	15	24
	4.7	4.4	3.4	(25)	4.3	3.4	3.4	(7.3)	(5.4)	(13.0)	(16.6)					
BETWEEN E-1 SELECTROS																
3	(25)	(16.4)	(7.7)	4.3	4.1	(6.7)	(9.0)	(5.3)	(6.7)	(6.1)	4.6	(7.7)	3.5	1	12	24
	3.0	3.6	3.0	3.4	4.5	1.9	2.7	(6.0)	4.4	(9.0)	(9.5)					
NORTH BANK OF REACTORS																
4	0.4	0.4	0.4	0.4	0.3	0.4	0.8	1.9	0.5	1.3	0.5	0.4	0.3	0	0	2
	0.3	0.5	0.4	0.5	0.4	0.4	0.1	0.4	0.4	0.4	0.3					
CONTROL ROOM																
5	0.7	0.9	1.1	1.1	1.1	1.1	1.0	1.3	1.2	1.2	1.0	1.0	1.0	0	0	10
	1.1	1.2	1.2	1.0	0.9	0.9	0.8	0.9	0.6	0.8	0.9					
SOUTH BANK OF REACTORS CENTER ISLE WHSE - F-2																
6	0.6	0.3	0.1	0.3	0.3	0.4	0.8	0.4	1.9	3.5	1.1	0.2	0.1	0	0	3
	0.2	0.4	0.2	0.6	0.2	0.7	0.3	0.4	0.2	0.1	0.1					
40' ABOVE S. ROOF OF E-2 ON TV TOWER																
7	0.5	0.5	0.4	0.5	0.5	0.5	1.0	1.4	0.7	1.4	0.5	0.6	0.5	0	0	4
	0.5	0.5	0.5	0.5	0.5	0.8	0.6	0.6	0.7	3.8	2.5					
NORTH SELECTRO IN E-2																
8	0.6	0.6	0.6	0.7	0.5	0.6	1.3	2.0	0.8	1.4	0.7	0.6	0.5	0	0	7
	0.5	0.6	0.7	0.6	0.6	2.5	0.8	0.9	5.0	7.9	4.4					
SOUTH SELECTRO IN E-2																
9	0.2	0.4	0.1	0.0	0.2	0.5	0.5	0.5	0.4	0.5	0.4	0.3	0.1	0	0	0
	0.3	0.4	0.0	0.4	0.3	0.5	0.4	0.4	0.1	0.4	0.4					
CONTROL ROOM IN E-2																
10	0.6	1.6	0.9	1.3	1.0	1.4	2.0	2.0	2.4	1.7	0.9	0.8	0.9	0	0	9
	0.9	0.6	0.6	0.6	1.0	1.1	0.8	1.1	0.9	0.7	0.6					
REACTOR AREA IN E-2																

200680

DATE 11/11/74 SHIFT 12-8 (3rd) foreman

POINT	DATA													225	25	21
1	1.6	3.1	3.6	2.9	3.5	5.0	4.5	5.0	3.8	3.0	2.8	3.6	(8.9)	0	9	2
	(5.2)	(10.8)	(5.8)	(7.1)	(5.8)	(7.0)	(6.5)	3.5	(5.7)	3.4	4.6					
E-1 PUMP ROOM																
2	(14.5)	(5.4)	(13.0)	(10.1)	(9.6)	(17.1)	(9.4)	(9.2)	(7.5)	(5.4)	(5.6)	(9.5)	(10.9)	1	23	2
	(9.0)	(10.6)	(6.9)	(5.7)	(7.4)	(25+)	(12.7)	5.0	(8.8)	(5.7)	(6.9)					
BETWEEN E-1 SELECTROS																
3	(5.5)	(5.4)	4.2	4.5	(5.4)	(8.1)	(18.9)	4.4	3.9	4.3	3.3	(2.1)	(8.0)	0	14	2
	(8.5)	(7.6)	4.9	5.0	(6.5)	(9.9)	(10.2)	4.4	(8.6)	3.6	(5.7)					
NORTH BANK OF REACTORS																
4	0.4	0.2	0.1	0.0	0.9	0.0	0.3	0.5	0.7	0.1	0.6	0.3	0.4	0	0	0
	0.8	0.0	0.4	0.2	0.3	0.4	0.1	0.3	0.3	0.1	0.1					
CONTROL ROOM																
5	0.7	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0	0	0
	0.5	0.3	0.1	0.3	0.3	0.3	0.2	0.2	0.1	0.2	0.2					
SOUTH BANK OF REACTORS CENTER W/SE ISLE IN F-2																
6	0.0	0.4	0.1	0.0	0.0	0.0	0.1	0.3	0.1	0.4	0.1	0.0	0.1	0	0	0
	0.1	0.2	0.3	0.0	0.0	0.1	0.2	0.1	0.1	0.0	0.1					
40' ABOVE S. ROOF OF E-2 ON TV TOWER																
7	0.6	0.4	0.5	1.0	0.9	0.5	0.6	1.9	0.8	(17.4)	0.9	1.2	2.3	0	1	7
	0.7	0.5	0.6	1.4	1.4	0.9	0.7	0.6	0.5	1.8	0.6					
NORTH SELECTRO IN E-2																
8	0.5	0.5	0.5	0.6	0.8	0.4	2.4	1.9	0.5	1.9	0.7	0.7	1.3	0	0	5
	0.7	0.5	0.5	2.3	0.5	0.5	0.5	0.9	0.5	0.8	0.9					
SOUTH SELECTRO IN E-2																
9	0.0	0.3	0.0	0.1	0.2	0.1	1.1	0.7	0.2	0.5	0.1	0.2	0.6	0	0	7
	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.2	0.1	0.0					
CONTROL ROOM IN E-2																
10	0.5	0.5	0.4	0.7	0.6	0.5	1.4	3.9	0.9	(25+)	0.8	0.8	1.1	1	1	7
	1.2	1.0	0.9	1.1	0.6	0.8	0.5	1.6	0.9	0.8	0.9					
REACTOR AREA IN E-2																

200681

DATE 11/4/74 SHIFT 8-4 (1st) FOREMAN

QNT

DATA

Aug. Std. Dev. N EX² EX 225 22

1	1.5 2.3 1.5 1.9 2.6 (8.7) (5.7) (19.8) (7.1) — (10.3) (12.0)								0	6
	E-1 PUMP ROOM									
2	4.9 4.2 4.5 (5.1) 4.9 (9.4) (11.0) (19.5) (10.1) —								0	5
	BETWEEN E-1 SELECTORS									
3	(5.6) (5.9) (6.4) (6.4) (14.0) (13.2) (13.5) (21.8) (17.4) —								0	9
	NORTH BANK REACTORS									
4	0.5 0.4 2.3 0.4 0.4 0.9 0.5 2.2 1.4 —								0	C
	CONTROL ROOM									
5	(5.1) 4.1 4.1 4.7 (8.3) (8.9) (11.3) (18.0) (25.1) — 0.9								1	6
	SOUTH BANK OF REACTORS									
6	0.5 0.5 1.8 0.5 0.5 0.7 0.4 1.8 *PR E2 0.3 0.0 0.3 0.3 0.4 0.1 0.1 0.1 0.2 0.1 0.0 0.2 0.1 0.2 0.1 0.2 0.4 1.6 0.3 0.5 0.1 0.0 0.1 0.2 0.3 0.4 0.1 0.5 1.2 2.9 0.4 0.1 0.2 0.2 0.1 0.0 0.2 0.0 0.4 0.1 0.4 0.4 0.2 0.1 1.3 0.2 0.3 0.2 0.4 0.3 2.9 ABOVE 2. BOOK OF 2. 0.9 0.3 0.4 0.6 0.5 1.0 0.6								0	C
7	0.5 0.8 0.7 0.4 1.0 0.9 0.9 1.8 2.2 —								0	0
	NORTH SELECTRO IN E-2									
8	0.4 0.5 0.4 0.4 1.1 0.5 1.9 1.0 1.1 — 0.6 0.9 0.8 0.9 1.0 (4.9) 5.0 2.3 1.0 0.7 1.4 0.9 0.6 0.6 0.9 1.3 0.9 0.8 0.5 0.5 0.4 2.9 0.5								0	1
	SOUTH SELECTRO IN E-2									
9	0.4 0.4 0.3 0.3 1.5 0.3 (7.4) 0.8 0.6 — 0.4 0.5 0.5 0.4 0.9 (9.4) 3.9 0.6 0.5 0.4 0.5 0.4 0.4 0.4 0.4 0.4 0.5 0.7 0.4 0.5 0.4 1.8 0.4								0	2
	CONTROL ROOM IN E-2									
10	0.5 (6.6) 0.7 0.4 1.7 1.1 (16.4) 1.9 1.9 — 2.8 3.4 3.6 3.2 3.4 (23.8) (7.6) 2.7 1.7 2.3 2.4 2.8 3.1 3.8 3.9 3.8 (5.3) 4.1 3.4 2.9 (6.4) (6.2) 1.9								0	7
	REACTOR AREA IN E-2									

200682

DATE 11/4/74 SHIFT 4-12 (2nd) FOREMAN _____

DATA

Aug. Std. N EX: EX 225 25

1	<u>10.4</u> <u>21.4</u> <u>5.5</u> 3.4 3.6 3.5 3.3 3.0 <u>9.9</u> <u>8.3</u> <u>73.0</u> <u>8.6</u> <u>11.1</u> <u>9.3</u> <u>6.4</u> <u>10.4</u> <u>6.7</u> <u>10.7</u> <u>6.4</u> <u>9.1</u> 2.3 1.4 1.5 <u>10.0</u> <u>10.5</u> <u>10.7</u> <u>7.6</u> 5.0 2.3 1.6 1.5 1.8 <u>11.7</u> <u>6.2</u> <u>7.9</u> <u>7.9</u> <u>6.9</u> 1.7 1.4 E-1 PUMP ROOM						0	2
2	BETWEEN E-1 SELECTROS							
3	NORTH BANK REACTORS							
4	0.9 0.9 0.8 0.7 0.5 0.5 0.4 0.4 0.5 0.4 0.5 0.6 0.4 0.5 0.4 0.4 1.6 0.9 0.4 1.0 0.5 1.5 0.5 0.4 1.0 0.6 0.4 0.5 0.5 1.1 1.6 1.1 0.7 0.7 0.6 0.5 0.8 0.5 0.5 CONTROL ROOM						0	0
5	SOUTH BANK OF REACTORS							
6	1.0 0.1 0.1 0.1 0.1 0.1 0.3 0.5 1.3 0.3 0.2 0.2 0.1 0.3 0.3 0.9 0.2 0.5 0.5 1.0 0.6 4.3 0.2 0.5 2.3 1.0 0.2 2.0 0.1 0.2 0.5 0.0 0.2 0.2 0.3 0.4 0.7 0.6 0.4 0.1 20' ABOVE S. ROOF OF E-2 ON BALCON @ 50'						0	C
7	0.5 0.9 2.3 0.6 0.4 0.4 0.4 0.4 2.0 0.4 0.4 0.5 0.5 0.4 0.5 0.5 0.4 2.9 0.6 0.4 1.1 0.5 0.4 0.4 0.4 0.6 0.4 0.1 0.5 0.4 0.6 0.5 0.4 1.4 0.5 0.3 0.3 0.4 0.1 0.3 NORTH SELECTRO IN E-2						0	0
8	SOUTH SELECTRO IN E-2							
9	0.2 0.4 0.4 0.4 0.2 0.3 0.2 0.0 0.4 0.0 0.2 0.4 0.4 0.3 0.1 0.3 0.2 <u>0.2</u> 0.2 0.4 0.4 0.8 0.1 0.1 0.4 0.1 0.2 0.2 0.3 <u>1.4</u> 0.4 0.3 0.3 0.4 0.3 0.1 0.4 0.3 0.4 0.3 CONTROL ROOM IN E-2						0	C
10	1.5 1.5 1.4 1.3 1.0 0.9 0.9 0.7 1.0 0.6 0.5 0.5 0.5 0.4 0.4 0.4 0.4 1.4 0.6 1.1 1.0 2.9 0.9 1.0 1.4 0.5 0.5 1.5 1.2 1.5 1.7 1.5 0.9 0.9 0.9 0.8 1.0 0.9 0.8 0.6 REACTOR AREA IN E-2						0	C

200683

DATE 11/5/74 SHIFT 12-8 (3rd) FOREMAN _____

POINT	DATA	Aug.	Std. Dev.	N	EX ²	EX	ΣΣ	ΣΣ
1	1.4 (5.7) (8.0) (9.3) 1.7 0.9 0.9 1.5 2.4 (10.3) (7.9) (9.9) 4.4 4.5 4.4 5.0 3.3 3.5 1.5 0.7 0.6 0.6 0.8 2.7 (6.6) 3.4 2.9 3.0 2.5 (7.4) (7.4) 2.4 2.5 2.5 (11.0) 1.5 1.9 2.7 3.1 E-1 PUMP ROOM						0	10
2	BETWEEN E-1 SELECTROS							
3	NORTH BANK REACTORS							
4	0.5 0.6 0.5 0.4 0.4 0.5 1.5 0.7 0.6 0.9 0.4 0.7 0.5 0.6 0.3 3.2 (21.6) 2.1 1.7 0.6 0.5 0.4 0.4 0.4 0.5 0.4 0.3 0.4 0.4 0.4 0.5 0.5 1.1 0.6 0.5 0.4 3.7 0.4 0.4 CONTROL ROOM						0	1
5	SOUTH BANK OF REACTORS							
6	0.2 0.4 0.1 0.2 0.4 0.7 0.5 0.4 1.0 0.2 0.5 0.7 0.8 0.3 0.4 0.4 0.3 0.3 0.1 0.1 0.2 0.1 0.0 0.0 0.1 0.0 0.1 0.0 0.1 0.3 0.0 0.0 0.1 0.1 0.0 0.2 0.2 0.1 0.0 0.4 0.4 20' ABOVE BY ROOF OF E-2 ON BALCON						0	C
7	0.2 0.2 0.3 0.4 0.4 1.3 1.4 0.9 0.8 0.6 0.4 1.4 0.8 0.8 0.9 1.4 2.2 3.7 1.0 0.5 0.5 0.6 0.6 0.4 0.5 2.4 0.4 0.3 1.4 0.9 0.9 1.7 2.4 1.0 0.6 0.6 1.4 0.7 NORTH SELECTRO IN E-2						0	C
8	SOUTH SELECTRO IN E-2							
9	0.1 0.1 0.0 0.3 0.1 1.3 2.1 1.5 1.3 0.5 0.1 0.5 0.5 0.5 0.9 3.4 4.7 3.9 3.1 2.0 1.9 1.6 2.0 1.7 1.4 1.1 1.0 0.9 1.0 1.5 1.6 2.3 2.1 1.8 1.4 3.5 3.1 1.6 CONTROL ROOM IN E-2						0	0
10	0.1 0.1 0.9 0.9 0.6 2.7 1.5 1.0 1.9 0.7 1.1 1.1 0.8 0.6 (7.7) 3.5 3.9 2.8 0.8 1.4 0.6 0.6 0.5 0.4 0.5 0.5 0.6 0.5 0.5 0.6 1.8 1.6 0.9 1.2 0.7 1.9 1.0 0.7 REACTOR AREA IN E-2						0	1

200684

10/26/74 (2nd)

10/27/74 (3rd) (1st) (2nd)

10/28/74 (3rd)

Blum

POINT	AUG.	STD. DEV.	No. of SAMPLES	EX ²	EX
1 1T	5.09 4.49	4.42 3.61	46 318	2073.79 10,540.89	234.30 1428.50
2 2T	10.94 6.58	8.24 6.01	46 317	8556.54 25,157.35	503.20 2086.10
3 3T	14.58 9.91	7.93 6.69	46 316	12,603.61 45,120.29	670.50 3130.90
4 4T	4.30 5.53	5.00 4.22	46 315	1973.66 15,214.42	192.60 1741.40
5 5T	9.93 6.58	8.42 6.22	47 317	7882.87 25,937.18	466.50 2084.80
6 6T	OUTSIDE NOT AVERAGED				
7 7T	1.94 2.36	1.55 2.69	47 318	288.35 4066.67	91.30 751.30
8 8T	2.40 2.57	2.11 3.21	47 318	474.31 5365.44	112.70 816.20
9 9T	1.17 2.66	3.59 3.37	47 317	656.23 5820.10	55.10 842.00
10 10T	2.75 4.70	8.75 5.01	47 318	6346.59 14,994.32	364.30 1495.40
ALL E-1 ALL E-1 T	8.97 6.59	7.94 5.80	231 1583	33,095.47 121,970.13	2072.10 10,435.70
ALL E-2 ALL E-2 T	3.32 3.07	5.52 3.79	188 1271	200685 7765.48 30,246.53	623.40 3904.90

10/25/74 (1st)(2nd)

10/26/74 (3rd)(1st)

POINT	AUG.	STD. DEV.	No. of SAMPLES	EX ²	EX
1 1T	5.59 4.39	2.77 3.45	38 272	1469.47 8467.10	212.30 1194.20
2 2T	5.38 5.84	4.69 5.22	38 271	1913.31 16,600.81	204.50 1582.90
3 3T	7.98 9.11	4.26 6.13	37 270	3010.79 32,516.68	295.30 2460.40
4 4T	5.06 5.74	3.53 4.04	38 269	1432.33 13,240.76	192.10 1543.80
5 5T	6.49 5.99	7.20 5.57	38 270	3518.96 18,049.31	246.80 1618.30
6 6T	OUTSIDE NOT AVERAGED				
7 7T	2.44 2.44	3.48 2.84	39 271	691.27 3778.32	95.10 660.00
8 8T	2.37 2.60	1.84 3.37	39 271	347.45 4891.13	92.50 703.50
9 9T	1.81 2.91	2.01 3.27	39 270	280.76 5163.87	70.40 786.90
10 10T	6.00 4.17	5.37 3.81	39 271	2500.42 8647.73	234.00 1131.10
LE-1 ALL E-1 T	6.09 6.19	4.80 5.24	189 1352	11,344.86 88,874.66	1151.00 8363.60
ALL E-2 ALL E-2 T	3.15 3.03	3.83 3.40	156 1083	3819.90 22,481.05	492.00 3281.50

200686

10/28/74 (1st) (2nd) 10/29/74 (3rd)

DRG

POINT	AUG.	STD. DEV.	No. of SAMPLES	EX ²	EX
1 1T	5.54 4.57	5.57 3.80	27 345	1635.32 12,176.21	149.60 1578.10
2 2T	11.77 6.99	8.00 6.33	27 344	5405.72 30,563.07	317.80 2403.90
3 3T	16.66 10.44	5.16 6.82	27 343	8182.49 53,302.78	449.70 3580.60
4 4T	3.76 5.39	3.74 4.20	27 342	745.46 15,959.88	101.60 1843.00
5 5T	6.14 6.54	4.53 6.10	27 344	1549.49 27,456.67	165.70 2250.50
6 6T	OUTSIDE NOT AVERAGED				
7 7T	2.09 2.34	1.76 2.63	27 345	198.40 4265.07	56.40 807.70
8 8T	3.21 2.62	3.28 3.22	27 345	552.97 5923.41	86.70 902.90
9 9T	0.85 2.51	1.39 3.29	27 344	69.89 5889.93	22.90 864.90
10 10T	5.13 4.74	6.49 5.13	27 345	1805.88 16,800.20	138.60 1634.00
P L E-1 HALL E-1 T	8.77 6.76	7.29 5.96	135 1718	17,518.48 139,488.61	1184.40 14,620.10
ALL E-2 ALL E-2 T	2.82 3.05	4.07 3.81	108 1379	2632.08 32,878.61	304.60 4209.50

200686.1