MD-3-A

PACKAGE TICKET (DRY AND PASTE ONLY)

CODE RY787 LOT 3357

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PQ
50	68	3,400		
	STUMP			

TOTAL NET WT. 3,400 PKG. N–CODE 1135

PROD. SPVR. JV DATE 1,4,80 WHSE. OPER.

23
2/3 CG 03 CODE ~~KY-907-D~~ Ky 787-1) PKG. ____

→ DEC 29 33548

EST. WGT. ~~1080~~ 1090 LBS.

O/C

SS BAGS AP

3490

TOTAL WGT. ~~3480#~~

PROCESSING INSTRUCTIONS: BATCH UNIT

	PROCESSES	APPROVED BY
	KY-907-D (D)	EWK 12/12/77
		DCG 12/13/77
	TYPED BY	
	rj 2/6/78	

MAKING NOTES

REMARKS

NAME: KROLOR® YELLOW - MEDIUM — NON-BLEEDING

INSTRUCTIONS — -PRESSING- — RECORD

						PRESSLOAD	1ST	2ND	3RD	4TH	5TH
VAT		243				STARTED	8:30 PM				
DATE		12-31-77				CAKES USED	46			1	
TIME		2PM				WATER ON	12:30 AM				
RELEASED BY						HRS. WASHED	2½				
PRESS	2	22	23	24		OHMS	2100				
NO. OF CAKES	46	46	46	52		HRS. WASHED					
PRESS with AGITATION						OHMS					
WASH TO 2000 OHMS with 135-145°F water						HRS. WASHED					
TEST AFTER 2 HOURS						OHMS					
LOAD on 6 cars						CAKE CONDITION					
						NO. CARS LOADED	7				
						EXPLAIN LOSSES					

S.K.

SAMPLES 8oz Jar
DELIVER TO CIL for Color

SAMPLED BY 169 RELEASED BY

-DRYING-

~~DRY 24~~ HOURS AT ~~180~~ °F

LUMP: - OK - WET - SALTS - CONTAMINATED

Dry 12 hrs 220 °/o
Dry 8 hrs 160 °/o.

ADDITIONAL DRYING HOURS REQUIRED

NO. DRUMS 15

SAMPLES
DELIVER TO

NO. CARS PULLED
SAMPLED BY

LUMP WGT. 3449
RELEASED BY

-GRINDING-

MILL 939 HSP 1/8"RP SCREEN 3500 RPM
MAX. TEMP. 170 °F

SCREEN RPM
MAX. TEMP. °F

EXPLAIN LOSSES

SAMPLE / WITHOUT MIXING
SAMPLES 1 ENV & 1 PTCAN
DELIVER TO C T L

DATE MIXED

SAMPLED BY RELEASED BY

DUP050093312

N 76191.01

33548
41
252

0.00	*
2.52	+
0.14	-
2.51	+
0.14	-
2.51	+
0.14	-
2.54	+
0.14	-
2.59	+
0.14	-
2.57	+
0.14	-
2.44	+
0.14	-
2.53	+
0.14	-
2.55	+
0.14	-
2.52	+
0.14	-
2.67	+
0.14	-
2.48	+
0.14	-
2.44	+
0.14	-
2.42	+
0.14	-
1.30	+
0.14	-
34.49	*

DUP050093313