

INTERNAL CORRESPONDENCE

PLAINTIFF'S
EXHIBIT
KRC-265



FHMD-MS
(UNIT)

TO E. R. Goltra, M.D. DATE June 14, 1988
FROM Janet Smith *JS* SUBJECT IHS - Cotton Valley

Asbestos

The facility has purchased one MSA Air Pump for conducting air monitoring during small scale operations and maintenance activities. In order to calibrate this equipment, it will be necessary for the facility to purchase additional calibration equipment. Ordering information for this equipment has been included as Attachment IV. Until asbestos monitoring equipment is obtained and calibrated, the facility should not perform operation and maintenance activities.

E. R. Goltra, M.D.
June 14, 1988
Page 2

There are several vessels being stored on a concrete pad outside the process area which are insulated with asbestos-containing material. D. Parker requested information regarding in-house removal of the asbestos insulation. Given the size of these vessels and additional asbestos removal needs for boiler equipment, these projects should be conducted by a contract asbestos removal service.

Any questions concerning this report should be addressed to me at extension 2534.

JS/1h

attachment

Attachment IV

Cotton Valley equipment needed for asbestos monitoring:

- Battery Charger (single)
- Cassettes
- Volumetric Buret + Tripod Stand
- Soap Solution
- Tygon Tubing
- KM Monitoring Forms
- Employee Monitoring Notification Forms
- Stop Watch

<u>Item</u>	<u>Quantity</u>	<u>Vendor</u>	<u>Price</u>
MSA Battery Charger #476483	1	MSA P.O. Box 110127 Carrollton, TX 75006	\$18.50/ea
Sampling Cassettes 25 mm, #322575	(1 Box) (50)	Nucleopore 7035 Commerce Plesanton, Calif. 94566 (1-800-882-7711)	\$123.00/box
Volumetric Buret + Tribod #311-1000	(1)	SKC 334 Valley View Rd. Eighty Four, PA 15330-9614	\$207.00/ea
Stop Watch #303-01-1	(1)	SKC 334 Valley View Rd. Eighty Four, PA 15330-9614	\$54.00/ea
Tygon Tubing		Corp. will furnish	
KM Monitoring Sheets KM Personnel Monitoring Notifications		(enclosed)	