



Protective Equipment of Proven Merit

SAFETY FIRST SUPPLY COMPANY

526 Island Avenue, McKees Rocks, Pa. 15136 • Phone (412) 331-3200

OFFICES
McKees Rocks, Pa.
(Pittsburgh District)
Canton, Ohio
Cleveland, Ohio
Dunbar, W. Va.
Hammond, Ind.
Toledo, Ohio

AUGUST 27, 1976

MR. FRANK MC COLLUM
SAFETY DIRECTOR
BABCOCK-WILCOX COMPANY
STIELING AVENUE
BARBERTON, OHIO 44203

DEAR MR. F. MC COLLUM:

WE ARE PLEASED TO QUOTE YOU ON THE FOLLOWING SAFETY ITEMS PER YOUR REQUEST OF OUR MR. ELIAS:

1. DURABLE PERMANENTLY FLAME RETARDANT TREATED VISUAL GREEN 9 OZ.

COTTON:

#630XV 30" JACKET WITH VELCRO CLOSURE
#601XV PANTS WITH VELCRO

\$16.96 EA.
\$20.48 PR.

2. 32 OZ. 90% REPROCESSED WOOL 10% HTR WITH DUPONT X-12
FLAME RETARDANT TREATMENT WITH VELCRO CLOSURES:

#3230XV 30" WOOL JACKET
#3201XV WOOL PANTS

\$20.82 EA.
\$19.67 PR.

3. 2.35 LB IMPREGNATED ASBESTOS CLOTH WITH VELCRO CLOSURE:

#730XV 30" JACKET
#701XV PANTS

\$37.76 EA.
\$41.43 PR.

4. 6 OZ. NOMEX TWILL:

SAFETY OFFICE
SEP 23 1976
F.W. McCOLLUM
#7454 BLUE PANTS
#7414 BLUE LAB COATS
#7464 BLUE COVERALLS
#7424 BLUE SHIRTS

\$26.00 PR.
\$31.00 EA.
\$42.00 EA.
\$24.00 EA.

5. KYNOLL 8 OZ. 50% KYNOLL/50% NOMEX:

#9030 KYNOLL 30" JACKET WITH VELCRO
#9001 KYNOLL PANTS

\$37.90 EA.
\$36.83 PR.

SHOULD YOU HAVE ANY FURTHER QUESTIONS, PLEASE DO NOT HESITATE TO CALL.

YOURS FOR SAFETY,

SAFETY FIRST SUPPLY COMPANY

William L. Hughes
WILLIAM L. HUGHES

WLH/CG

MEMBER NATIONAL SAFETY COUNCIL



PLAINTIFF'S EXHIBIT

BAB-298

File From July

*48" Asbestomized
Asbestos Coat #47*

000175

Iron Sound

8-27-76

To P Thompson
From Frank McCall

Re: Shipper Noise Levels.

No Noise levels were measured on August 3.

dBA level ranged between 87 and 92
measured at the operators ear.

Based on early hours of operation we are
in compliance.

To help keep us there have your former
check each M&C repair and call
M&C back if all covers are not
properly secured. Insist that everything
be kept tight.

Frank

SAFETY OFFICE

AUG 26 1976

F. W. McCOLLUM

Babcock & Wilcox

Power Generation Group

Barberton, Ohio 44203

Telephone: (216) 753-4511

April 13, 1976

Phil Johnson
A. P. Green Refractories Company
Mexico, Missouri 65265

Dear Mr. Johnson,

I discussed the contents of your A.P. Green insulating cement with you on the telephone on April 12, 1976. During our discussion you informed me that three years ago or so asbestos was removed from this product.

After some further discussion about the nature of mineral wool which along with a binder is the current mix of A. P. Green insulating cement, you agreed to send me a material safety data sheet or similar data concerning the contents of A. P. Green insulating cement.

Your consideration in this matter will be greatly appreciated.

Sincerely,



F. W. McCollum,
Safety Supervisor

FWM/sek

000176