

FILE NAME: Asbestos International Association (AINT)

DATE: 1983 Sept

DOC#: AINT012

DOCUMENT DESCRIPTION: AINT Health & Safety Publication -
Recommended Practices for Asbestos-Containing Friction Materials

[Note - Many originals are on legal size paper so text looks small when
reprinted on 8.5x11 paper]

AIA Health and Safety Publication
Recommended Control Procedure No.10 (RCP 10)

ASBESTOS-CONTAINING FRICTION MATERIALS Application and Servicing



INTRODUCTION

The prime object of this Association is to encourage and facilitate the endeavours of its members to eliminate risks to health from occupational and environmental exposure arising from the use of asbestos.

Many countries have official regulations and guidelines which producers, manufacturers and consumers are required to observe in order to prevent such risks occurring, and progressively the standards stipulated are being achieved. In the course of applying these requirements, much practical experience has been acquired and the interchange of such knowledge and the maximising of control techniques is seen as the principal means by which our members can attain our prime objective.

There are still areas where official guidance has not been provided and others where the problems of applying statutory requirements are new and may appear formidable. The Asbestos International Association believes that it has an opportunity and a responsibility to provide what help it can to those concerned with this problem from the wide experience of its members and has decided therefore to produce a series of advisory publications for this purpose.

We wish to remind readers of two important points. First, in considering any recommendations in the AIA publications these should be related to the specific legal requirements in the country concerned. It is clearly not possible in such publications to relate the recommendations in every respect to the specific detailed regulations in each state. Nevertheless, the greater part of existing laws on the subject calls for similar forms of control and where no official regulation exists we advise that action should be based on the recommendation of the ILO meetings of experts on the safe use of asbestos, in December 1973 and October 1981. Secondly, the development of techniques of control is a continuous process, and we hope that the efforts we are undertaking will help to accelerate the process. Techniques which are recommended have reached their present stage as a result of interchange of ideas and practical experience between international experts in the asbestos industry, plant manufacturers, government agencies and many others. It will certainly be necessary regularly to up-date and amend these publications in the light of new ideas and criticisms. All such will be welcomed and will be given full consideration during revision stages.

Asbestos-containing Friction Materials - Application and Servicing

CONTENTS

1. Applications of these recommendations
2. Products covered by these recommendations
3. Basic requirements for working with asbestos-containing friction material
4. Operations covered by these recommendations
5. Recommended procedure for avoiding creation of dust in the use of asbestos-containing friction materials
6. Waste disposal
7. General

Asbestos International Association
68 Gloucester Place,
London W1H 3HL, England
Telephone: 01-486 3528
Telex: 298618 INTA G

ASBESTOS-CONTAINING FRICTION MATERIALS Application and Servicing

1. Application of these recommendations

These recommendations are intended for the guidance of those engaged in the assembly, application and servicing of friction materials containing asbestos fibre. For the manufacture of such materials, other procedures are applicable, and controls recommended for manufacturers may be found in relevant HSE publications.

2. Products covered by these recommendations

These include handling friction material in the following situations:

Brake lining materials in coils, strips or sheets form

Brake shoes

Brake discs


Brake lining segments

Disc brake pads

Clutch facings

Automotive hammer for discs and band liners

Industrial brake linings and clutch facings



3. Basic requirements for working with asbestos-containing friction material

3.1 Harmful effects on health from working with asbestos-containing friction materials can only result from the inhalation of asbestos respirable fine dust

3.2 In friction materials the asbestos content is variable, generally from 30% to 60%. In all cases, the asbestos fibres are locked in the binder and the product does not release any free respirable fibres under normal handling conditions

The only occasions when such fibres can be released into the atmosphere in significant quantities occur when high-speed cutting, grinding or drilling are carried out *without* the provision of proper controls as described hereunder


3.3 Only a very small percentage of asbestos fibre can be traced in the wear products of brake linings. Temperature pressure and time (grinding) during braking operations convert the asbestos fibre into a non-crystalline amorphous material which represents no hazard. In case of doubt, concentrations of dust should be measured and analysed in order to ensure that they do not exceed the values prescribed by the Authorities

4. Operations covered by the recommendations

Handling and machining of asbestos-containing friction material in the automotive and brake and clutch industry and in the maintenance and repair of brake and clutch assemblies, such as:

- grinding
- cutting
- drilling
- sawing
- fitting
- machining or finishing*
- cleaning

* Finishing is a process in which a fine grinding finish is applied




5. Recommended procedure for avoiding creation of dust in the use of asbestos-containing friction materials

5.1 Remember the three main rules for eliminating any risks

First avoid creating dust and use hand tools or slow running tools which only produce coarse dust or chips (do not normally use tools which cut by abrasion, ie tools which generate inhalable dust).

Second when it is necessary to use abrasive or high-speed tools these should be fitted with dust extraction equipment suitable for use with asbestos.

Third use local vacuum cleaning equipment (approved for use with asbestos dust) to collect dust and chips, or sweep using dust suppressant




5.2 Handling, transporting, warehousing of new friction materials. Asbestos-containing friction materials supplied in boxed sets should be de-dusted by the manufacturer before packing, and therefore should not require special precautions in handling. When they are delivered in bulk quantities abrasion may result. Dust should be removed by vacuuming.

5.3 Work under factory or workshop conditions

5.3.1 Approved dust extraction equipment should be fitted to every cutting, drilling or grinding machine to eliminate dust and loose swarf created by such operations. High velocity, low volume equipment should be used for portable tools, industrial vacuum

cleaning systems are generally most suitable for fixed machine applications



5.3.2 During application friction material dust occurs and accumulates in brake and clutch assemblies

When removing worn friction material, remove the accumulated dust from the brake assemblies with an industrial vacuum cleaner or washing equipment. If such equipment is not available, dust must be removed with a damp cloth. Never use compressed air or dry brushing.


Certain industrial vacuum equipment manufacturers have developed apparatus specially designed for use in the removal of worn brake linings and the cleaning out of brake drums. Such equipment may be of interest to organisations where this work is regularly carried out. Further details can be obtained from Member Associations of the AIA.

5.3.3 Loose swarf and dust should be removed from the work place by vacuum cleaning. Where this is not possible the material should be thoroughly wetted before removal.



5.3.4 Working area should be kept free from dust by means of a cleaning attachment available for use with the installed exhaust ventilating system, or by using portable industrial vacuum cleaning machines suitable for use with asbestos materials. If these are not available, floors should be thoroughly wetted and/or spread with damp sawdust before sweeping.

5.3.5 There will be some operations such as the maintenance of dust filters, etc., where it is necessary for personnel to be provided with appropriate individual protective equipment.



- 5.3.6** Suitable equipment:
- dust extraction
 - vacuum cleaning
 - specialised turning equipment
 - personal protective equipment

Full details of suppliers of suitable equipment which has been tested for use with products together with advice on the design and specification of such equipment may be obtained from AIA or from the Association's members. They will be pleased to supply names and addresses of national suppliers of such equipment.

5.4 Do-it-yourself operations

Simple replacement of brake shoes or disc brakes is unlikely to be a source of dust emission. The do-it-yourselfer is unlikely to have access to equipment as described in 5.3.2, but wear products can satisfactorily be removed from brake assemblies with a damp cloth. It is generally preferable, in the interests of road safety, for work on braking systems to be undertaken by properly qualified and equipped operators.



6. Waste Disposal

6.1 Loose swarf and dust collected from fabrication processes should be collected for disposal in a controlled manner and in accordance with regulations where these exist. Strong plastic bags are a suitable form of impermeable container (see RCP3).

6.2 Broken and worn linings will not normally produce harmful quantities of dust. However, to avoid unnecessary anxiety (and in some countries to comply with legal requirements), where such waste materials occur in quantity they should be collected and disposed of in a controlled manner, and in accordance with regulations where these exist (see RCP3).

7. General

Further information on any aspect of safe working with asbestos-containing friction material will gladly be supplied by the Asbestos International Association or by any of the Association members whose addresses are contained elsewhere in this publication.

Publications by the Asbestos International Association

- Report on the 1970-71 Proceedings
of the 1st International Conference on
Asbestos, Geneva, 1971
- Report on the 1972-73 Proceedings
of the 2nd International Conference on
Asbestos, Geneva, 1973
- Report on the 1974-75 Proceedings
of the 3rd International Conference on
Asbestos, Geneva, 1975
- Report on the 1976-77 Proceedings
of the 4th International Conference on
Asbestos, Geneva, 1977
- Report on the 1978-79 Proceedings
of the 5th International Conference on
Asbestos, Geneva, 1979
- Report on the 1980-81 Proceedings
of the 6th International Conference on
Asbestos, Geneva, 1981
- Report on the 1982-83 Proceedings
of the 7th International Conference on
Asbestos, Geneva, 1983
- Report on the 1984-85 Proceedings
of the 8th International Conference on
Asbestos, Geneva, 1985
- Report on the 1986-87 Proceedings
of the 9th International Conference on
Asbestos, Geneva, 1987
- Report on the 1988-89 Proceedings
of the 10th International Conference on
Asbestos, Geneva, 1989
- Report on the 1990-91 Proceedings
of the 11th International Conference on
Asbestos, Geneva, 1991
- Report on the 1992-93 Proceedings
of the 12th International Conference on
Asbestos, Geneva, 1993
- Report on the 1994-95 Proceedings
of the 13th International Conference on
Asbestos, Geneva, 1995
- Report on the 1996-97 Proceedings
of the 14th International Conference on
Asbestos, Geneva, 1997
- Report on the 1998-99 Proceedings
of the 15th International Conference on
Asbestos, Geneva, 1999
- Report on the 2000-01 Proceedings
of the 16th International Conference on
Asbestos, Geneva, 2001
- Report on the 2002-03 Proceedings
of the 17th International Conference on
Asbestos, Geneva, 2003
- Report on the 2004-05 Proceedings
of the 18th International Conference on
Asbestos, Geneva, 2005
- Report on the 2006-07 Proceedings
of the 19th International Conference on
Asbestos, Geneva, 2007
- Report on the 2008-09 Proceedings
of the 20th International Conference on
Asbestos, Geneva, 2009
- Report on the 2010-11 Proceedings
of the 21st International Conference on
Asbestos, Geneva, 2011
- Report on the 2012-13 Proceedings
of the 22nd International Conference on
Asbestos, Geneva, 2013
- Report on the 2014-15 Proceedings
of the 23rd International Conference on
Asbestos, Geneva, 2015
- Report on the 2016-17 Proceedings
of the 24th International Conference on
Asbestos, Geneva, 2017
- Report on the 2018-19 Proceedings
of the 25th International Conference on
Asbestos, Geneva, 2019
- Report on the 2020-21 Proceedings
of the 26th International Conference on
Asbestos, Geneva, 2021
- Report on the 2022-23 Proceedings
of the 27th International Conference on
Asbestos, Geneva, 2023
- Report on the 2024-25 Proceedings
of the 28th International Conference on
Asbestos, Geneva, 2025

For more information

100

Asbestos International Association

Member Associations

ARGENTINA

Asociacion Argentina de Fabricantes de
librocemento (AAFF),
Libertad 846 - 3° pto 55,
012 Buenos Aires.
Telephone.

AUSTRALIA

South Pacific Asbestos Association,
10th Floor,
9-41 York Street,
Sydney 2000, NSW.
Telephone: 232 7004
Telex: 22467
Includes Indonesia, Malaysia,
New Zealand and Singapore

AUSTRIA

Verein der Oesterreichischen
Faserzementfabrikanten,
c/o Eternit-Werke Ludwig Hatschek,
Postfach 50, 4840 Vöcklabruck.
Telephone: 07672/25 01
Telex: 026/608 or 026/500

BENELUX

(Belgium-Netherlands-Luxembourg)
Benelux Asbestos Information Committee
(CIAB/CVAB),
Boite 32, Boulevard E. Jacquain 162
B 1000 Brussels.
Telephone: (02) 218-6329 and
(02) 219-2980
Telex: 21 696

CANADA

Institute of Occupational &
Environmental Health (Association),
AMAQ, Suite 320,
580, Grande Allée Est,
Québec, Qué. G1R 2K2.
Telephone: (418) 529-8168
Telex: 556 0565

CYPRUS

Cyprus Asbestos Association,
c/o Cyprus Asbestos Mines Ltd.,
Amiandos.
Telephone: 053-15-355
Telex: 2083

DENMARK

Danish Asbestos Information Group,
c/o Dansk Eternit Fabrik A/S,
P.O. Box 763, DK-9100 Aalborg
Telephone: (8) 12 11 22
Telex: 69724

FINLAND

Finnish Asbestos Information Group,
c/o Oy Partek Ab, Covering Materials,
SF-08680, Muijala.
Telephone: 358 12 35222
Telex: 1415

FRANCE

Association Française de l'Amiante

GERMANY

Wirtschaftsverband Asbestzement e.V.,
Postfach 110620, 1000 Berlin 11
Telephone: 030-3485-250
Telex: 018-1640

Wirtschaftsverband Asbest e.V.,
Hofheimer Strasse 21,
6380, Bad Homburg 1
Telephone: 06172 301112
Telex: 418148

GREECE

Hellenic Asbestos & Asbestos Cement
Association,
8 Omirou Street, Athens (133).
Telephone: 32 31 244
Telex: 215871

INDIA

Asbestos Information Centre,
401 Padma Palace,
86 Nehru Place,
New Delhi-110 019.
Telephone: 682568

IRELAND

Irish Asbestos Council,
6 South Leinster Street, Dublin 2.
Telephone: 01-763974
Telex: 24281 and 25369

ISRAEL

Israeli Asbestos Users Association,
P.O. Box 32, Nahariya 22100
Telephone: 04-924141
Telex: 46294

ITALY

Centro Nazionale Amianto,
Corso Europa 12,
20122 Milan
Telephone: 02/5456211-5456339
Telex: 314237

JAPAN

AIA Committee,
Japan Asbestos Association,
8-10-7 Ginza, Chuo-ku, Tokyo
Telephone: 03-571 8509

MEXICO

Asociacion Mexicana de Fabricantes de
Productos de Asbesto Cemento A.C.,
Paseo de la Reforma No. 30, 2 piso,
Mexico 1, D.F.
Telephone: 566-90-06

NIGERIA

Nigerian Asbestos Association,
c/o Nigerite Ltd., PMB 21032,
Ikeja, Lagos State
Telephone: 900602
Telex: 26243

NORWAY

Asbestos Information Group
c/o C. Borge's Asbestkompani AS.

REPUBLIC OF SOUTH AFRICA

South African Asbestos Producers
Advisory Committee,
P.O. Box 10505,
Johannesburg 2000
Telephone: 395458
Telex: 422514 and 422420

SPAIN

Asociacion Espanola de Fabricantes
de Productos de Amianto,
M^a Diaz de Haro 38,
Apartado 558, Bilbao (10).
Telephone: 437 37 05
Telex: 32125

Asociacion de Fabricantes de
Productos de Amianto-Cemento,
Rafael Calvo 18, Madrid (10)
Telephone: 4197 488
Telex: 44295

SWEDEN

Swedish Asbestos Information Group,
Svenska Bromsbandsfabriken AB,
880 20 Langsele
Telephone: 0620-217 50
Telex: 6151

SWITZERLAND

Arbeitskreis Asbest,
c/o Stiffler & Nater,
Dufour Strasse 101, 8034 Zurich

UNITED KINGDOM

Asbestos Information Centre,
Sackville House, 40 Piccadilly,
London W1V 9PA
Telephone: 01-439 9231/2/3
Telex: 21120 ref 2526

U.S.A.

Asbestos Information Association/NA,
1745 Jefferson Davis Highway,
Crystal Square, Suite 509,
Arlington, Virginia 22202
Telephone: (703) 979 1150

Asbestos International Association
68 Gloucester Place,
London, England, W1H 3HL.
Telephone: 01-486 3528
Telex: 298618 INTA G

