

PLAINTIFF'S EXHIBIT

GP-1483

ASBESTOS - Raw Material Specs

SGP 0015914

RAW MATERIAL SPECIFICATIONS

<u>MATERIAL</u>	<u>SPECIFICATION NO.</u>
Absorber Paper, Acoustical Membrane-----	150
Adhesive, Carton Sealer-----	154
Adhesive, Conductive-----	200
Adhesive, for Lath Bundling & T.M. Operation-----	100
Adhesive, for Wallboard Core-----	115
Adhesive, Laminating, Acoustical Membrane-----	151
Adhesive, Laminating, for Bare Foil-----	99
-/ Adhesive, Laminating, for Paper Backed Foil-----	101
Adhesive, Laminating, for Radiant Heat Panel-----	207
Adhesive, Laminating, for Wood Grained Board-----	96
Adhesive, Laminating, Vinyl Coating-----	158
Aluminum Foil, Annealed, Dead Soft-----	110
Aluminum Sulphate, Powdered-----	52
Amidex or Anchor Paste-----	22
Asbestos, 7M-----	8
Asbestos, 7R-1-----	3
Asbestos, Floats-----	9
Aqua Nuchar-----	210
Benzoflex 50-----	183
-/ Canceled (Biocide 290) eliminated 9-1-70	184 <i>canceled 11-16-70</i>
Borax-----	37
Cable, Electrical-----	201
Cartons, Acoustical & Ceiling Tile Samples-----	156
Cartons, Acoustical Tile-----	155
Cartons, Ceiling Tile-----	159
Cartons, Firestop Ceiling Tile-----	160
Calcium Chloride-----	56
Casein, OD5-----	10
Cellufloc-----	195
Cement, Luminite-----	142
Clays, ASP-100 & 102-----	167
Clay, for Firestop-----	172
Clay, for Breakaway Plaster-----	112
Coating, Flat, for Acoustical Tile-----	152
Coating Texture, for Acoustical Tile-----	153
Dexac 30-----	181
Defoamer M11-----	196
Dextrine, White-----	21
Di-Ammonium Phosphate-----	87
Dispersing Agents-----	124
Dry E Rosin Size-----	133
Dura Plastic Portland Cement-----	135
Edge Paste for Wallboard-----	215
Ethylene Glycol-----	182
Fiber, Defibrator-----	36
Fiber, Manila-----	31
Fiber, Textile Glass, Spun Rovings-----	117
Fiber, Textile Glass, 140 Strand-----	97

-/ Denotes change in this reissue.

<u>MATERIAL</u>	<u>SPECIFICATION NO.</u>
Flat Car Covering, Polyethylene-----	130
Foaming Agent, Synthetic-----	104
Foil, Copper-----	198
Foundry Sand 4 C-----	141
GYPSUM (LAND PLASTER)	13 A
Glue, Powdered-----	111
Green Bond Western Bentonite Clay-----	213
Gum Arabic, Powdered-----	24
Ink, for Face Printing Lath, Blue-----	78
Ink, for Face Printing Lath, Red-----	79
Ink, for Face Printing Sheathing-----	77
Ink, for Printing on Back of Sheathing-----	48
Ink, for Printing on Back of Wallboard-----	47
Ink, for Radiant Heat Panel-----	202
Ink, for T.M. & Bundling Tape-----	46
Kaysoy, 200C-----	122
Lime, for Dens-Cote-----	169
Lime, High Calcium for P. G. Stucco-----	54
Lime, Hydrated, Finishing-----	26
Lime, Hydrated, Mason's-----	27
Lime, White, High Calcium, Hydrated-----	12
Limestone or Marble Dust, Ground-----	13
Litharge-----	25
Luminite Cement-----	142
Methocel-----	163
Mica, White-----	11
Nails, Insulated-----	208
Natrosol 250 LXR-----	190
Natrosol 250 HXR-----	170
Olivine Flour-----	211
Paper, Acoustical Membrane, Absorber-----	150
Paper, Black Sheathing, 70#-----	73
Paper, Black Sheathing, 65#-----	74
-/ Paper, Blue Wallboard, 70#-----	76
Paper, Green Sound Deadening, 70#-----	75
Paper, De Luxe Tru Grain-----	89
Paper, Dens-Cote Base, Inverted for Backer-----	70
Paper, Grayback, 100# for Roof Deck-----	63
Paper, Grayback for Wallboard-----	67
Paper, Gray Lath, 58#-----	69
-/ Paper, 70# Gray Lath Paper or Core Board-----	72
Paper, Ivory, 100# for Roof Deck-----	62
Paper, Ivory Face for Wallboard-----	66
Paper, Protector Strip for Edges of Grain Board Bundles-----	103
Paper, Tear Strip for Twin Mounting Tape-----	102

DRG:dek

-/ Denotes change in this reissue.

SGP 0015916

<u>MATERIAL</u>	<u>SPECIFICATION NO.</u>
Paper, Tru Grain - - - - -	90
Perlite, Expanded <i>PLASTER GRADE</i> - - - - -	91
Perlite, Expanded (Concrete Grade) - - - - -	86
Perlite, Expanded (Fines) - - - - -	187 <i>BESTEX B</i>
Perlite Ore, New Agua, N.M. - - - - -	109
Perlite Ore, Panacalite - - - - -	107
Perlite Ore, Uniperl - - - - -	106
Perlite Ore, U.S.G. - Grants - - - - -	108
Petro-AD, Wetting Agent - - - - -	143
Pigment Colors, for use in Gypsum Products - - - - -	33
Polyvinyl Acetate Emulsion - - - - -	185 <i>Elevenet</i>
Polyvinyl Acetate Powder - - - - -	161 <i>Alba</i>
Polyvinyl Alcohol Powder - - - - -	162 <i>Alba</i>
Portland Cement - - - - -	51
Portland Cement, Dura Plastic - - - - -	135
Portland Cement, High Early Strength - - - - -	137
Portland Cement, White - - - - -	136
Potassium Chloride - - - - -	171
Potassium Citrate, Powdered - - - - -	49
Potassium Sulfate - - - - -	19
Potassium Sulphate, Reground - - - - -	20
Pumice, #5 Grade - - - - -	42
Resin Size 249 - - - - -	114
Retarder - - - - -	28
Salt - - - - -	39
Sand, Foundry 4C - - - - -	141
Sand, Silica for Dens-Cote Base Plaster - - - - -	188
Sand, White Silica - - - - -	30
Sand, White Silica, AFS-50 - - - - -	166
Sand, White Silica, AFS-85 - - - - -	165
Santobrite - - - - -	15
Screws, Drywall - - - - -	186
Shavings, Regular - - - - -	40
Silicate of Soda - - - - -	38
-/ Silicone Rubber Sealant, for Radiant Heat Panel - - - - -	203
Soda Ash, Powdered - - - - -	32
Sodium Citrate, Powdered - - - - -	134
Sodium Fluoride - - - - -	138
Starch, Corn, Powdered - - - - -	50
Starch, Core Adhesive - - - - -	115
Starch, Potato, Powdered - - - - -	113
Starch, Pre-Gelatinized - - - - -	120
Starch, Staramic 330 - - - - -	192
Sugar, Cane, for Thermal Shock Plaster - - - - -	5
Sugar, Cane (Granular) - - - - -	4
Surface Active Agents - - - - -	125 <i>nales</i>

MATERIAL

SPECIFICATION NO.

Talc, A-200	194
Talc, Asbestol	88
Talc, for Wallboard	6
Talc, Moldene	35
Tape, Fiberglass	168
Tape, for Radiant Heat Panel	206
Tape, Lath Bundling, 60#	58
Tape, Lath Bundling, 90#	57
Tape, Perforated Paper	14
Tape, Twin Mounting	59
Tensheet 260	204
Tensheet 1140	205
Termifoil Connector	199
Textile Glass Fiber, Spun Rovings	117
Textile Glass Fiber, for plaster	97
Thermostat	209
Titanium A-WD	131
Troycan PMA-30	184
Troysan CMP-10 SEP	189 ¹⁸⁹⁻³ <i>Cancelled</i>
-/ Urac ^R Resin No. 110	212
Vancide 51Z	126
Vermiculite, Raw	85
Vermiculite, Expanded, No. 2 Size <i>Grade A-3</i> <i>Bestex "D"</i>	191
Vinyl Coating	157
Water Retention Agents	98
Wax Asphalt Emulsion	164
Wetting Agents	7
Wetting Agents, Petro-AD	143
Yellow Oxide #2087	139
Zeolex 23A	196
Zinc Oxide	119
<i>vermiculite Grade A-2 Bestex "C"</i>	<i>189</i>

RAW MATERIAL SPECIFICATIONS

SGP 0015919

MATERIAL

SPECIFICATION NO.

Ink, for T.M. & Bundling Tape-----	46
Ink, for printing on back of wallboard-----	47
Ink, for printing on back of sheathing-----	48
Potassium Citrate, Powdered-----	49
Corn Starch, Powdered-----	50
Portland Cement-----	51
Aluminum Sulphate, Powdered-----	52
	53
Lime, High Calcium for P. G. Stucco-----	54
	55
Calcium Chloride-----	56
Tape, Lath Bundling, 90#-----	57
Tape, Lath Bundling, 60#-----	58
Tape, Twin Mounting-----	59
	60
	61
Paper, Ivory Face, 100# for Roof Deck-----	62
Paper, Grayback, 100# for Roof Deck-----	63
Paper, Ivory Face, for Wallboard-----	66
Paper, Grayback for Wallboard-----	67
	68
Paper, Gray Lath, 58#-----	69
Paper, Dens-Cote Base (Inverted for Backer Paper)-----	70
-/ Paper, Gray Lath Paper or Core Board 70#-----	72
Paper, Black Sheathing, 70#-----	73
Paper, Black Sheathing, 65#-----	74
Paper, Green Sound Deadening, 70#-----	75
-/ Paper, Blue Wallboard, 70#-----	76
Ink for Face Printing Sheathing-----	77
Ink, for Face Printing Lath, blue-----	78
Ink, for Face Printing Lath, red-----	79
	80
	81
	82
	83
	84
Vermiculite, Raw-----	85
Expanded Perlite, Concrete Grade-----	86
Di-Ammonium Phosphate-----	87
Talc, Asbestol-----	88
Paper, De Luxe Tru Grain-----	89
Paper, Tru Grain-----	90
Perlite, Expanded-----	91
	92
	93
	94
	95

-/ Denotes change in this reissue.

DRG:dek

SGP 0015920

MATERIAL

SPECIFICATION NO.

	Adhesive, Laminating, for Wood Grained Board-----	96
	Glass Fiber, for plaster-----	97
	Water Retention Agents-----	98
	Adhesive, Laminating, for Bare Foil-----	99
	Adhesive, for Lath Bundling & T.M. Operations-----	100
-/	Adhesive, Laminating, for Paper Backed Foil-----	101
	Paper, Tear Strip for T.M. Tape-----	102
	Paper, Protector Strip for Edges of Grain Board Bundles-----	103
	Foaming Agents, Synthetic-----	104
		105
	Perlite Ore, Uniperl-----	106
	Perlite re, Panacalite-----	107
	Perlite ore, U.S.G. - Grants-----	108
	Perlite re, New Aqua - N. M.-----	109
	Aluminum Foil, Annealed - Dead Soft-----	110
	Glue, Powdered-----	111
	Clay, for Breakaway Plaster-----	112
	Starch, Potato, Powdered-----	113
	Resin Size 249-----	114
	Adhesive for Wallboard Core-----	115
		116
	Textile Glass Fiber, Spun Rovings-----	117
		118
)	Zinc Oxide-----	119
	Starch, Pregelatinized-----	120
		121
	Kaysoy, 200C-----	122
		123
	Dispersing Agents-----	124
-/	Cancelled	
	Vancide 51Z-----	126
		127
		128
		129
	Flat Car Covering, Polyethylene-----	130
	Titanium A-WD-----	131
		132
	Dry X Rosin Size-----	133
	Sodium Citrate, Powdered-----	134
	Dura Plastic Portland Cement-----	135
	White Portland Cement-----	136
	High Early Strength Portland Cement-----	137
	Sodium Fluoride-----	138
	Yellow Oxide #2087-----	139
		140
	Foundry Core Sand 4C-----	141
	Luminite Cement-----	142
	Petro-Ad, Wetting Agent-----	143
)	Tape, Vinyl for Tile Backer Board Edge Sealer-----	144

<u>Material</u>	<u>SPECIFICATION NO.</u>
	145
	146
	147
	148
	149
Paper, Absorber, Acoustical Membrane - - - - -	150
Adhesive, Laminating Acoustical Membrane - - - - -	151
Coating, Flat, for Acoustical Tile - - - - -	152
Coating, Texture, for Acoustical Tile - - - - -	153
Adhesive, Carton Sealer - - - - -	154
Cartons, Acoustical Tile - - - - -	155
Cartons, Acoustical & Ceiling Tile Samples - - - - -	156
Vinyl Coating - - - - -	157
Adhesive, Laminating, Vinyl Coating - - - - -	158
Cartons, Ceiling Tile - - - - -	159
Cartons, Firestop Ceiling Tile - - - - -	160
Polyvinyl Acetate Powder - - - - -	161 <i>Alkyl</i>
Polyvinyl Alcohol Powder - - - - -	162 <i>Hydroxy?</i>
Methocel - - - - -	163
Wax Asphalt Emulsion - - - - -	164
White Silica Sand - AFS 85 - - - - -	165
White Silica Sand - AFS 50 - - - - -	166
ASP-100 & 102 Clay - - - - -	167
Fiberglass Tape - - - - -	168
Lime for Dens-Cote - - - - -	169
Natrasol 250 HR - - - - -	170
Potassium Chloride - - - - -	171
Clay for Firestop - - - - -	172
	173
	174
	175
	176
	177
	178
	179
	180
Daxad 30 - - - - -	181
Ethylene Glycol - - - - -	182
Benzoflex 50 - - - - -	183
Troysan PMA-30 ²³⁰ 230 <i>Bostex</i> - - - - -	184
Polyvinyl Acetate Emulsion - - - - -	185
Screws, Drywall - - - - -	186
Perlite, Expanded (Fines) - - - - -	187
Sand, Silica, for Dens-Cote Base Plaster - - - - -	188
-/ South African Vermiculite, Grade A-2 - <i>Bostex "C"</i> - - - - -	189
Natrasol 250 LXR - - - - -	190
-/ South African Vermiculite, Grade A-3 - <i>Bostex "D"</i> - - - - -	191
Starch, Staramic 330 - - - - -	192
-/ Troysan CMP 10-SEP - - - - -	193
Talc, A-200 - - - - -	194
Ceillufloc - - - - -	195
Defoamer M111 - - - - -	196
Zeolex 23A - - - - -	197

<u>MATERIAL</u>	<u>SPECIFICATION NO.</u>
Copper Foil-----	198
Termifoil Connector-----	199
Adhesive, Conductive-----	200
Cable, Electrical-----	201
Ink, Marking for Radiant Heat Panel-----	202
Silicone Rubber Sealant-----	203
Temsheet 260-----	204
Temsheet 1140-----	205
Tape, for Radiant Heat Panel-----	206
Adhesive, Laminating for Radiant Heat Panel-----	207
Nails, Insulated-----	208
Thermostat-----	209
Aqua Nuchar-----	210
Olivine Flour-----	211
Urac ^R Resin No. 110-----	212
Green Bond Western Bentonite Clay-----	213
-/ Biocide 290-----	214 184
-/ Edge Paste for Wallboard-----	215

DRG:dek

-/ Denotes change in this reissue.

SGP 0015923

Enclosed please find the following Raw Material Specifications changes:

Page 1	Index	Revised
Page 2	Index	Revised
Page 3	Index	Revised
Page 4	Index	Revised
R.M. Spec. 91	Adhesive, Laminating	NEW
Page 1	Table of Contents	Canceled
Page 2	Table of Contents	Canceled
Page 3	Table of Contents	Canceled
Page 4	Table of Contents	Canceled
Page 5	Table of Contents	Canceled
R.M. Spec. 38	Silicate of Soda	Canceled
R.M. Spec. 150	Absorber Paper	Canceled
R.M. Spec. 151	Absorber Paper Adhesive	Canceled
R.M. Spec. 152	Coating - Flat	Canceled
R.M. Spec. 153	Coating - Texture	Canceled
R.M. Spec. 154	Carton adhesive	Canceled
R.M. Spec. 155	Cartons - Acoustical Tile	Canceled
R.M. Spec. 156	Cartons - Acoustical & Ceiling	Canceled
R.M. Spec. 159	Cartons - Ceiling Tile	Canceled
R.M. Spec. 216	Monosodium Phosphate	Canceled

Please sign and return the attached sheet.

Lloyd, the R.M. Spec 91 has a wrong number on it and will be changed shortly

SGP 0015924