PLAINTIFF'S EXHIBIT

CAP-914

A/C Pipe
Producers Association

Internal Correspondence

TO: Board of Directors

FROM: J. C. Jackson, Executive Director

DATE: February 9, 1976

SUBJECT: AACPP Monthly Statistical Reporting Programs
(1) Pressure (Class) - 4" Thru 16" Diameter
(2) Non-Pressure Sewer Pipe - 4" Thru 36" Diameter

In compliance with a recent Board directive, and effective with the January, 1976, reporting period, accountability for the collection, collation and consolidation of AACPP monthly pipe shipment data will be transferred to:

Priestland Associates
2321 Kimbro Street
Alexandria, Virginia 22307
(703) 768-8811

All 1976 monthly reports should be mailed directly to Priestland Associates and not to the attention of the Association.

Priestland Associates will consolidate the individual company data and provide AACPP staff with camera-ready summary data for distribution to participating member companies. In accordance with past policy, only those companies which submit monthly reports will be eligible to receive the consolidated summary data. Canadian and Mexican regular member companies must submit a monthly report even though pipe shipments to the United States in either or both pipe product categories are zero in order to qualify for the receipt of the report.

Enclosed for your immediate use are revised reporting forms. Bulk quantities have been sent directly to those individuals in your company who in the past have had prime responsibility for preparing and forwarding the monthly data to the Association. The revisions in the report which have been made are in form only and not content. Specifically, entry of the combined classes shipment data on both the pressure and non-pressure reporting forms should be made at the top of the report rather than at the end of the report as has been past practice. Further, to effect as smooth a transition as possible between AACPP and Priestland Associates, all companies should continue to report equivalent tonnage until otherwise notified. If there are any questions, please contact staff immediately.

For non-domestic companies which have not participated in the past, we have enclosed previously-issued instructional material showing reporting requirements and schedules for both product categories.

In summary,

(1) Starting with the January, 1976, report, forward all monthly reports directly to Priestland Associates.

(2) Enter combined classes shipment data at the top of the report.

(3) Continue to report equivalent tonnages.

(4) Forward the report each month even though shipments during that period may be zero.

JCJ:mcm
Enclosures

cc: A. Kahn
Priestland Associates

Bob Russell, Certain-teed (50)
Phillip Calma, CAPCO (50)
Frank Duffy (50)
Patricia Jensma (50)
Len Falle (50)
Hugh Fraser (50)
J. Grinda (50)

Copies to: J. Murguia (1)
G. Barge (1)
J. Ariss (1)
L. Taylor (1)
R. Blankenship (1)
H. Taylor (1)
R. Smith (1)
J. Alejandre (50)

CAPCO PIPE COMPANY, INC.

Birmingham, Alabama

April 28, 1981

TO: Mr. C. F. Barber

FROM: Mr. W. T. Whitley

SUBJECT: A/C Pipe and Health

Attached please find the A/C Pipe Producers Association report on several studies involving the ingestion of asbestos and health.

I thought this would be of interest to you inasmuch as it mentions two studies that were done specifically on the State of Connecticut; one, the Harrington Study, and the other the Meigs Study.

If there is anything further which you feel may be of help in your community, please do let us know.

W. T. Whitley

WTW/gj
Enclosures

Copy to: Mr. K. W. Nelson