SOUTHWESTERN LABORATORIES

Materials, environmental and geotechnical engineering, nondestructive, metallurgical and analytical services

222 Cavalcade St. • P.O. Box 8768, Houston, Texas 77249 • 713/692-9151

Client Union Carbide Corporation
Belia Cortez
Star Rt. Box 90
Brownsville, Texas 78521

Client No.
Report No. 89-11-374
Report Date 12/4/89

Project Bulk samples submitted for asbestos content analysis. Received from SwL-Los Fresnos at SwL-Houston on November 30, 1989. Analyzed on November 30, 1989.

RESULTS

Sample I.D.	Sample Description	SwL Lab No.	Asbestos Type	% Asbestos*	Other Fibrous Constituents %
1	White Fibers w/Black Tar in White Coating	89-11-374-1	Amosite Chrysotile	10 2-3	Cellulose (15) Fibrous Glass (10)
2	White Fibrous Powder with Paper Backing	89-11-374-2	None Detected	—	Cellulose (10)
3	White Cementitious Mix w/Fibers on Metal Backing	89-11-374-3	None Detected	—	Cellulose (10) Fibrous Glass (5-8)
4	White Cementitous Mix w/Fibers on Metal Backing	89-11-374-4	Amosite Chrysotile	5-8 5-8	Fibrous Glass (5-8) Cellulose (5-8)
5	White Cementitious Mix w/Fibers on Metal Backing	89-11-374-5	Amosite Chrysotile	15 5-8	Fibrous Glass (5)
6	White Cementitious Mix w/Fibers on Fabric Backing	89-11-374-6	Chrysotile	10	Fibrous Glass (15)

* The percentage of asbestos is microscopically visually estimated.

Method of Analysis: CFR-47, No. 103, Appendix A (Polarized Light Microscopy)
SwL Houston is an accredited laboratory for bulk asbestos analysis - Laboratory I.D. No. 1502 00.
Samples will be discarded after a storage period of 60 days, unless other arrangements are specified. Results presented pertain to only actual sample analyzed.

Technician: Charles Remkes

Copies: 3-Union Carbide Corporation

Reviewed By

SOUTHWESTERN LABORATORIES

Terry J. Jackson, P.E., Asbestos Manager
Environmental/Analytical Services

cr

Our letters and reports are for the exclusive use of the client to whom they are addressed. The letters and reports shall not be reproduced except in full without the approval of the testing laboratory. The use of our name must receive our prior written approval.

PLAINTIFF'S EXHIBIT

UC-4407