

1951

OFFICERS p. 5 (Owens-Corning)

MEMBERS p. 5 (National Gypsum)

AUTOMOTIVE SECTION, OFFICERS (Bendix Products Division, Owens-Illinois Glass) p. 14, 15

CEMENT AND QUARRY SECTION, OFFICERS (National Gypsum) p. 231

CHEMICAL SECTION, OFFICERS p. 62, 63 (Pittsburgh Plate Glass)

(coal mining section) ROOF DRILLING WITH DUST CONTROL EQUIPMENT
p. 44-49 -

harm of breathing, silica dust p. 45

COAL MINING SECTION, OFFICERS p. 50, 51

CONSTRUCTION SECTION OFFICERS p. 22, 23

ELECTRICAL EQUIPMENT INDUSTRY SECTION, OFFICERS p. 18, 19

GLASS AND CERAMICS SECTION, OFFICERS p. 11 (PPG, Owens-Corning Fiberglass)

(No officers were listed for the Industrial Safety Section)

INDUSTRIAL HYGIENE-INDUSTRIAL DUSTS-WHAT EVERY SUPERVISOR SHOULD
KNOW p. 55-57

How long does it take for occupational disease to develop in the
lungs from exposure to dust? p. 55

asbestos disease and silicosis p. 56

fibrosis p. 57

MARINE SECTION, OFFICERS p. 25-27

THE USE OF WETTING AGENTS TO CONTROL DUST IN INDUSTRY (Metal
Section) p. 18-21

silicosis p. 18

METALS SECTION, OFFICERS p. 37-39

MINING SECTION OFFICERS p. 82, 83

PETROLEUM SECTION OFFICERS p. 46, 47

PUBLIC UTILITIES OFFICERS p. 18, 19

RAILROAD SECTION OFFICERS p. 38, 39

TEXTILE INDUSTRY OFFICERS p. 18, 19

PLAINTIFF'S EXHIBIT

CEL-1476

NATIONAL

SAFETY

COUNCIL

— 1951 —

TRANSACTIONS

VOLS. 1-34

1951

Free Public Library, Newark

GENERAL SE

1951 National Safety

(Index to Transactions)

Officers, Trustees, and Board of Directors

Annual Council Meeting

Minutes

Sportsmanship in Safety

Address by Millard Caldwell

Six Steps Ahead

Banquet

Address by Robert Young

Safety Exposition Exhibitors

Index

Volume 1
Transactions
39th National Safety Cong



NATIONAL SAFETY
425 No. Michigan Ave

National Safety Council

OFFICERS

Chairman, Board of Directors: CHARLES
Copper Corp., New York, N. Y.

President: NED H. DEARBORN, President
Chicago, Ill.

Vice-President for Farms: GUY L. Na
tional Committee on Boys and Girls C

Vice-President for Finance, and Treas
Vice-President, Peabody Coal Compan

Vice-President for Homes: TYLER S. R
tive Vice-President, Owens-Corning

Vice-President for Industry: J. E. TRA
duction Manager, The Firestone Tir

Vice-President for Local Safety Org
GRASS, President, Atlas Auto Finance

Vice-President for Membership: L. :
Employee & Plant Community Re
New York, N. Y.

Vice-President for Public Informat
Editor, NEA-Acme, New York, N. Y.

Vice-President for Schools and Col
General Superintendent of Schools, (

Vice-President for Traffic and Tran
DONALD, Commissioner of Public F
Department of Commerce, Washing

Vice-President for Women's Activit
Safety Chairman, General Federa
chester, Ind.

Secretary: R. L. FORNEY, General Sec
Chicago, Ill.

Assistant Treasurers: B. B. McCULLO
Inc., Chicago, Ill.; H. H. GREENW
sion, National Safety Council, Chic.

000307

National Safety Council

TRUSTEES

Chairman of the Trustees: LEE WARREN JAMES, Attorney, Old Brookville, Long Island, New York. (Note: Mr. James succeeded William A. Irvin as Chairman of the Trustees upon the latter's death January 2, 1952.)

Vice-Chairman of the Trustees: JOHN STILWELL, Yonkers, New York.

Secretary of the Trustees: NED H. DEARDORN, President, National Safety Council, Chicago, Ill.

Members

WINTHROP W. ALDRICH, Chairman, Board of Directors, The Chase National Bank, New York, N. Y.

MELVIN H. BAKER, President, National Gypsum Company, Buffalo, N. Y.

LAWRENCE D. BELL, President, Bell Aircraft Corporation, Buffalo, N. Y.

JAMES B. BLACK, President, Pacific Gas and Electric Company, San Francisco, Calif.

S. BRUCE BLACK, President, Liberty Mutual Insurance Company, Boston, Mass.

MORGAN B. BRAINARD, President, Aetna Life Insurance Company, Hartford, Conn.

CASON J. CALLAWAY, Blue Spring Farms, Hamilton, Ga.

JOHN W. CARPENTER, President, Texas Power and Light Company, Dallas, Texas.

WILLIAM G. CHANDLER, President, Scripps-Howard Supply Company, New York, N. Y.

KENNETH B. COLMAN, Seattle, Wash.

CHARLES R. COX, President, Kennecott Copper Corporation, New York, N. Y. (Ex-Officio.)

CLEO F. CRAIG, President, American Telephone & Telegraph Company, New York, N. Y.

FREDERICK C. CRAWFORD, President, Thompson Products, Inc., Cleveland, Ohio.

WALTER J. CUMMINGS, Chairman, Board of Directors, Continental Illinois National Bank and Trust Company, Chicago, Ill.

NED H. DEARDORN, President, National Safety Council, Chicago, Ill. (Ex-Officio.)

RICHARD R. DEUPREE, Chairman, Board of Directors, Procter and Gamble Company, Cincinnati, Ohio.

National Safety Council

BENJAMIN F. FAIRLESS, President, Uni Pittsburgh, Pa.

FRANCIS J. GAVIN, Chairman, Board o Railway Company, St. Paul, Minn.

WILLIAM GREEN, President, American ington, D. C.

E. ROLAND HARRIMAN, Brown Brothe New York, N. Y.

LEE WARREN JAMES, Old Brookville, Lon

GEORGE E. LEIGHTY, President, Railway tion, Washington, D. C.

HORACE P. LIVERSIDGE, Chairman, Boar Electric Company, Philadelphia, Pa.

GUSTAV METZMAN, President, New York N. Y.

THOMAS A. MORGAN, Chairman, Board Corporation, New York, N. Y.

PHILIP MURRAY, President, Congress e Washington, D. C.

BENJAMIN O'SHEA, Member, Board of I Carbon Corp., New York, N. Y.

THOMAS I. PARKINSON, President, Equit of the United States, New York, N. Y.

W. S. S. RODGERS, Chairman, Board of pany, New York, N. Y.

WILLIAM A. SIMPSON, President, William pany, Los Angeles, Calif.

HERBERT E. SMITH, Member, Board o Rubber Company, New York, N. Y.

JOHN STILWELL, Yonkers, N. Y.

ARTHUR E. STODDARD, President, Union I Nebr.

DR. JOHN F. THOMPSON, Chairman a Nickel Company of Canada, Ltd., New

JUAN T. TRITTE, President, Pan-Ameri York, N. Y.

THOMAS J. WATSON, President, Interi Corp., New York, N. Y.

C. E. WILSON, President, General Motors

CHARLES DEERE WIMAN, President, Deer

ROBERT W. WOODRUFF, Chairman, Execu Cola Company, Atlanta, Ga.

National Safety Council

BOARD OF DIRECTORS

Chairman of the Board of Directors: CHARLES R. COX, President, Kennecott Copper Corp., New York, N. Y.

Vice-Chairman of the Board of Directors: FRANKLIN M. KREML, Director, Traffic Division, International Association of Chiefs of Police, Evanston, Ill.

Members

A. F. ALLEN, President, Texas Employers' Insurance Association, Dallas, Tex.
J. I. BANASH, Consulting Engineer, West Los Angeles, Calif.
WILLIAM B. BARTON, Manager, Labor Relations Department, Chamber of Commerce of the United States, Washington, D. C.
MRS. OLIVE BEECH, President, Beech Aircraft Corp., Wichita, Kans.
C. W. BERGQUIST, Indianapolis, Ind.
R. A. L. BOGAN, Executive Vice-President, The Greyhound Corporation, Chicago, Ill.
NORMAN E. BORGERSON, Assistant Superintendent, State Department of Public Instruction, Lansing, Mich.
L. R. BOULWARE, Vice-President, Employee & Plant Community Relations, General Electric Company, New York, N. Y.
FRED W. BRAUN, Vice-President and Chief Engineer, The Employers Mutual Liability Insurance Company of Wisconsin, Wausau, Wis.
THEO BROWN, Director, Deere and Company, Moline, Ill.
E. J. BUHNER, Chairman of the Board, Silver Fleet Motor Express, Inc., Louisville, Ky.
ALFRED W. CANTWELL, Director, First Aid, Water Safety and Accident Prevention, American National Red Cross, Washington, D. C.
RAY CARR, Advertising Counsel, Portland, Ore.
E. J. CONDON, Assistant to the President, Sears Roebuck and Co., Chicago, Ill.
WILLIAM L. CONNOLLY, Director, Bureau of Labor Standards, U. S. Department of Labor, Washington, D. C.
CHARLES R. COX, President, Kennecott Copper Corp., New York, N. Y.
R. S. DAMON, President, Trans World Airlines, Inc., Kansas City, Mo.
NED H. DEARBORN, President, National Safety Council, Chicago, Ill.
GEORGE P. DELANEY, International Representative, American Federation of Labor, Washington, D. C.
LAWRENCE E. DICKSON, President, Standard Safety Equipment Co., Chicago, Ill.
J. DEWEY DORSETT, General Manager, Association of Casualty and Surety Companies, New York, N. Y.
E. F. DU PONT, Director, Employee Relations Department, E. I. du Pont de Nemours & Co., Inc., Wilmington, Del.
WALLACE FALVEY, President, Massachusetts Bonding and Insurance Company, Boston, Mass.

National Safety Council

CARROLL E. FRENCH, Director, International Association of Manufacturers
O. GRESSENS, Financial Vice-President, Ill.

W. EARL HALL, Managing Editor, Miami City, Fla.

*MISS ELEANOR HOWE, Editor in Chief, "Economics," Chicago, Ill.

DR. HEROLD C. HUNT, General Superintendent, Ill.

GEORGE A. JACOBY, Director of Personnel, Corporation, Detroit, Mich.

MRS. GEORGE W. JAQUA, Safety Chairman, Women's Clubs, Winchester, Ind.

E. W. KEMPTON, Assistant Vice-President, United States Steel Company, Pittsburgh, N. Y.

WALTER G. KING, New York, N. Y.

HAROLD K. KRAMER, Assistant Vice-President, New York, N. Y.

FRANKLIN M. KREML, Director, Traffic Division of Chiefs of Police, Evanston, Ill.

WALTER D. LADD, Manager, St. Joseph, Mo.

IVER C. LARSON, Executive Vice-President, National Safety Council, San Francisco, Cal.

WALTER G. LEGGE, President, Walter, N. Y.

BOYD LEWIS, Executive Editor, NEA.

THOMAS H. MACDONALD, Commissioner of Public Roads, Department of Commerce, Washington, D. C.

MISS MARION E. MARTIN, Commissioner of State of Maine, Augusta, Me.

I. W. MILLARD, President, Industrial Union of Marine and Shipbuilding Workers of America, Washington, D. C.

HARRY M. MOSES, President, Bituminous Coal Operators Association, Washington, D. C.

D. E. MUMFORD, Superintendent of Streets, New York, N. Y.

HALLIE L. MYERS, Superintendent of Railways, Inc., Indianapolis, Ind.

HARRY E. NEAL, Chief Engineer, Division of Highways, Columbus, Ohio.

GUY L. NOBLE, Managing Director, National Girls Club Work, Chicago, Ill.

HENRY E. NORTH, Vice-President, Mercury, San Francisco, Cal.

CLIFTON W. PHALEN, Vice-President, Telephone and Telegraph Company, New York, N. Y.

*Resigned, October 9, 1951.

National Safety Council

WALLACE B. PHILLIPS, President, Pyrene Manufacturing Company, Newark, N. J.
 HARRY M. PONTIUS, Director of Safety, Farm Bureau Mutual Automobile Insurance Company, Columbus, Ohio.
 GWILYM A. PRICE, President, Westinghouse Electric Corporation, Pittsburgh, Pa.
 HARRY READ, Executive Assistant to the Secretary-Treasurer, Congress of Industrial Organizations, Washington, D. C.
 W. A. ROBERTS, President, Allis-Chalmers Manufacturing Company, Milwaukee, Wis.
 TYLER S. ROGERS, Assistant to the Executive Vice-President, Owens-Corning Fiberglas Corporation, Toledo, Ohio.
 A. V. ROHWEDER, Superintendent of Safety & Welfare, Duluth, Mis-
 sissippi & Iron Range Railway Company, Duluth, Minn.
 ROBERT T. ROSS, Manager, Employee Services, Industrial Relations,
 Ford Motor Company, Dearborn, Mich.
 DR. K. FRANCES SCOTT, Associate Professor of Hygiene, Smith
 College, Northampton, Mass.
 CHARLES B. SHUMAN, President, Illinois Agricultural Association,
 Chicago, Ill.
 HONORABLE LEE E. SKEEL, Chief Justice, Court of Appeals of Ohio,
 Eighth Appellate District, Cleveland, Ohio.
 ROBERT R. SNOODGRASS, President, Atlas Auto Finance Company,
 Atlanta, Ga.
 R. T. SOLENTEN, Vice-President, Elliott Service Company, Mount
 Vernon, N. Y.
 LESLIE J. SORENSON, City Traffic Engineer, City of Chicago, Chicago,
 Ill.
 DR. H. J. STACK, Director, Center for Safety Education, New York,
 N. Y.
 W. A. STEWART, President, American Optical Company, Southbridge,
 Mass.
 PAUL F. STRICKER, Executive Vice-President, Greater New York
 Safety Council, New York, N. Y.
 DR. JOHN W. STUDENAKER, Vice-President and Chairman of the Edi-
 torial Board, Scholastic Magazines, New York, N. Y.
 J. E. TRAINER, Vice-President and Production Manager, The Fire-
 stone Tire & Rubber Company, Akron, Ohio.
 MISS JUDITH WALLER, Director of Public Affairs and Education, Na-
 tional Broadcasting Company, Inc., Chicago, Ill.
 DR. GEORGE M. WHEATLEY, Third Vice-President, Metropolitan Life
 Insurance Company, New York, N. Y.
 W. O. WILSON, Manager of Safety, Standard Oil Co. (Ind.), Chi-
 cago, Ill.
 DWIGHT W. WINKELMAN, President, D. W. Winkelman Company,
 Inc., Syracuse, N. Y.
 DR. WILLIAM P. YANT, Director of Research & Development, Mine
 Safety Appliances Co., John T. Ryan Memorial Laboratory, Pitts-
 burgh, Pa.
 HAROLD C. ZULAU, Hastings-on-Hudson, N. Y.

Annual Council

Minutes

The 1951 Annual Council Meeting of the National Safety Council was held in the Grand Ballroom of the Stevens Hotel, on October 8, with Mr. Ned H. Dearborn, President, presiding.

Following the singing of the National Anthem, the invocation was offered by the Reverend Kenneth N. Hildebrand, Minister of the Central Church of Chicago.

After appropriate opening remarks, President Dearborn turned over the chairmanship of the meeting to Mr. Charles R. Cox, President of the Kennecott Copper Corporation, and Chairman of the Board of Directors of the National Safety Council.

After a brief but sincere expression of his fundamental interest in the Council and the safety movement, Mr. Cox proceeded with the business of the meeting by announcing a quorum present, in person or by proxy. It was voted to dispense with the calling of the role; also to dispense with the reading of the minutes of the previous Annual Meeting, the minutes having been printed and circulated to the membership.

Mr. Cox called for the report of the Nominating Committee, which consisted of the following members: George A. Jacoby, Chairman; Lawrence E. Dickson; Walter G. Legge; Miss Marion E. Martin; Guy L. Noble; Robert T. Ross; and W. A. Stewart.

Mr. Jacoby reported in behalf of the Nominating Committee, pointing out that the Constitution authorizes the committee to name candidates for election to the Trustees, to the Board of Directors, and to all Offices except the office of Executive Vice-President. The selections of the committee, Mr. Jacoby stated, were reported to the Secretary of the Council more than 75 days before this meeting, and were announced to all members of the Council on August 24, 1951.

Mr. Jacoby then presented as nominees for Trustees of the Council, to be elected

for a three
 Cason J. C.
 C. Crawford
 Metzger,
 Parkinson,
 Wilson, and
 Secretary's No-
 tees, includ-
 at this mee-
 in office for
 pages 6 and

Mr. Jacoby
 rector, to L.
 (Secretary's
 of Director
 this meeting
 10 of this v

Mr. Jacoby
 sifiers of t
 stressed the
 men who ar
 year, named
 President
 Vice-Preside
 Memberships
 Vice-Preside
 (Secretary's
 nominated a
 be found on

There we
 presented b
 announced t
 bering 10,78
 nominees pr
 mittee. The
 voted withou
 inations pre

Mr. Cox
 Fight for L.
 to those att
 contained a
 during the
 also made t
 Congress w
 tober 20-24.

Officers of the AUTOMOTIVE AND MACHINE SHOP SECTION

NATIONAL SAFETY COUNCIL 1951-52

General Chairman—F. H. HUMPHREYS, Manager, Property Department, American Car & Foundry Company, New York, N. Y.

Vice-Chairman—E. CLARK WOODWARD, Director of Safety, A. O. Smith Corporation, Milwaukee, Wis.

Secretary—EDWARD G. HOLTZMAN, Manager Safety & Medical Service, Wagner Electric Corporation, St. Louis, Mo.

Program Chairman—FRED G. YELTON, Director of Safety, Delco Remy Division, General Motors Corporation, Anderson, Ind.

Engineering Methods & Procedures Committee—Chairman: C. J. PETERSON, Safety Supervisor, Plymouth Motors Division, Chrysler Corp., Detroit, Mich.; W. J. WALLS, Safety Director, Burroughs Adding Machine Company, Detroit, Mich.; M. F. BIANCARDI, Manager, Health & Safety Department, Allis Chalmers Mfg. Company, Milwaukee, Wis.; WALTER HAAG, Safety Supervisor, Servel, Inc., Evansville, Ind.; R. D. HARVEY, Safety Engineer, The Murray Corporation of America, Detroit, Mich.; DAVID T. MOULD, Safety Director, General Motors Corporation, Detroit, Mich.; B. J. PROVOLNY, Personnel Supervisor, Detroit Diesel Engine Division, General Motors Corporation, Wayne, Mich.; EDGAR O. PRANGE, Safety Director, Bendix Products Division, Bendix Aviation Corporation, South Bend, Ind.; EDWARD D. RAHDE, Supervisor of Safety, Westinghouse Air Brake Company, Air Brake Division, Wilmerding, Pa.; WILLIAM S. SMITH, Director of Safety, Ford Motor Company, Dearborn, Mich.; GERALD C. SQUIER, Assistant Safety Engineer, Chrysler Division, Chrysler Corporation, Detroit, Mich.

Education and Training Committee—Chairman: H. M. HUNTINGTON, Works Safety Supervisor, International Harvester Company, Tractor Works, Chicago, Ill.; News Letter Editor: JOHN E. KANE, Supervisor of Safety, Tennstedt Division, General Motors Corp., Trenton, N. J.; F. W. FISKE, Safety Director, The Brewer-Titchener Corporation, Cortland, N. Y.; C. C. DRAKE, Safety Director, The Oliver Corporation, South Bend, Ind.; S. B. HOPPING, Assistant Manager, Safety & Claims, American Car & Foundry Company, New York, N. Y.; A. N. CHAPMAN, Safety Supervisor, Pratt-Whitney Aircraft Division, United Aircraft Corporation, East Hartford, Conn.; E. I. JACOBY, Works Safety Supervisor, International Harvester Company, Refrigeration Division, Evansville, Ind.; WILLARD A. KERR, Assoc. Professor of Psychology, Illinois Institute of Technology, Chicago, Ill.; PAUL KRAMOS, Chief Safety Engineer, Butler Manufacturing Company, Kansas City, Mo.; T. R. LEADBEATER, Safety Director, Ford Instrument Company, Division-Sperry Corp., Long Island City, N. Y.; F. B. McNAMEE, Safety Director, Clayton & Lambert Manufacturing Company, Louisville, Ky.; WM. J. NEIDERAUER, Safety Director, Otis Elevator Company, New York, N. Y.; W. F. SHERMAN, Training Director, Inter-

national Harvester Company, Tractor Works, Chicago, Ill.; PHREY, Safety Director, Cadillac Motor Car Division, Detroit, Mich.

Health Maintenance Committee—Chairman: FRANK Director, General Motors Corporation, Detroit, Mich.; Health and Insurance Section, RCA Victor Division, Camden, N. J.; LESTER V. CRALLEY, Industrial Hygienist, Pittsburgh, Pa.; W. G. HAZARD, Ind. Glass Company, Toledo, Ohio.; N. V. HENDRICK, Section, Medical Research Division, Standard Oil, N. J.; E. A. IRVIN, M.D., Medical Director, Cadillac Motors Corporation, Detroit, Mich.; W. W. JOCE, Chrysler Corporation, Detroit, Mich.; JOHN LISKO, Division, American Air Filter Co., Inc., First & C E. L. WALSH, M.D., Assistant Medical Director, Chicago, Ill.

Membership Committee—Chairman: G. A. SNYDER, Allis Chalmers Manufacturing Company, LaPorte, Ind.; Chief Safety Engineer, Standard Accident Insurance Co., F. BUNGER, Safety Director, Frigidaire Division, Ohio; JAMES A. DOWNEY, Jr., Director, Personnel & Iron Company, Birmingham, Ala.; LEIGH G. OLIVER, Oliver Corporation, Charles City, Ia.; KENNETH S. ARNOLD, General Motors Corporation, Detroit, Mich.; ARNOLD, McCord Corporation, Detroit, Mich.

Staff Representative—ARTHUR S. KELLY, National S

under the shade of a convenient elm tree. In any event, it should be appropriate, and due consideration should be given to the type of instruction which is to be given and the comfort of the employees.

As I mentioned a few minutes ago, some thought should certainly be given to the question of who needs training. A certain percentage of your employees can be depended upon to show up for work day after day and month after month. Perhaps this is 30 per cent and perhaps it is 90 per cent. The remaining 10 per cent or 50 per cent are the drifters down to a warmer climate when the wind starts getting cold. Any training program must be flexible enough

to include both of these groups and to keep both of them interested. The job is not a simple one, but it is not impossible either.

Very little that is new can be said on the subject of training programs. The basic principles have existed for years, and the programs which have followed these principles have been successful. The failures have resulted when these principles were ignored. The safety engineer or safety director has available all the necessary tools and materials to solve this problem as well as nearly all the others which he may encounter. The wise safety man will avail himself of these tools which, if used properly, will assure him of success in his work.

Officers of the CEMENT AND QUARRY NATIONAL SAFETY COUNCIL

General Chairman—LEA P. WARNER, JR., Warner Co.

Vice-Chairman—M. C. M. POLLARD, National Gypsum Co.

Secretary—KENT JANDER, National Lime Association, Wash.

News Letter Editor—SEYMOUR B. FLEMING, New York
Newburgh, N. Y.

Engineering Committee Chairman—L. D. COWLING, Lo
Speed, Ind.

Membership Committee Chairman—T. W. JONES, New I
New Haven, Conn.

Program Committee Chairman—HARVEY F. YOTTER,
Company, Easton, Pa.

Statistics Committee Chairman—FORREST T. MOYER, U
ington, D. C.

Visual Aid Committee Chairman—H. G. COLLINS, Lehigh
Allentown, Pa.

Members-at-Large—V. P. AHEARN, National Sand & Gr
D. C.; E. W. BAUMAN, National Slag Association, Wash
National Crushed Stone Association, Washington, D. C.;
York Trap Rock Corporation, Newburgh, N. Y.; *P
sal Atlas Cement Company, New York, N. Y.; R. E.
crete Masonry Association, Chicago, Ill.; A. J. R. CURT
tion, Chicago, Ill.; F. R. DITTOF, The Kelley Island
Cleveland, Ohio; *O. M. Graves, The General Crushed
C. A. GUSTAFSON, The Callanan Road Improvement
N. Y.; A. HERZOG, Keystone Sand and Gravel Comp
LeGORE, Portland Cement Association, Chicago, Ill.; J
Cement Corporation, New York, N. Y.; *JOHAN N
Cement Corporation, Nazareth, Pa.; WALTER J. S
Cement Company, St. Louis, Mo.; LOYD YEAGER, C
Ill.; W. E. WING, Marblehead Lime Company, Chicago, I

Staff Representative—G. G. GRIEVE, National Safety Comm

*Past General Chairman.

Officers of the CHEMICAL SECTION

NATIONAL SAFETY COUNCIL 1951-52

General Chairman—J. R. BOLLMAN, The Procter & Gamble Co., Ivorydale, Cincinnati, Ohio.

Executive Chairman in Charge of Program—J. E. NICHOLS, Reynolds Metals Co., Richmond, Va.

Secretary—E. J. MEYERS, Safety & Fire Protection Div., E. I. du Pont de Nemours & Co., Inc., Wilmington, Del.

Public Letter Committee—G. L. GORBELL (Chairman), Monsanto Chemical Co., St. Louis, Mo.; V. R. CROSWELL, Hercules Powder Co., Inc., Wilmington, Del.; C. A. HEBERT, Ethyl Corp., Baton Rouge, La.; ANDREW RITTER, Hercules Experimental Station, Wilmington, Del.; S. F. SPENCE, American Cyanamid Co., New York, N. Y.

Engineering Committee—E. G. MEITER (Chairman), Employers Mutuals, Milwaukee, Wis.; P. C. LAMB, Lever Brothers Co., New York, N. Y.; D. O. MASON, General Chemical Div., Allied Chemical & Dye Corp., New York, N. Y.; H. F. REINHARD, Union Carbide & Carbon Corp., New York, N. Y.; J. J. WHALEN, Solvay Process Div., Allied Chemical & Dye Corp., Solvay, New York.

Public Relations Committee—H. R. WALLACE (Chairman), Eastman Kodak Co., Rochester, N. Y.; R. G. WHEELDON, The Drackett Co., Cincinnati, Ohio.

Publications Sheet and Instruction Card Committee—R. S. MACKIE (Chairman), General Electric Co., Nela Park, Cleveland, Ohio; G. R. CUMMINGS, Eli Lilly & Co., Indianapolis, Ind.; FRANK GAUGUSH, Sherwin-Williams Co., Chicago, Ill.; ROBERT L. HOUTZ, Post Safety Officer, Army Chemical Center, Md.; J. A. TARDIFF, Hooker Electrochemical Co., Niagara Falls, N. Y.

Public Health Committee—S. W. GURNEY (Chairman), Liberty Mutual Insurance Co., Boston, Mass.; R. L. ALLINSON, Texas Div., The Dow Chemical Co., Freeport, Texas; MERIL EISENBUD, Dir. of Health & Safety Div., Atomic Energy Commission, Ansonia Station, New York, N. Y.; DR. LEONARD GREENBURG, Div. of Industrial Hygiene & Safety Standards, State of New York, Dept. of Labor, New York, N. Y.; T. W. NALE, M. D., Union Carbide & Carbon Corp., New York, N. Y.; H. H. SCHRENK, Industrial Hygiene Foundation, Pittsburgh, Pa.

Membership Committee—W. W. FLANAGAN (Chairman), Atlas Powder Co., Wilmington, Del.; J. E. SMITH, Spencer Chemical Co., Pittsburg, Kas.; S. D. SALTONSTALL, Celanese Corp. of America, Bishop, Texas.

Poster and Visual Aids Committee—H. H. FAWCETT (Chairman), Research Laboratory, General Electric Co., Schenectady, N. Y.; D. W. GIBSON, Safety Supvr., Pittsburgh Plate Glass Co., Columbia Chemical Div., Barberton, Ohio.

Statistics and Contest Committee—M. A. SNEEL (Chairman), Indemnity Co., Hartford, Conn.; G. C. HENDERSON, C. Corp., Paducah, Ky.

Fertilizer Industry Committee—J. S. FIELDS (Chairman), Pittsfield, Okla.; J. E. SMITH, Spencer Chemical Co., Pittsburg, Kas.; GORNTON, Smith-Dauglass Co., Inc., Norfolk, Va.

Advisory Committee—R. H. ALBISSER, Merck & Co., Rahway, N. J.; Eastman Kodak Co., Rochester, N. Y.; R. O. KEEFER, A. Pittsburg, Pa.; S. M. MACCUTCHEON, The Dow Chemical Co., H. L. MINER, Philadelphia, Pa.; COL. R. C. STRATTON, Hartford, Conn.

Staff Representative—FLOYD A. VAN ATTA, National Safety Council

a post about 25 feet from the face with the flattened discharge nozzle pointing toward the face. When the shotfirer has connected the wiring of his shots he turns the water and compressed air into the gun and regulates each until the discharge is in the form of a mist. He then goes to a safe place and fires the shots, and it has been found that he and the rest of the face crew can return to the face immediately, so that not more than five minutes are lost by waiting for the place to clear of smoke and fumes. About 12 pounds of powder is used per round of 8 shots. The device uses surprisingly little water. A test we made in the shops yesterday indicated only about 2 gallons per minute.

"The device used here seems to have been developed about 20 years ago by our

present State Mine Inspector W. J. Evans at the Carbonado Mine of the Pacific Coast Coal Co., but was apparently not used extensively for a number of years. We have been using it about two years now.

"There is a good description on page 114 of the August, 1948 issue of *Coal Age* of an identical device used by the Hudson Coal Co. of Scranton, Pennsylvania. Also, of a much larger device used by the Walsh Construction Company in extensive rock tunnel work on the Delaware Aqueduct water system for New York City, as described on page 6224 of the August, and page 6230 of the September, 1940, issues of *Compressed Air Magazine*, from all of which it would seem that you should be able to effect improvements by the use of mist-sprays in the working faces of your Potash Mines."

Roof Drilling with Dust-Control Equipment

By JAMES WESTFIELD

Chief, Accident Prevention and Health Division, Region VIII,
Bureau of Mines, Pittsburgh, Pa.

Drillings for roof bolting have created a new dust problem for the coal-mining industry. Drilling is inherently dusty, and control of the dust produced by drilling vertical, or nearly vertical holes is much more difficult than control of that produced by drilling flat or down holes. Moreover, the dust produced by roof drilling differs in composition from that produced by drilling or cutting the coal face, in that it contains a significantly greater amount of free silica and therefore presents a greater potential hazard of causing the lung disease, silicosis.

Roof bolting has been practiced successfully in the mines of the St. Joseph Lead Co. in southeastern Missouri for over 20 years, but it was not until 1947 and 1948 that large-scale roof-bolting experiments were first conducted in coal mines. Although the need for dust control in conjunction with roof drilling was recognized from the beginning, the development and acceptance of roof bolting progressed so rapidly during 1949 and 1950 that solution of the dust

problem lagged behind other engineering phases of the technique.

The roof generally is bolted where the immediate roof is soft and in many instances where the roof bolts can be secured firmly into a harder or more substantial formation above. The types of strata found in drilling a roof are coal, shale, sandstone, limestone, and all the impure and intermediate variations of these materials.

A comprehensive study of the geologic sections of the immediate roof of mines in Region VIII of the Bureau of Mines, where roof-bolting studies are in progress, reveals that 67.7 per cent of the footage of all the holes drilled for roof bolts is in shale, 23.4 per cent is in sandstone and sandy shale, 7.1 per cent is in coal and coaly shale, and 1.8 per cent is in limestone.

Shale consists chiefly of kaolin, muscovite, and quartz, with small amounts of many other minerals. Sandstone consists principally of quartz, with a cementing material of silica, calcite, or limonite. A

limestone consists chiefly of calcite, with varying amounts of quartz. Even the coal may contain a small percentage of quartz. Thus, quartz is present in significant amounts in about 91 per cent of all the rock drilling for roof bolting.

The free-silica content of a mineral material (quartz is the most abundant form of free silica) is determined most accurately by the X-ray diffraction method, which is based upon the specific diffractive properties of crystalline substances. This method requires only a small sample, and the small size of industrial dusts does not affect the results adversely. Determination of free silica by this method was developed in part in the Bureau of Mines, where it is now used for quantitative analysis of samples of rock, rock dust, drill cuttings, and air-borne dust.

The free-silica content of the roof strata of 51 coal mines has been determined by X-ray diffraction analysis from roof rock, drill cuttings, and midjet-impinger samples of air-borne dust collected in mines in nine Eastern States.

The average free-silica content of 80 samples from these mines is 31 per cent, and it ranges from seven to 88 per cent. The free-silica content of the roof strata of 43 of the mines classified as having shale roof averages 26.5 per cent and ranges from seven to 62 per cent. The free-silica content of the roof strata of eight of the mines classified as having sandstone roof averages 55 per cent and ranges from 31 to 88 per cent.

These results show that wide variation may exist in the composition of various roof strata and that the content of free silica encountered in drilling a shale roof may equal or exceed that found in drilling a so-called sandstone roof.

Although the composition of a mineral source material may not be considered an exact index of the composition of air-borne dust produced by mechanical disintegration of the material, some evidence on this subject is available. Unpublished data developed by the Bureau of Mines indicate that the quartz content of air-borne dust decreases as the time of settling increases, and direct comparison of analyses available in the Health Branch of the Bureau of Mines also indicates that the free-silica content of the air-borne dust produced by

drilling is less than that of material drilled.

These results are conclusive, and the analysis, although subject to error, if any, may be positive. 33 of the 51 Silica Dust Impinger "impinger" upon drilled.

Any dust in a long period of time, and harmful when dust is less considered com

The hazard of dust is com dust particulate air and the Limits for in such termination of the engine

The Bureau of Mines has set the following limits for dust concentration:

"In bituminous coal mines, the average full-face dust concentration should not exceed 1.5 grains per cubic foot. In sandstone and shale mines, the average full-face dust concentration should not exceed 1.0 grains per cubic foot. In limestone mines, the average full-face dust concentration should not exceed 0.5 grains per cubic foot."

"The dust concentration in the air should not exceed 1.5 grains per cubic foot. The above limits are based on impinger counts are

To maintain dust concentration at 1 per cubic foot, when the dust con

would not be allowable when the average sandstone roof is drilled. A dust concentration no higher than 5.7 million would be required in some instances.

Table I lists the types of drilling equipment used for roof drilling, the number of mines using each type, and the number of mines using or not using a dust-control method with each type. It can be seen that 71.1 per cent of the mines roof is drilled with no dust-control equipment; contrary to the Bureau of Mines recommendation that "a dust respirator is not to be used as a permanent substitute for dust-control measures," reliance is placed upon the protection offered by respirators.

Table I.—Roof-Drilling Dust-Control Practice, All Coal Mines, Region VIII

Drilling Equipment	Total Number	Some Method	No Method
Pneumatic percussion.....	278	91	187
Electric rotary.....	57	2	55
Hydraulic rotary.....	8	3	5
Pneumatic percussion and electric rotary.....	6	3	3
Pneumatic percussion and hydraulic rotary.....	4	1	3
Total, all types.....	353	102	251
Per cent, all types.....	100.0	28.9	71.1

Table 2 shows what dust-control methods are used in conjunction with pneumatic percussion, electric rotary, and hydraulic rotary drills. Note that the applications of dust collectors outnumber the applications of water.

Table 2.—Dust-Control Method and Application to Drilling Equipment, All Coal Mines, Region VIII

Dust-control method	Drilling Equipment			Totals	
	Pneumatic percussion	Electric rotary	Hydraulic rotary	Number	Per cent
Application of water.....	46	—	3	49	13.5
Dust collector.....	51	7	1	59	16.3
None.....	191	16	8	215	70.2
Total applications.....				363	100.0

*Includes 10 mines using 2 types of drilling equipment.

Dust concentrations recently observed in five mines where stopper-type pneumatic drills are used without dust-control equipment averaged 607 million particles per cubic foot of air and ranged from 51 to 1,194 million particles per cubic foot. In six mines where electric rotary drills were used without dust-control equipment, the dust concentration averaged 313 million particles per cubic foot and ranged from 10 to 1,185 million particles per cubic foot.

The dust concentrations cited are indicative of the dust exposure of the driller but were obtained under such variable conditions that they should not be used for direct comparison. For instance, the averages indicate that pneumatic drilling produces twice as much dust as electric rotary drilling; actually the ratio may be higher.

The ranges indicate that either type of drill may produce dust concentrations higher than one billion particles per cubic foot of air. This amount of dust can pollute the air to such an extent as to constitute a serious menace to the health, not only of the drillers, but of any persons working in the return air from the place where drilling is being done.

Dust produced by roof drilling must be

arrested or collected at its source if it is to be controlled adequately. This can be done by water or a dust collector. Water can be used effectively with pneumatic percussion or hydraulic rotary drills. Dust collectors can be adapted to any type of drilling equipment.

Introduction of water to the bottom of the hole through the drill steel when drilling is done with pneumatic percussion drills has been accepted as standard practice in metal mines. This practice is applicable to roof drilling and complies with the Federal Mine Safety Code requirements. Successful control by this method depends mainly upon maintaining the flow of enough water through the drill, using water continuously during the drilling period, and providing positive ventilation as needed.

High dust concentrations can result if too little water is used, especially when vertical holes are drilled with a stopper-type drill. It is advisable to maintain adequate water pressure so that a full flow of water can be realized. Collaring dry—that is, drilling the first few inches of hole before opening water valve—can also cause high dust concentrations and should not be allowed.

During recently observed roof drilling

with a wet stopper drill, dust concentrations averaged 13.3 million particles per cubic foot of air and doubtless would have been lower had not all the holes been collared dry, as conditions for maintaining low dust concentrations otherwise were excellent. Wet drilling must be supplemented by ventilation to obtain the desired control, as the water does not arrest the dust completely. Other conditions being favorable, normal ventilating currents should prove adequate but will have to be directed to the drilling operation.

The most frequent objection to wet, pneumatic percussion drilling is that it is a disagreeable task. The splashing of the water and drill cuttings and the wetness underfoot are particularly objectionable to the driller when the headroom is limited, as in many coal mines.

Various hydraulic rotary drills have been developed, and the use of water to control the dust reportedly has been successfully applied to them. The Bureau of Mines has not as yet had opportunity to observe the results obtained.

The need for a water-distribution system or the use of inconvenient pressure tanks, the adverse effect upon some mine roof and floor, and the difficulty of using water with electric drills are other factors that limit the use of water to allay drilling dusts. Results of tests conducted with wetting agents, foam, and various types of water sprays, all with the hope of minimizing these factors, have been unfavorable. Satisfactory equipment for producing and applying foam has not been developed; water sprays have proved inefficient, and thus far the performance of wetting agents has not justified their use.

The operating principle of most dust collectors is application of exhaust ventilation near the source of the dust. Numerous dust-control systems based upon this principle have been devised for controlling dust produced by all types of pneumatic rock drills.

Some of these have demonstrated that, by proper application of this principle, successful results could be obtained, even under the most difficult conditions. Regardless of results, unfavorable operating features restricted their complete development.

With the advent of roof drilling, the possibility that their use here might overcome serious objections to wet drilling and

the fact that rotary drilling is a development, types of dust available can be developed an

In 1950, the Bureau of Mines developed a program at Tonawanda, Pa., for developing roof drilling dust collectors. The designers of the effective dust collector tested by the Bureau of Mines were a dissemination and on methods that be beneficial

Under this program, dust collectors were conducted dust-collecting system, entrained dust through the mine atmosphere

The design of the dust collector because it is a direct method required of the driller. Drilling in a soft roof, such as a large seam, is a tedious task that is less than ideal for transport. The dust collector has avoided the use of gravity to drill cuttings

The provision of the drill steel is more critical where the dust concentration is high. A reasonable amount of dust is either positive or negative. Either positive or negative dust injectors can exhaust ventilation through the drill

Removal of dust through the drill steel, being a

ration of the large particles and mechanical filtration of the fine particles or, simply, by mechanical filtration alone. Collectors have been designed for reducing the dust load by a washing action.

An attempt has been made to evaluate the uses of the various collectors other than dry collectors efficiencies. It is obvious that size, weight, and portability should be given more consideration. It is noteworthy that one of the most successful dust collectors is so compact that one man alone can move it about and set it up with ease. The results of some performance tests have shown that it is possible to reduce dust concentrations to five million particles per cubic foot of air with dry dust collectors and that a dust collector can perform satisfactorily with either pneumatic percussion or electric rotary drills.

The favorable results obtained under these test conditions indicate that dust produced by pneumatic roof drilling can be controlled more effectively by the use of an efficient dry dust collector than by the application of water.

The performance tests are not to be confused as approval tests, such as are conducted by the Bureau of Mines on other types of equipment under provisions of appropriate published schedules. Such a schedule establishing permissibility tests, is being prepared and upon completion will allow the Bureau of Mines to grant formal approval to equipment passing the prescribed tests. Approval-schedule procedure tests have demonstrated the ability of dry-dust-collecting equipment to control dust in accordance with the tentative Bureau of Mines recommendations previously discussed.

Article IX, Section 1b, of the Federal Mine Safety Code is specific in requiring the use of water for controlling dust where rock or other rock is being drilled with percussion drills. This precludes the use of dry dust collectors, successfully or otherwise, and the federal coal-mine inspector has no alternative but to cite a violation of the code where this practice is observed. The citation is not capitalized, as normally would be done when a serious hazard to health exists, if, in the inspector's opinion, the dust collector is doing a good job. Statements of the facts of the case are included in the report under the heading "General Information." The Bureau of

Mines recognizes the situation of an operator thus cited and suggests that he appeal from the citation to the Joint Industry Safety Committee.

Acceptable dry-dust collectors have been developed, and the Bureau of Mines has proposed to the Joint Industry Safety Committee a revision of Article IX, Section 1b, to permit the use of dry-dust collectors with pneumatic drills.

Article XI, Section 7g, of the code states that men exposed to gas, dust, fume, and mist inhalation for short periods shall wear permissible respiratory equipment. Rock drilling, other than roof drilling, has been excepted from dust-control provisions, in many instances, under this section.

A comprehensive study of the airborne dust resulting from rock drilling in coal mines has been undertaken by the Bureau of Mines; and data obtained from this survey indicate that, in some instances, rock drillers and other workmen are being exposed to injurious concentrations of dust. The application of dust control to roof drilling will stimulate the application of dust control to other rock-drilling tasks. Rock drilling without dust control cannot be justified if and when suitable control methods can be applied.

Summary

1. In Region VIII, 353 coal mines are using roof bolting, and 63 million square feet of roof area are being supported by roof bolts.

2. The roof strata drilled for roof bolting contain significant amounts of free silica. The samples taken from 51 mines in Region VIII show that the free-silica content averages 31 per cent.

3. Roof drilling without provisions for dust control results in a serious health hazard, as drillers and other workmen in the return air from the place where drilling is being done are exposed to dangerously high concentrations of silica-bearing dusts.

4. Dust-control methods are not used in conjunction with roof drilling at 71 per cent of all the mines in Region VIII where roof bolting is being practiced.

5. Wet pneumatic roof drilling, if properly conducted, results in favorable dust concentrations, but it can affect the mine roof and floor adversely, is a disagreeable

task (particularly in low coal), and requires a water-distribution system or use of pressure tanks.

6. The development of dust collectors has been stimulated by the need for overcoming the objectionable features that accompany wet pneumatic roof drilling and by the fact that they can be adapted to electric rotary drills.

7. The Bureau of Mines inaugurated a program for testing the efficiency of dust-collecting devices developed commercially for application to roof drilling in coal mines, and the test work proved that the principles applied in these dust collectors are adequate.

8. In inspecting mines the federal inspector is forced to cite a violation of the Federal Mine Safety Code when roof drilling is done with a pneumatic drill, even if a dry-dust collector is used successfully; as a result, the Bureau of Mines has asked

the Joint Industry Safety Committee to revise the code to provide for dust collectors in connection with roof drilling.

9. Control of dust in roof drilling is difficult. The effort being made by the application of developed supplementary control methods results in a high degree of control.

10. Rock drilling has been a problem in the provisions in the Mine Safety Code. The effort being made by the application of dust control methods to roof drilling tasks. Rock drilling cannot be justified if and when suitable control methods can be applied.

Officers of the

COAL MINING SECTION

NATIONAL SAFETY COUNCIL 1951-52

General Chairman Emeritus—ARTHUR BRADBURY, Inland Steel Company, Wheelwright, Ky.

General Chairman—STANLEY H. MOONEY, Woodward Iron Company, Woodward, Ala.

Secretary—H. F. WEAVER, U. S. Bureau of Mines, Washington, D. C.

First Vice-Chairman—J. V. BERRY, Bethlehem Collieries Corporation, Johnstown, Pa.

Second Vice-Chairman—JOHN M. REID, Hudson Coal Co., Scranton, Pa.

Labor Representatives—C. F. DAVIS, United Mine Workers of America, Washington, D. C.; AUGUST J. LIPPI, United Mine Workers of America, District No. 1, Mills Building, Scranton, Pa.; C. E. JONES, United Mine Workers of America, District 2, Beckley, W. Va.

Mine Operators' Representatives—E. F. LIMERICK, Pittsburgh Consolidation Coal Company, Fairmont, W. Va.; G. H. SAMBROOK, H. C. Frick Coke Company, Frick Building, Pittsburgh, Pa.; JOHN M. REID, The Hudson Coal Company, Scranton, Pa.

Coal Associations—EARL R. MAIZE, National Coal Association, Washington, D. C.

U. S. Bureau of Mines Representatives—J. J. FORBES, U. S. Bureau of Mines, Washington, D. C.; JAMES WESTFIELD, District A, U. S. Bureau of Mines, Pittsburgh, Pa.

Mine Inspectors' Institute of America Representatives—A. FINLEY HARPER, Chief Safety and Health Division, Department of Industrial Relations of Alabama, Birmingham, Ala.; A. D. SISK, Department of Mines & Minerals, State of Kentucky, Lexington, Ky.; STEPHEN WILLIAMS, Division of Mines, State of Ohio, Columbus, Ohio.

State Mine Inspectors' Representatives—THOMAS ALLEN, State Inspector of Mines, State House, Denver, Colo.; RICHARD MAIZE, State Secretary of Mines, Commonwealth of Pennsylvania, Harrisburg, Pa.; WALTER EADIE, Bureau of Mines, Springfield, Ill.

Engineering Committee—R. D. CURRIE (Chairman), General Reinsurance Corporation, Trucksville, Pa.; J. H. FORGIE, Armco Steel Corporation, Monaca, W. Va.; M. H. FORESTER, Pittsburgh Consolidation Coal Company, Koppers Building, Pittsburgh, Pa.; L. H. JOHNSON, Peabody Coal Company, Taylorville, Ill.; H. A. QUENON, Eastern Gas & Fuel Associates, Grant Town, W. Va.

Entertainment Committee—C. M. DONAHUE, Mine Safety Appliances Company, Pittsburgh, Pa.

Poster Committee—W. J. SCHUSTER (Chairman), Hanna Coal Company, St. Clairsville, Ohio; HARRY A. LEIDICH, Philadelphia and Reading Coal & Iron Company, Pottsville, Pa.; G. R. SPINDLER, School of Mines, University of West Virginia, Morgantown, W. Va.

Visual Aids Committee—F. J. FORESMAN (Chairman), T. I. Mining Company, Pittsburg, Kans.; R. M. MONTEIT, Isabella, Pa.; F. J. PETERNELL, Union Pacific Coal Co.

Program Committee—J. J. FORBES, (Chairman), U. S. Bureau of Mines, Washington, D. C.; W. D. NORTHOVER, Rochester & Pittsburgh Coal Co., M. J. ANKENNY, U. S. Bureau of Mines, Washington, D. C.

Membership Committee—GEORGE H. DEIKE (Chairman), Republic Steel Company, Pittsburgh, Pa.; J. H. REITZ, Republic Steel Company, Pittsburgh, Pa.; FRED W. WISE, North Western Mining and Exchange, C. F. HERBERT, Bituminous Casualty Corporation, Rock

Publicity Committee—IVAN A. GIVEN (Chairman), Coal Company, Pittsburgh, Pa.; G. O. ARNOLD, Phelps Dodge Corporation, Slag Camp, GEORGE C. LINDSAY, Mechanization, Washington, American Mining Congress, Washington, D. C.

Self Representative—G. G. GRIEVE, National Safety Council

Officers of the CONSTRUCTION SECTION NATIONAL SAFETY COUNCIL 1951-52

Honorary Life Member—SAMUEL R. BISHOP, New York, N. Y.

General Chairman—H. W. RICHARDSON, Construction Methods and Equipment, New York, N. Y.

Vice Chairman—GEORGE A. BENISH, Associated General Contractors of America, Milwaukee, Wis.

Secretary—MISS OLIVE E. POTTER, Contractors and Engineers Monthly, New York, N. Y.

Engineering Committee—F. H. MACKIE (Chairman), Manager, Construction Division, Engineering Department, E. I. du Pont de Nemours and Co., Wilmington, Del.; JOSEPH A. DeLUCA, E. I. du Pont de Nemours and Company, Wilmington, Del.; JOHN DIGGES, Safety Director, Department of Subways and Superhighways, City of Chicago, Chicago, Ill.; VIRGIL E. GUNLOCK, Commission of Subways and Superhighways, City of Chicago, Chicago, Ill.; RAY H. HAIN, Allegheny Asphalt and Paving Company, Inc., Pittsburgh, Pa.; DANIEL HAYES, Atomic Energy Commission, Washington, D. C.; O. LUPINSKI, Lupinski, Inc., Milwaukee, Wis.; HAROLD E. SNEED, DeWalt, Inc., Lancaster, Pa.

Membership Committee—ROBERT L. MOORE (Chairman), Lumbermen's Mutual Casualty Company, Chicago, Ill.; H. B. ALEXANDER, H. B. Alexander and Son, Inc., Harrisburg, Pa.; C. B. IRONSON, National Constructors Association, New York, N. Y.; GEORGE COMBS, Michigan Chapter, Associated General Contractors of America, Lansing, Mich.; ROBERT M. EVENDEN, Safety Director, Guy F. Atkinson Company, South San Francisco, Calif.; FRED A. HORNSBY, Mine Safety Appliances Company, Pittsburgh, Pa.; CLEMENT J. LUEPKE, T. H. Mastin and Company, St. Louis, Mo.; JAMES M. SPROUSE, Associated General Contractors of America, Washington, D. C.

Program Committee—JEROME J. WILLIAMS (Chairman), Director of Safety, Morrison-Knudsen Co., Boise, Ida.; R. J. HENDERSHOT (Assistant Chairman), Associated General Contractors of Minnesota, Minneapolis, Minn.; C. M. CAHILL, Massman Construction Co., Kansas City, Mo.; KENNETH F. COUGHLIN, Kansas City Bridge Co., Kansas City, Mo.; DALE MEDSHER, Area Supt., National Surety Corp., Atlanta, Ga.; W. T. ROGERS, Ebasco Services Inc., New York, N. Y.

Publicity Committee—FRED A. HORNSBY (Chairman), Mine Safety Appliances Co., Pittsburgh, Pa.; HAROLD J. McKEEVER, Roads and Streets Chicago, Ill.; GEORGE ROBINSON, Associated General Contractors of Missouri, Jefferson City, Mo.; VINCENT B. SMITH, Engineering News-Record, McGraw-Hill Publishing Co., Washington, D. C.; WILLIAM E. WOODRUFF, The Constructor, Associated General Contractors of America, Washington, D. C.

Newsletter Editor—JAMES A. SHAW, Liberty Mutual Insurance Co., Chicago

Members-at-Large—LLOYD A. BLANCHARD, Federal Civil Defense Administration, Washington, D. C.; OTTO S. HOLDRUP, Dravo Corp., Pittsburgh, Pa.; OTTO S. HOLDRUP, Insurance Co., Wausau, Wis.; HARRY J. K. of America, Washington, D. C.; RAY J. REIG, New Haven, Conn.; H. S. BENTON, Warren, Texas; C. H. BLACK, Stone and Webster Engineering Corp., DEARDORF, W. L. Johnson Construction Co., BERT, Liberty Mutual Insurance Co., Chicago, of the Chief of Engineers, Department of the Army, O'CONNELL, Turner Construction Company, SKI, Department of Commerce, Bureau of Public Works, A. VOLPE, Volpe Construction Co., Malden, Massachusetts; DWIGHT WINKELMAN, I N. Y.

Engineering Societies and National Association of State Highway Officials W. G. PRUETT, Department, Montgomery, Ala.; (American Institute of Highway Engineers) HAINES, Tarrytown, N. Y.; (American Society of Civil Engineers) GLASSETT, W. J. Barney Corp., New York, N. Y.; (American Society of Mechanical Engineers) J. I. BANASH, West and Shovel Association and Mixer Manufacturer, Koehring Company, Milwaukee, Wis.

Staff Representative—HOWARD H. WARZYN,

Officers of the

ELECTRICAL EQUIPMENT SECTION

NATIONAL SAFETY COUNCIL 1951-52

Chairman—CLIFTON N. FOGG, Safety Engineer, Simplex Wire & Cable Company, Cambridge, Mass.

Chairman of Radio, Electronics & Lamps Division—J. J. LAWLER, Div. Safety Engineer, Sylvania Electric Products Inc., Emporium, Pa.

Chairman of Heavy Apparatus Division—E. CLARK WOODWARD, Director of Safety, A. O. Smith Corporation, Milwaukee, Wis.

Chairman of Appliance and Light Apparatus Division—FREDERIC T. CLARKE, Supvr. of Employee Relations, Alkyd Resin Plant, Chemical Mat. Dept., General Electric Company, Schenectady, N. Y.

Chairman of Electrical Wire and Cable Division—PETER CONTARDO, Safety Director, John A. Roehling's Sons Company, Trenton, N. J.

Secretary—J. M. TRANSUE, Security Director, Philco Corporation, Philadelphia, Pa.

Public Letter Committee—R. V. MILLIGAN (Chairman), Safety Engineer, Westinghouse Electric Corporation, Buffalo, N. Y.; EDWARD G. HOLTZMAN, Manager, Safety & Medical Service, Wagner Electric Corporation, St. Louis, Mo.; STUART K. BEECHER, Ind. Relations Staff, Stromberg-Carlson Company, Rochester, N. Y.; HAL SHANAFIELD, Managing Editor, Electrical Dealer Magazine, Chicago, Ill.

Research & Engineering Committee—MYRON L. MILLER (Chairman), Supvr. of Safety, Westinghouse Electric Corporation, East Pittsburgh, Pa.; HAROLD D. LONG, Sales Engineer, Harvey Hubbell, Inc., Bridgeport, Conn.; E. B. CURTIS, Asst. Dir. of Engineering, James G. Biddle Company, Philadelphia, Pa.; H. B. WHITAKER, Sr. Asst. Elec. Eng., Underwriters Laboratories, Chicago, Ill.

Membership Committee—JAMES A. WALDRON (Chairman), Safety Engineer, Packard Electric Div., General Motors Corporation, Warren, Ohio; JAMES M. MCGOUGH, Supvr. of Safety, Union Switch & Signal Div., of Westinghouse Air Brake Company, Pittsburgh, Pa.; CLIFFORD E. RAUSCH, Master Mechanic-Safety Director, Ohio Lamp Works of General Electric Company, Warren, Ohio; E. I. BOIS, Safety Director, Anaconda Wire & Cable Company, Sycamore, Ill.

Program Committee—F. A. GASS (Chairman), Supvr. of Safety, General Electric Company, Lynn, Mass.; ARTHUR J. MATHEWS, Safety Director, Sprague Electric Company, North Adams, Mass.; GEORGE KOCH, Safety Director, Western Electric Company, Kearny, N. J.; H. YOUNG, Safety Dir., Rome Cable Corporation, Rome, N. Y.

Ident Analysis Committee—C. F. SCHLUETER (Chairman), Asst. Chief Engineer, Employers Mutuals, Wausau, Wis.; MACK R. KRANTZ, Safety Director, Stewart-

Warner Corporation, Chicago, Ill.; EARL E. GEBHART, Frigidaire Div., General Motors Corp., Dayton, Ohio; MYHRE, Engineer, Thomas A. Edison, Inc., West Orange, N. J.; RUSSELL, Div. Safety Engineer, Sylvania Electric Products, Inc., Salem, N. J.

Training & Publications Committee—HAROLD C. STANZLER, & Safety Director, Collyer Insulated Wire Company, Pawtucket, R.I.; GRAHAM, Lt. Col., USAF, Hq. Airways and Air Communications, Andrews AF Base, Washington, D. C.; OLIVER C. BOLIEAL, & Insurance Section, Radio Corp. of America, RCA Victor, Camden, N. J.; J. MILLER, Safety Supvr., Allis-Chalmers Company, Norwood, Ohio.

Trade Associations Committee—JAMES A. EDMONDS (Chairman), Woodhead Company, Chicago, Ill.; ALBERT A. RAPP, Supvr. of Safety, House Electric Corp., Lamp Div., Bloomfield, N. J.; E. R. COLEMAN, Research & Education, National Electrical Contractors Association, Washington, D. C.; CHARLES MacDONALD, Employers Reinsurance Corporation, Allentown, Pa.

Special Representative—G. W. GREENWOOD, Chief of Defense Electric Company, Inc., Chicago, Ill.

Councilors (Past Chairmen)—E. K. TAYLOR, Safety Dir., Zenith Radio Corp., Chicago, Ill.; H. B. DUFFUS, Mgr., Acc. Prc. Service, Westinghouse Electric Corp., Pittsburgh, Pa.; MICHAEL F. BIANCARDI, Mgr. of Safety, Allis-Chalmers Mfg. Company, Milwaukee, Wis.

Staff Representative—GEORGE MacDONALD, National Safety Council, Washington, D. C.

The furnace continued to radiate to the steel structural and building walls. No provision was made for air supply from the basement or within the work space. The monitor remained in its conventional form dependent entirely upon gravity for removal of heat and gases from the furnace itself. This represents the condition that existed until a few short years ago in most of our plants.

With the application of the present knowledge of radiant heat, we continued to use the circulating fans in the space surrounding the furnace. Added to that were several sources of forced air supply through the floor in the workspace. In addition fans were placed in the walls of the building to produce a positive pressure within the building walls. Radiant shielding was installed by dropping corrugated aluminum sheeting from the roof level to within three feet of the floor and an extended hood type structure completely surrounding the furnace or hot object. To assure ourselves that positive flow would take place behind this shield, in some cases we have installed power type roof ventilators commonly used in the foundry trade.

The curtain or shield surrounding the furnace served two distinct purposes. They keep the radiant energy entirely confined to a central area. The infra-red cannot escape to be absorbed by the steel of the structural parts of the building which in turn may become a secondary radiant. Generated gases stay within the structure and do not

escape into the work space. We are sure that the temperature on the outside of these shields will remain within a few degrees of that of the outdoor temperature. Circulating fans remain to assure ourselves that the air will remain uniform in temperature throughout the work areas.

While this installation may not be a profound one engineeringwise, the following will illustrate an actual installation using this principle in which very effective results were obtained over one very hot summer. A light steel framework was erected entirely around the hot furnace. Corrugated aluminum was attached directly to this light structure by means of a blank cartridge actuated nailing device. In this way we were able to erect the entire shield in a comparatively short time.

We erected the shields to the roof level, allowing only very small openings for piping, electrical services and the necessary structural steel work. For an idea of the entire structure surrounding one large heated area; within the enclosure is a continuous type lehr or annealing oven. Openings at both ends were necessary to allow the continuous flow of materials. These openings were covered by a tilted hood type structure. Access openings along the sides of this annealing lehr were provided with overhead garage doors constructed of corrugated aluminum. Every other bay in the roof of the building was open to the sky either through gravity type ventilators or the power type.

Officers of the GLASS AND CERAMICS NATIONAL SAFETY COUNCIL

General Chairman—J. C. DITTMER, National Lead Company

Vice-Chairman—THOMAS R. DONOGHUE, Pittsburgh Plate Glass Co., Pittsburgh, Pa.

Secretary—HARRY A. JACKSON, Frigidaire Division, General Motors Corp., Detroit, Ohio.

Program Committee—*H. V. GARDNER (Chairman), Owens-Illinois Glass Co., Toledo, Ohio; *JOHN P. STEPHENSON, Ball Brothers Glass Company, Ball Brothers, Toledo, Ohio; *JAMES L. MORRIS, The Federal Glass Company, Corning, N. Y.; *ANDERSON, Corning Glass Works, Corning, N. Y.

Membership Committee—THOMAS R. DONOGHUE (Chairman), Pittsburgh Plate Glass Co., Pittsburgh, Pa.; RUSSELL W. FRANK, Cleveland, Ohio; BERNARD P. CAMPBELL, Owens-Illinois Glass Co., Newark, Ohio; LEE B. HAWTHORNE, JR., A. P. Green, St. Louis, Mo.; E. C. HARTUNG, Westinghouse Electric Corp., East Pittsburgh, Pa.

News Letter Committee—*JAMES L. MORRIS (Chairman), The Federal Glass Company, Columbus, Ohio; JOHN B. FULLEN, Kopp Glass Co., Clinton, Ohio; CLINTON BALLENGER, Owens-Illinois Glass Company, Clinton, Ohio; HORMBERG, The Cambridge Tile Mfg. Co., Cincinnati, Ohio.

Engineering and Health Committee—NELSON B. INGALLS, Worcester, Mass.; FREDERICK S. KRIGER, Corning, N. Y.; W. G. HAZARD, Owens-Illinois Glass Co., Lancaster, Ohio; H. WAUGH, Anchor Hocking Glass Corp., Lancaster, Ohio.

Safety Promotion Committee—WALTER W. WOOD (Chairman), Vineland, N. J.; A. L. THOMAS, Libbey, Owens-Illinois Glass Co., Ft. Smith, Ark.; PAUL E. GARRETT, Harding Glass Company, Ft. Smith, Ark.; Blue Ridge Glass Corp., Kingsport, Tenn.

Safety Contest Committee—HARRY A. JACKSON (Chairman), General Motors Corp., Dayton, Ohio; KARL W. STEPHENSON, Ball Brothers Glass Company, Alton, Ill.; R. H. LOWRY, Westinghouse Electric Corp., J. R. HARSHMAN, Armstrong Cork Co., Dunkirk, Ind.

Staff Representative—HAROLD R. ALLEY, National Safety Council, Washington, D. C.

*Past General Chairman.

Industrial H

Industrial Dusts—W. Supervisor Should

By L. E. HAMLIN,
Medical Dir., American Brake Shoe Co.

Most manufacturing procedures are capable of generating varying amounts of dust which may be visible, invisible, dangerous or inert. It is therefore important that these substances be properly classified in order to protect the health of employees and provide safe environments in which they may carry on their daily occupations.

Obviously the supervisor should have some knowledge of industrial dusts since the responsibility for enforcing measures instituted for their control usually falls upon his shoulders. Unless he has a good idea of the actual risks confronting him, he will be at a disadvantage in securing cooperation from those under his direction. Ability to answer questions concerning plant hazards in a convincing manner is a very important factor in any dust control program, and if the supervisor cannot explain the necessity of avoiding exposure to toxic materials the worker under his charge is very unlikely to pay attention to it.

On the other hand, a brief explanation that carries the ring of sincerity and truth can frequently correct unnecessary misunderstanding. For example, a capable young employee was worried about contracting silicosis because he worked in a plant where at times there appeared to be considerable dust in the atmosphere. He did not know that this dust was free from silica or other harmful ingredient, but his foreman did.

Knowledge of his own department enabled the supervisor to convince the workman that not only was the dust inert but also plans were under way for the installation of new ventilating equipment which would remove the particles that were already present. The man was satisfied and the company was able to retain the services of a good employee.

What then are some of the fundamental things a supervisor should know about in-

dustrial
earthly
like gri
produce
microsc

Fume
limation
burning
exampl
erally
1/25,000


Smoke
such th
ceal. 7
half mi

Mists
of wat
size va

The
visor is
ing wil
harm.

"How
dust pr
to be s
the pu
dusts?
per cul
of the
micron
micron
occupa
posure

All
scope
after a
produc
the re
measu
that li
not pr
cludes
ease a
edge
from



harmful materials is a proper part of the supervisor's armament.

It is not advocated that his duties be so expanded as to encroach upon the field of the industrial hygienist but it is reasonable and logical to suggest that he equip himself with the essential details concerning occupational risks in the department he manages. This information can be readily obtained from his company medical department or through other agencies such as the Division of Public Health of state and federal governments. These bureaus welcome inquiry of this type and their services are usually available without charge.

Much confusion and misunderstanding exists about the capacity of various dusts arising from occupational procedures to cause physical disability. Exaggerated reports and misrepresentation by individuals unfamiliar with their specific properties have incriminated certain materials known to be quite inactive and absolved others proven to possess harmful qualities. Experience accumulated through years of intensive study and research indicates that the great majority of industrial dusts have little effect on health other than their nuisance value and contribution toward poor housekeeping.

However, the fact that they are unlikely to cause occupational disease should not be used as an excuse to do nothing about them. A good working environment demands that they be removed in spite of their innocuous characteristics and the smart supervisor will do all he can to accomplish their elimination.

The wide assortment of dusts met with in industry makes their classification into "harmful" and "inert" categories difficult. Those arising from organic sources such as animal and vegetable products as a rule do not cause serious harm but are capable of producing local irritation like dermatitis or skin rashes, dental conditions, and inflammation of the eyes and the mucous membrane lining of the upper air passages.

The majority of harmful dusts encountered in manufacturing processes are inorganic in character. The specific effect on health varies. Chromium, cadmium, arsenic, and their compounds produce local irritation as do the organic dusts but they can also cause general intoxication if present in sufficient amounts. The dusts or fumes derived from

the heavy metals like lead, mercury, and manganese can be highly toxic and poisoning from these substances has been recognized for many years.

Recently serious and even fatal illness has been found to occur from exposure to beryllium and some of its compounds while another occupational condition known as "Shaver's Disease" has produced severe damage to the lungs of workers exposed to fumes arising from the fusing of bauxite, the chief ore of aluminum, in the manufacture of artificial abrasives.

Generally speaking, the particle size which is most dangerous is in the range of one-half to three microns in diameter. Particles larger than these seldom reach the alveoli or terminal air sacs of the lungs since they are filtered out by the "cilia" or natural protective mechanism of the nose, throat, and large bronchi. There is also good evidence that particles below one-half micron in size may be retained in the lungs in sufficient quantities to result in disease. This means that the visible dust in a working place may not be as dangerous as the particles which are not seen by the naked eye.

Industrial hygienists emphasize this and also point out that although the amount of visible dust in the atmosphere in the vicinity of a certain job appears great, it does not necessarily mean that the workman is inhaling significant quantities of harmful particles. The exposure may be intermittent and of brief duration, or the air at the breathing level of the employee may be sufficiently clear that no undue risk is involved.

With the exception of beryllium and bauxite few of the aforementioned dusts cause damage to lung tissue and, as explained previously, not every person so exposed does develop occupational disease.

At the present time it is generally agreed that the most important sources of industrial disease of the lungs are free or uncombined silica and asbestos. Silica or silicon dioxide which makes up approximately 60 per cent of the rocks and minerals of the earth's crust, is the specific cause of the ailment affecting the lungs of workers in dusty trades, known as silicosis.

It is very important to recognize the fact that this widely known condition cannot be acquired from any material other than

free silica and also that it happens only when particles smaller than ten microns in size of this mineral have been inhaled over long periods of time, such as from two to 25 years with an average of ten years. The term "free silica" usually means quartz of which there are many varieties. There are also other forms of free silica.

The scarring or fibrosis of the lungs which results from the action of uncombined silica casts characteristic nodular shadows in the chest roentgenograms of those affected. Frequently this is the only way the disease can be detected as it causes no symptoms in the early, uncomplicated stage.

Other dusts may produce x-ray patterns which are difficult to differentiate from silicosis and some unrelated illnesses may resemble it closely. The x-ray picture observed after the inhalation of iron oxide particles among some welders and grinders shows densities which are all too often mistaken for those seen in silicosis. Since this condition (siderosis) is harmless, the implications of such misdiagnosis are obvious.

Unfamiliarity with industrial diseases of the lungs by those charged with evaluating them properly has resulted in employees becoming needlessly alarmed, forsaking their jobs and forfeiting seniority while industry has lost good workmen and production. It

Occupational Dermatitis: Tear and Medical

By WALTER F. SC
Supvr., Industrial Hygiene, Allis-Chalmers

We have accepted the challenge that occupational dermatitis presents to industrial medicine, and accordingly it can be stated that with proper care and intensive educational programs, occupational dermatitis can be checked and great savings effected.

Through the institution and maintenance of control measures workmen can be protected against dermatitis producing oils, chemicals, etc. The ideal control measures will protect workmen all along the line—from the manufacturing of the basic materials to the completed fabricated part.

Modern industry today is becoming so

The Evolution of Safety

By CAPTAIN EDWARD C. HOLDEN, JR.

Vice Pres., United States Protection & Indemnity Agency, Inc., New York, N. Y.

There was a time when, in the minds of many, the science of safety was the subject of derision and mockery, a time when it stood as a sort of fringe of disconnected mysteries bordering upon the black arts, a dangerous sort of thing capable of looking with equanimity upon the evils which lay on one side of it and with a hopeful and benign expression upon the conventionalities of life on the other.

Accidents were often considered to be acts of God and to take care was a violation of one's trust in God. In any event, in many circles, it was not polite or politic to speak frankly about safety, of human slaughter or the barbarities of accidents resulting in death or permanent disability, of human suffering and all the other attributes of such cases. The human tendency was to "soft-pedal" talks about safety and the accident problem. So, the whole safety movement was looked upon with a huge question-mark. A consistent "do-nothing" attitude prevailed in so many instances that the frequency and severity of accidents continued to increase at an alarming rate and became an economic burden.

Undaunted, a pioneering spirit prevailed in the regions of scientific safety inquiry. Although the voice of the safety advocate was all but lost in the wilderness, nevertheless his work continued in the firm belief that the man who dares to do something worthwhile will ultimately gain a following.

As the fruits of accident prevention became more and more evident, it gradually developed to a stage where it could be regarded, at least, as respectable; and, the main criticisms of it concerned its so-called impracticability. Some executives said: "Safety will cost too much." Others said: "Safety is a fardangle idea, it will not work." And still others remarked: "We don't want these safety people telling us how to run our jobs, our business, etc., etc." This was the Age of Adolescence of the science of safety.

Then came the Period of Maturity, when the science of safety, feeling the strength of its years, could no longer harbor itself

within the cloister, but came out into the open and made the affairs of men its concern.

The Age of Utilitarianism in the science of safety was upon us. More and more the conservation of men's lives was done by the product of man's intellect in the processes of management rather than by resorting to the caprice of superstition and the vagary of the mystic charm, "Lady Luck."

The science of safety now stands ready, a willing servant, to reduce the uncertainties of life to the ultimate minimum when we, her masters, direct her efforts and utilize the skill which is within her.

As I have sat from time to time in gatherings of executives who are interested in safety, such as this meeting of the marine industries, I have been impressed with an ever growing feeling of cooperation and mutual understanding looking toward the solution of accident problems. You demonstrate that no human progress can be made unless we remain critical of defects, alert us to practical needs and fertile in mind and thought for possible improvements. The time worn doctrine of "laissez-faire" can no longer be accepted if business is to survive the perils and costs of accidents.

The entire marine industry owes a peculiar debt to you leaders within the industry who have recognized that safety has brought increased efficiency in operations. You have contributed much to the conservation of manpower which is all important during these critical days of national emergency.

We know that you will not relax in your safety activities. To the contrary, we are convinced that you will increase the tempo of your efforts to meet new, challenging conditions. The greatest challenge of all is to prevent human failure in shipyards and in ship operations. This calls for continued and more intensive training programs.

By your safety endeavors, you will long be remembered with profound gratitude by all who go down to the sea in ships as well as by those who helped to build the

Officers of the MARINE NATIONAL SAFETY

General Chairman—FREDERICK R. PRATT, Gen. Vacuum Oil Co., New York, N. Y.

Executive General Chairman—CAPT. GEORGE WA Lines, New York, N. Y.

Vice General Chairman (Shipbuilding and Ship Reps)—Pres., Sun Shipbuilding & Dry Dock Co., Chester, I

Vice General Chairmen (Atlantic Area)—WALTER I New York, N. Y.; F. M. ROHRER, Vice-Pr

Vice General Chairman (Gulf Area)—E. A. JIMISO Co., Inc., New Orleans, La.

Vice General Chairmen (Pacific Area)—RANDOLPH Co., San Francisco, Calif.; A. E. KILN, Mgr., M San Francisco, Cal.

Vice General Chairmen (Great Lakes Area)—WM. R son & Co., Cleveland, Ohio; DAVID L. BUCH S.S. Co., Cleveland, Ohio.

Vice General Chairmen (Passenger & Cargo Serv)—Vice-Pres., Mississippi Shipping Co., New Orleans JR., Gen. Mgr., United States Lines, New York, N.

Vice General Chairmen (Tankers)—ERWIN O. PEI Dept., The Texas Co., New York, N. Y.; CH Cities Service Oil Co., New York, N. Y.

Vice General Chairman (Coastal Regions and I)—VICE-ADM. MERLIN O'NEILL, USCG, Com ton, D. C.

Vice General Chairman (Coordination—Government)—EDWARD L. COCHRANE, USN (Ret.), Mar Commerce, Washington, D. C.

Advisory Committee (Past General Chairmen)—LEE builders Council of America, New York, N. Y.; Shipping Co. (Robin Line), New York, N. Y.; C Pres., Moore-McCormack Lines, New York, N. Y. Gulf Oil Corp., New York, N. Y.; CARTER K lehem Steel Co., Bethlehem, Pa.; CARL E. HOL McLennan, Inc., New York, N. Y.; CAPT. El President, United States P. & I. Agency, New Y JR., Mgr., Operating Div., Marine Transp. Dept., N. Y.; CAPT. FRANK H. COGAN, Supt., A

Wanna & Western R. R. Co., Hoboken, N. J.; ARTHUR M. TODE, Consulting Eng., New York, N. Y.

Chairman, Nominating Committee—WILLARD F. JONES, Vice-Pres., Gulf Oil Corp., New York, N. Y.

Secretary (Admiralty and Maritime Counselor)—HENRY C. EIDENBACH, Hagen, Senecal & Eidenbach, New York, N. Y.

Assistant General Chairman (Programs, Conventions & Meetings)—H. M. WICK, Asst. to the Pres., American Bureau of Shipping, New York, N. Y.

Assistant General Chairman (Membership)—CAPT. E. W. FISKE, JR., Mgr., Operating Div., Marine Trans. Dept., Socony-Vacuum Oil Co., New York, N. Y.

Assistant General Chairman (Cargo Vessels)—L. H. QUACKENBUSH, Mgr., Husbanding Dept., States Marine Corp. of Del., New York, N. Y.

Assistant General Chairman (Petroleum and Tank Vessels)—FRANK W. MILLER, Asst. Mgr., Operations Div., Esso Shipping Co., New York, N. Y.

Assistant General Chairman (Stevedoring)—JOHN W. McGRATH, Pres., National Assn. of Stevedores, and Pres., John W. McGrath Corp., New York, N. Y.

Director, Public Relations and Publicity—FRANK BRAYNARD, Dir., Bureau of Information, American Merchant Marine Inst., New York, N. Y.

Director, Maritime Associations—Safety Cooperation and Attendance—R. J. BAKER, Secretary-Treas., American Merchant Marine Inst., New York, N. Y.

Directors, Safety Information and Posters—CAPT. R. E. MACKEY, Asst. Mgr., Operations Div., Marine Dept., The Texas Co., New York, N. Y.; HAROLD J. SEGRAVE, District Manager, Mine Safety Appliances Co., Long Island City, N. Y.

Editor, Marine News Letter—S. B. PARSELL, Marine Dept., Socony-Vacuum Oil Co., New York, N. Y.

Regional Activities and Committees

Assistant to Vice General Chairman (Coastal Regions and International Safety Conventions—Coordination)—REAR ADM. J. A. HIRSHFIELD, USCG, Dir. of Personnel, U. S. Coast Guard, Washington, D. C.

Assistant Chairman, Atlantic Region—Tanker Operations—CAPT. WILLIAM G. ANDERSON, Mgr. of Operations, Marine Div., The Atlantic Refining Co., Philadelphia, Pa.

Assistant Chairmen, Gulf Region—Ships and Stevedoring—CAPT. RALPH L. MOCK, Supvr., Accident Prevention, Lykes Bros. S.S. Co., New Orleans, La.; EARLE SMITH, Safety Dir., Waterman S.S. Co., Mobile, Ala.

Assistant Chairmen, Pacific Region—Ships and Stevedoring—JOSEPH H. TRAVERS, Mgr., Acc. Pre. Bureau, Pacific Maritime Assn., San Francisco, Calif.; HARRY E. AVERY, Safety Engineer, Matson Navigation Co., San Francisco, Calif.

Assistant Chairman, Southern California Region—Ports and Terminals—REAR ADM. FRANK D. HIGBEE, USCG (Ret.), Warden of the Port of Los Angeles, San Pedro, Cal.

Assistant Chairman, Great Lakes Region—Bulk Carriers—WM. ECKERT, Mgr., Safety Dept., Interlake S.S. Co., Cleveland, Ohio.

Assistant Chairman, Great Lakes Region—Towing—J. B. Great Lakes Towing Co., Cleveland, Ohio.

Director, Inland Waterways, Operations and Shipbuilding—Pres., The American Waterways Operators, Inc., Washington

Special Service Committees

Chairman, Committee for the Advancement of Safety in the FRANK J. TAYLOR, Pres., American Merchant Marine, N. Y.

Chairman, Ship Owners Associations Committee—GEORGE of American Ship Owners, New York, N. Y.

Chairman, Statistics and Contests Committee—CAPT. II Safety and Cargo Damage Prevention, Moore-McCormick

Assistant Chairmen, Shipbuilding and Ship Repair Comm Chief Safety Eng., Bethlehem Steel Co., Bethlehem, STROM, Safety Eng., Newport News Shipbuilding and Va.; I. C. YATES, Dir. of Safety, Alabama Drydock &

Chairman, Engineering and Minimum Standards Comm USCG, Chief, Merchant Marine Technical Div., U. S. C

Special Maritime Advisor (Marine Engineering)—H. L. S Yale University, School of Engineering, New Haven, Ct

Special Government Committees for Safety in National I

Chairman, Safety Policies for Regulations and Ship Inspect C. SHEPHEARD, USCG, Chairman, Merchant Marine Merchant Marine Safety, U. S. Coast Guard, Washington

Chairman, Safety Committee for Accident Causes and C HERGES, Safety Supvr., Federal and Maritime Safety Standards, U. S. Dept. of Labor, Washington, D. C.

Chairman, Naval Committee for Safety in National D HARRY W. BAUMER (CEC), USN, Dir., Safety Dept., Washington, D. C.

Chairman, U. S. Navy Yards Safety Committee—LT. Head, Safety Section, (Code 785), Ind. Rel. Branch, Washington, D. C.

Staff Representative—L. W. DUTTON, National

safety in steel warehousing where the variety of sizes, types, grades and finishes of the steel carried in regular inventory is particularly great.

Problem number four was the employee's mental attitude in relation to the work pattern of the industry. The high degree of

flexibility in daily job assignments, bringing about a constant change in duties and industrial environment, demands a general safety knowledge of the warehouse operation. This is difficult to establish except through experience gained during an extended employment period.

The Use of Wetting Agents to Control Dust in Industries

By G. A. MAU

Vice Pres., Johnson March Corp., Philadelphia, Pa.

Within the past two decades chemists have developed materials with properties similar to soap but without the limitations, resulting in a large number of compounds with remarkable physical properties. The behavior of these materials has suggested their use in a wide variety of industrial fields.

These materials are known as Surface Active Agents since their primary effect is at the boundaries or surfaces between two phases.

Reduction of interfacial tension, lowering of surface tension, increase of wetting power, deflocculation and emulsification are some of the results of this activity. The synthetic surface active agents first came into use in this country about 1930. In the few years since their introduction, they have become numerous and varied, and have found many uses in diverse fields. The surface active agents can be subdivided into five groups. Wetting agents, penetrating agents, dispersing agents, emulsifying agents and foaming agents.

Reference will be directed particularly to the first and second groups. Namely, wetting agents; producing increased wetting or spreading of an aqueous solution or suspension over a repellent surface and the second group, penetrating agents, providing more rapid passage of a liquid into a porous solid.

With the above brief discussion on surface active agents, or as I will refer to them from now on as wetting agents or compound, I intend to discuss the use of wetting agents to control dust in industry and particularly, the foundry.

I like the popular definition of a wetting agent, which merely states that a wetting agent added to water makes it wetter. Perhaps, we should state for the purpose of keeping the chemical terminology straight, that a wetting agent is a material which, when added to water, or to any other liquid, will cause considerable reduction in surface tension. Safety and health have been benefited by the use of wetting compounds in many industries. Safety—in providing better visibility around plant and equipment, health by preventing the absorption or inhalation of dust.

Dusts, whether toxic or not, are harmful and an attempt to group dusts under the headings "active" and "inert" (with reference to effect on health) has proved unsatisfactory. Investigations have proven that practically all dusts may be harmful if breathed in large amounts over long periods.

In this country, dust diseases usually designated as "silicosis" is more or less common among workers in the mining, grinding, granite and foundry industries. According to Lanza and Vane, the estimated number of men exposed to Silica-Bearing Dust in various industries are as follows:

Process	Percentage of All Employees	Number Exposed
Metal mining	100	62,000
Anthracite coal mining	20	30,000
Quarrying of granite, gneiss, sandstone, etc.	100	22,000
Smelting & refining	100	18,000
Foundry workers	100	200,000
Potteries, glass works, stone products ..	50	70,000
Grinders, buffers, sand blasters, vitreous enamellers		62,000
Estimated total for mining, quarrying and manufacturing industries.		450,000

In addition to these there are "thousands of workers who have been exposed to silica dust in these various occupations and are now engaged in other forms of work."

In order that we may better understand the purpose of this discussion on wetting agents for dust control it will be necessary to discuss the dangerous dust particle size and the wetting effect of raw water compared to wet water with the proper surface tension and group combination.

Not all of the particles of inhaled dust gain access or are retained by the human lungs. For these reasons, the size of the dust present in the industrial atmosphere should be determined.

Investigations have proven that particles greater than 10 microns in longest dimension are very seldom found in the lungs, and that the particle size found most commonly in lungs were three to five microns. Due to gravity which causes rapid settling of suspensions and due to the protective action of the mucous surfaces of the upper respiratory tract, the larger particles do not penetrate to the terminal portions of the lungs.

Therefore, it is obvious that attention should be given chiefly to those particles which are less than 10 microns in longest dimension and which can enter the lungs.

This group particle size is very difficult to wet, and requires not only a low surface tension liquid but a fine atomizing spray nozzle. Dust control by wetting depends for its effectiveness upon the fact that, once the dust has been trapped in water or some other liquid, the particles are not easily dispersed again in the air, until proper disposal has been made.

Dust control by wet methods is attractive from the standpoint of cost but has not been highly successful in certain industries, with raw water. Many articles have been written quoting not too good results in such applications as grinding wheels, rock drilling, mining, etc.

Dust control with water is better than no wetting at all, but would not reduce the dust count sufficiently to be safe, and in the case of some dusts, could not be wetted at all, especially the sizes 10 microns or less.

To obtain better wetting, experimentation led to the use of wetting agents.

The physics of wetting is not entirely un-

derstandable. The surface tension of a liquid is adsorbed upon a solid surface. A liquid film already on a solid surface is ten times the sum of the surface tension of the liquid and the solid.

Therefore, the surface tension of a liquid increases with the surface tension of the solid. Many dusts are difficult to wet because the film already on the solid surface might be in a dust cloud, place unless the surface tension of the liquid is great enough.

A wetting agent will drive off the surface tension of the liquid.

Time will not allow of a detailed discussion of the high foundry industry.

About three years ago some foundry men, the miller, and the wetting agent, it was a surprise, it was a dust that did single type of compound of compound of compound to wet can be compound is a rect. One will

So far we have seen of the types of dusts with low surface tension, providing the dust that the size most interest or generally microns. This sizes.

The efficiency of wetting is dependent upon the surface tension of the dust particles. The surface tension of a dust particle is determined by the surface tension of the liquid and the surface tension of the dust particle. The surface tension of a dust particle is determined by the surface tension of the liquid and the surface tension of the dust particle.

Another big factor for efficient wet dust control is the selection of proper type nozzles. It is common practice to employ "a nozzle" whether a solid or hollow cone or flat sheet spray. No matter how efficient the wetting compound may be, if the proper nozzle with proper spray pattern and angle are not at the right location, results cannot be obtained.

The methods usually employed to obtain fine atomization are high pump pressures, liquid with air misting nozzles and very low capacity nozzles.

High pressures are not desirable for dust wetting. The high pressure spray causes the dust to disperse beyond the spray area.

Liquid air misting nozzles are very satisfactory for spraying areas 10-20 ft. from the nozzles. A very fine fog or mist spray can be obtained with these nozzles provided sufficient nozzles are used for the spray pattern. These nozzles are recommended for top spraying of shakeouts, sand conditioning, crane shakeout, etc.

Low capacity nozzles can be grouped and used on medium pressures (40-70 psi) to obtain fine particle atomization, for close proximity dust concentrations near equipment or conveyor transfer points, etc. These nozzles are now available in capacities of 2 to 24 gallons per hour.

Most wetting agents are shipped in concentrated form and require dilution when used for spraying. Efficient, durable, automatic proportioning equipment is required for successful wet dust control. Proportioners meeting these conditions over a period of years are now available.

Wetting Compounds are of great benefit to foundries, not only for dust control but for such things as fire fighting, core knockout, cleaning castings, core wash, reconditioning the moulding sand, cupola smoke control, sand tempering, etc.

Dust control at crane and machine shakeouts, mullers, floors, sand conditioning, grinding and cleaning departments are the areas where foundries have proven wetting compounds very successful.

The application of wetting compounds on foundry floors or walks, prevents dust arising when rolling equipment or men travel over them. It keeps the floating dust particles from becoming airborne. For general use, the sand is accumulating over

large areas and is not regularly removed. Wetting compounds are infinitely more effective than spraying with water.

Plain water wets the surfaces of the floor sand, causing mud, or may run to lower levels causing puddles and excess surface moisture in spots.

Because very little penetration takes place, air currents absorb the moisture rapidly, allowing the sand to dry and become dusty shortly after the water application.

When applying wetting compounds to the floor a flat cutting spray nozzle has been found most effective.

Wetting compounds permit the wetting of floors in the melting and pouring areas because of quick deep penetration of the moisture in the sand and much less possibility that sand near the surface will be wet enough to cause spattering of metal. Penetration with water is difficult and evaporates quickly.

Crane shake out of castings usually involve large areas in the main bays of many foundries. While the shakeout periods might be confined to night or early morning hours, when few employees are in the area, most of the foundry becomes contaminated with airborne dust that is easily vibrated loose from the building structure and equipment when the full force of workmen are at work. A fine atomized solid cone spray applied from nozzles attached to the crane bridge over the shakeout area has been used successfully at a foundry.

At another foundry, a special portable stand was built with the fog air misting nozzles, which, is placed in a position at opposite sides of the working which might be 25 feet or more in diameter. This type nozzle is also used for spraying over the shakeout table.

The fog air misting nozzle is used successfully to supplement exhaust systems on shakeout machines. If the table is large and the dust is not being properly exhausted, the air fog misting nozzle has successfully controlled the dust in areas not exhausted. It might be over the ends of extra large work extending over the table, or due to sand not leaving underneath the shakeout fast enough.

The amount of dust produced by sand conditioning equipment is influenced largely by whether the sand is handled dry or moist. The sand should be moistened with

compounds to eliminate dust before processing.

Wherever sand is thrown from conditioning machines, direct pressure nozzles with capacities considerably larger than the average dust nozzles are recommended. This nozzle must have a fine atomized spray because wetting of the sand is necessary to properly control the atmospheric dust. Dependent upon bin capacity, we also recommend for large bins air fog misting nozzles over the storage area to control the dust and to revive the treatment in the event the sand stands long enough to become dry and dusty.

Wetting compounds are being successfully used to control dust arising during skip and loading of muller operations, which are not exhausted. Small capacity nozzles mounted over the muller bowl will wet the floating dust particles with very little or controlled moisture. If tempering of sand is required, the wetting agent is introduced in the water line.

Core knockouts may produce even greater

The Administration of S

By A. C. BECKST

Dir., Safety and Technical Employment, American
Salt Lake City, U

In order to properly administer a safety program, it is first necessary to establish the proper organization. This organization must have the support of all individuals in the company from the chairman of the board and president to the newest pay roll employee.

Second, a definite safety policy must be formulated by all levels of management in conjunction with all members of the safety organization. This policy should be flexible enough to meet changing conditions and emergencies without causing confusion or trouble.

Third, it is necessary that the importance and proper emphasis to safety be recognized by all levels of management and by every employee in the company including employees just being hired.

Fourth, a definite follow-up and check system through reports and on-the-spot in-

shaped of dust softened much. The wetting and it such: The f to sho I tri of wet can be compo three micron compo size d rect n ting, sary, contro

specti follow and i ing a . If must provi to do Th for t as it Smet safet tance ment Th empl tives of tl vice finan

served solely for engineers, rather, we do mean that people engaged in safety work must be able to analyze, to judge, and to decide. Mr. Ward, will you discuss this matter of analysis?

Mr. WARD: Often, accidents seem to stem from uncontrollable factors, and the apparent cause is that the accident was due to a hazard inherent to that peculiar job or occupation.

Now, in safety work, such identification is not sufficient. Since we are interested in the elimination of unsafe acts and unsafe conditions, we must go further. We must seek out the real cause of the accident. This can best be done by the application of logic.

We must take what we have learned of the real cause and set up our objective—the correction of the factors which caused the

accident. Accident investigation has no value, whatsoever, if it does not succeed in developing a safer method of doing the job on which the accident occurred.

Thus, we have completed three points in our accident analysis program. We have looked at the apparent cause; we have searched out the real cause; and we have established, and set up our objective. But the full accident analysis, as we see it, is made up of four points. We must establish responsibility; not necessarily responsibility for the accident that has already happened, but rather, responsibility for the correction of the conditions that caused the accident. We've all heard the old proverb, "Something that is everybody's responsibility is nobody's responsibility." It never had a better application than it has in accident prevention.

Officers of the METALS NATIONAL SAFETY CO

General Chairman—HOWARD HOLLAND, Supervisor Sheet & Tube Company, East Chicago, Ind.

First Vice-Chairman—H. S. SIMPSON, Safety Engineer, Peoria, Ill.

Second Vice-Chairman—J. J. NOLAN, Safety Engineer, Bethlehem, Pa.

Secretary—A. H. ZEILINGER, Safety Engineer, The C. tion, Pueblo, Colo.

News Letter Editor—W. H. WILSON, Safety Director, Bridge Company, Ambbridge, Pa.

News Letter Co-Editor—W. J. M. REDWOOD, Safety Department, Algoma Steel Corporation, Ltd., Sault Ste.

Consulting Committee—*R. L. RIDINGER (Chairman), Inspection, Inland Steel Company, East Chicago, Ind.; J. I. Safety, South Works, United States Steel Company, Safety Supervisor, Chicago District, Republic Steel Com

Contest and Statistics Committee—E. J. LANGLAND (Chairman), Lakes Steel Corporation, Ecorse, Detroit, Mich.; J. I. Safety Director, Blaw-Knox Company, Pittsburgh, Pa.; visor of Labor Analysis, United States Steel Company, P

Engineering and Practices Committee—A. G. WHISMA Safety, Gary Steel Works, United States Steel Co., Gary,

Fabricating Industry—GERARD O. GRIFFIN (Chairman), Corporation, Neville Island, Pittsburgh, Pa.; F. M. B. Relations, United States Steel Products Company, P. Sharon, Pa.; E. W. ENGERER, Management's Rep Bethlehem Steel Company, Pittsburgh, Pa.; H. PALMI Company, Rockford Works, Rockford, Ill.; WALTER neer, Butler Manufacturing Company, Galesburg, Ill.; sonnel & Safety, Blaw-Knox Division, Blaw-Knox Cor

Foundry Industry—J. D. HOLTZAPPLE (Chairman), P Foundry & Machine Company, East Chicago, Ind.; Chairman), Supervisor of Safety, United States Steel A. BRINKMAN, Director of Employment, Safety and Company, Pittsburgh, Pa.; GEORGE MILLIGAN, Moline Co., Minneapolis, Minn.; SHERMAN RICH Manager, American Radiator and Standard Sanitary A. G. STARRETT, Personnel Director, The Buckey lumbus, Ohio; C. J. VAN DAMN, Safety Directo

Foundry Company, Muskegon, Mich.; E. J. WALLMAN, District Supervisor of Safety, American Brake Shoe Co., Chicago, Ill.

Metallic Coating Industry—BONNIE TRENT (Chairman), Plant Safety Committee, American Hot Dip Galvanizers Association, Inc., Pittsburgh, Pa.; *C. M. ALLEN (Advisory Chairman), Staff Supervisor of Safety, Armco Steel Corporation, Middletown, Ohio; T. C. CARRICO, Director, Welfare and Safety, Wheeling Steel Corporation, Wheeling, W. Va.

Non-ferrous Metals Industries—M. L. ABEL (Chairman), Executive Vice-President, Magnesium Company of America, East Chicago, Ind.; *H. G. HENSEL (Advisory Chairman), Safety Director, The Youngstown Sheet & Tube Company, Chicago, Ill.; WILLIAM GILLIAND, Assistant Safety Director, Aluminum Company of America, Pittsburgh, Pa.; C. L. MCCOY, Director of Personnel, Chase Brass & Copper Company, Cleveland, Ohio; J. E. NICHOLS, Director of Safety, Reynolds Metals Company, Reynolds Metals Building, Richmond, Va.; C. L. RIENZO, Supervisor of Workmen's Compensation, Revere Copper and Brass Inc., Rome, N. Y.; WILLIAM S. VISOKAY, Superintendent of Safety, Bridgeport Brass Company, Bridgeport, Conn.

Steel Industry—W. E. BARKER (Chairman), Safety Supervisor, East Works Plant, Armco Steel Corp., Middletown, Ohio; G. J. EIGENBROD, Safety Supervisor, Republic Steel Corporation, Buffalo, N. Y.; STANLEY W. HALL, Supervisor, Employee Services Section, Steel Division, Ford Motor Company, Dearborn, Mich.; W. T. McLEAN, Supervisor of Safety, United States Steel Co., Youngstown, Ohio; E. D. MORGAN, Superintendent of Plant Protection & Safety, Bethlehem Steel Company, Bethlehem, Pa.; W. D. WILLIAMS, Assistant Supervisor of Safety, The Youngstown Sheet & Tube Company, East Chicago, Ind.

Steel Warehousing Industry—JOHN C. CUSHING (Chairman), Director of Industrial Relations, United States Steel Supply Company, Chicago, Ill.; *F. W. KELSEY (Advisory Chairman), Supervisor of Safety & Welfare, Jones & Laughlin Steel Corporation, Jones & Laughlin Building, Pittsburgh, Pa.; M. A. KING, Supervisor of Safety, J. T. Ryerson Company, Chicago, Ill.; JOHN E. SPANN, Engineer, Chicago Warehouse, Jones & Laughlin Steel Corporation, Chicago, Ill.; WALTER STONER, Superintendent Industrial Relations, Truscon Division, Republic Steel Corp., Youngstown, Ohio.

Wire Manufacturing Industry—H. E. FRAYER (Chairman), Safety Director, L. A. Young Spring & Wire Corp., Detroit, Mich.; *J. F. COLLINS, Supervisor of Safety, The Youngstown Sheet & Tube Company, Youngstown, Ohio; PETER CONTARDO, Safety Director, John A. Roebbling's Sons Company, Trenton, N. J.

Health Committee—DR. RICHARD J. BENNETT (Chairman), Chief Surgeon, United States Steel Company, Chicago, Ill.; DR. E. H. CARLETON, Medical Director, Inland Steel Company, Indiana Harbor Works, East Chicago, Ind.; DR. A. M. EDWARDS, Medical Director, American Steel & Wire Company, Cleveland, Ohio; DR. S. A. NORRIS, Chief Surgeon, Jones & Laughlin Steel Corporation, Pittsburgh, Pa.

Membership Committee—W. M. NELSON (Chairman), Manager of Safety, Republic Steel Corp., Cleveland, Ohio; R. H. BUMGARDNER, Manager, Safety and Casualty Bureau, Tennessee Coal, Iron and Railroad Company, Birmingham, Ala.; R. M. DAVIS, General Supervisor of Safety, Homestead Works, United States Steel Co., Munhall, Pa.; J. A. DOWNEY, JR., Director, Personnel & Safety, Sloss-Sheffield Steel & Iron Company, Birmingham, Ala.; A. L. LOTT, Manager of Industrial Relations, The Steel Company of Canada, Ltd., General Offices, Hamilton, Canada. C. J. VANDEVENTER, Safety Director, Atlantic Steel Company, Atlanta, Ga.

Program Committee—E. H. HOUCK (Chairman), Superintendant, Aliquippa Works, Jones & Laughlin Steel Corp., Aliquippa, Pa.; Safety Director, Aluminum Company of America, Piquette, Mich.; Assistant to General Sales Manager, Industrial Chain Chain Corp., Tonawanda, N. Y.; EARLE M. LAY, General Steel Castings Corp., Eddystone, Pa.; J. N. LAY, and Insurance, Continental Steel Corp., Kokomo, Ind.; of Safety, Oliver Iron and Steel Corp.; Pittsburgh, Pa.; Manager, Industrial Relations Department, Haynes Steel Co., Chicago, Ill.; T. R. SMITH, Safety Supervisor, Republic Steel Corp., Chicago, Ill.

Trade Association Liaison Committee—EDWARD C. MANN, Supervisor of Safety, United States Steel Co., Pittsburgh, Pa.; Assistant Safety Engineer, Great Lakes Corp., Ecorse, Detroit, Mich.; Safety Engineer, Rustless Iron and Steel Division, Baltimore, Md.; J. F. JULI, Safety Director, Consolidated Steel Corp., Los Angeles, Calif.; W. W. BRANT, Supervisor of Safety, Steel Company, Johnstown, Pa.; G. A. RILEY, Superintendant, Shoe Company, New York, N. Y.; J. R. VAN SYCKE, Steel Corp., Cleveland, Ohio; R. M. WALSH, Assistant Service, Inland Steel Company, Indiana Harbor Works, Chicago, Ill.

Visual Education and Poster Committee—ROBERT S. B. BROWN, of Training and Safety, National Tube Company, Pittsburgh, Pa.; Supervisor, Sheffield Steel Corp., Kansas City, Mo.; H. H. Relations, The Colorado Fuel & Iron Corp., Buffalo, N. Y.; Safety Director, Acme Steel Company, Riverdale, Ill.; Safety and Welfare Department, Pittsburgh Works, Pittsburgh, Pa.; ARTHUR D. MURPHY, Director, Crucible Steel Company of America, Pittsburgh, Pa.; Assistant to Supervisor of Safety, The Youngstown Sheet & Tube Company, Youngstown, Ohio.

Members-at-Large—*E. F. BLANK, Assistant to Vice-President, Jones & Laughlin Steel Corp., Pittsburgh, Pa.; Secretary, Industrial Relations Committee, American Steel Corp., Kokomo, Ind.; *R. A. CHAFFIN, Vice-President, Republic Steel Corp., Cleveland, Ohio; *G. T. WEIRTON Steel Company, Weirton, W. Va.; *E. H. Relations, United States Steel Co., Gary Steel Works, Indiana; Assistant to Manager of Coal Mines, Jones & Laughlin Steel Corp., California, Pa.; *F. A. LAUERMAN, Republic Steel Corp., Youngstown, Ohio; *J. A. O. SCHMITT, Louisville, Ky.; *H. J. SPOERER, Director, Youngstown Sheet & Tube Company, Youngstown, Ohio.

Staff Representative—WM. N. DAVIS, Senior Engineer, Chicago, Ill.

*Past General Chairman.

Officers of the

MINING SECTION

NATIONAL SAFETY COUNCIL 1951-52

General Chairman—CLIFFORD GIBSON, Mines Accident Prevention Assn. of Ontario, Timmins, Ontario, Canada.

First Vice-Chairman—A. J. STROMQUIST, Cleveland Cliffs Iron Co., Ishpeming, Mich.

Second Vice-Chairman—J. O. MARSHALL, St. Joseph Lead Co., Balmat, N. Y.

Third Vice-Chairman—OSCAR A. GLAESER, U. S. Smelting, Refining and Mining Co., Salt Lake City, Utah.

Secretary & News Letter Editor—D. O. KENNEDY, Safety and Health Branch, U. S. Bureau of Mines, Washington, D. C.

Entertainment Committee—J. T. RYAN, JR. (Chairman), Mine Safety Appliances Co., Pittsburgh, Pa.

Engineering Committee—GEORGE GEDGE (Chairman), Calumet and Hecla Consolidated Copper Co., Calumet, Mich.; RALPH CLELAND, International Nickel Co., Cooper Cliff, Ontario, Canada; F. R. BIRCHFIELD, Tennessee Coal, Iron & R.R. Company, Birmingham, Ala.; C. E. SHEA, Oliver Iron Mining Company, Hibbing, Minn.; H. B. HUTCHENS, Eagle Picher Mining & Smelting Co., Cardin, Okla.; RAYMOND R. KNILL, Potash Company of America, Carlsbad, New Mexico; JOHN B. BIKER, Consolidated Mining & Smelting Co., Ltd., of Canada, Trail, British Columbia, Canada.

Membership Committee—J. T. WILLIAMS (Chairman), Bunker Hill & Sullivan Mining & Concentration Co., Kellogg, Idaho; M. R. McPHERSON, Kerr-Addison Gold Mines, Ltd., Virginiatown, Ontario, Canada; C. R. NEIL, Bethlehem Cornwall Corp., Cornwall, Pa.; E. RUNEIJELM, Hudson Bay Mining and Smelting Company, Flin Flon, Manitoba, Canada.

Program Committee—S. H. ASH (Chairman), Safety & Health Branch, U. S. Bureau of Mines, Washington, D. C.; W. O. TOWER, Chief Inspector of Mines, Parliament Buildings, Toronto, Ontario, Canada; C. M. ELLEDGE, Reynolds Mining Corp., Alexander, Ark.

Poster and Visual Aids Committee—L. F. BISHOP (Chairman), Anaconda Copper Mining Co., Butte, Mont.; R. E. HARMON, Phelps Dodge Corp., New Cornelia Branch, Ajo, Ariz.; G. W. KNUDSEN, Utah Copper Company, Bingham, Utah; GEORGE W. STREEPEY, Alcoa Mining Co., New York, N. Y.; M. C. M. POLLARD, National Gypsum Co., Buffalo, N. Y.; LAMAR WEAVER, Tennessee Copper Co., Copperhill, Tenn.; A. H. ZEILINGER, Colorado Fuel & Iron Co., Pueblo, Colorado.

Statistics Committee—FOREST T. MOYER (Chairman), U. S. Bureau of Mines, Accident Analyses Div., Washington, D. C.

Safety Promotion Committee—R. F. WILSON (Chairman), Duluth, Minn.; P. D. McMURRER, Mining Congr. EVAN JUST, Engineering & Mining Journal, New Mining World, San Francisco, Cal.; H. R. RICE, C. vale, Quebec, Canada.

Hygiene and Ventilation Committee—R. EMMETT DO Institute, Wilkes-Barre, Pa.; E. A. ANUNDSEN, Duluth, Minn.; C. WESLEY POTTER, Homestake

Members-at-Large—*GEORGE GERRY, Pickands M; *WALTER E. MONTGOMERY, Quebec Asbestos Canada; *JAMES K. RICHARDSON, Kennecott C; *JOHN L. BOARDMAN, Anaconda Copper Mining; MAN, The Montreal Mining Co., Montreal, Wis.; A & Refining Co., Salt Lake City, Utah; *P. M. Al Tennessee, Mascott, Tenn.; *ANGUS D. CAMPBELL Ltd., Schumacher, Ont., Canada; *W. H. COMINS, Co., Texarkana, Texas; *R. DAWSON HALL, Co Co., Inc., New York, N. Y.; S. E. SHARP, Tenness R. F. A. THEW, Steep Rock Iron Mines, Ltd., Ste D. D. MOFFAT, Utah Copper Co., Salt Lake City Jersey Zinc Co., Franklin, N. J.; *JOHN TREWEE S. D.; HOWARD I. YOUNG, American Zinc, Lead

Staff Representative—G. G. GRIEVE, National Safety Co

*Past General Chairman

Officers of the

PETROLEUM SECTION

NATIONAL SAFETY COUNCIL 1951-52

General Chairman—C. D. ATTAWAY, Arkansas Fuel Oil Co., Shreveport, La.

Vice-General Chairman—WALTER BOON, Sun Oil Co., Marcus Hook, Pa.

Secretary—F. G. WILSON, American Petroleum Institute, New York, N. Y.

Chairman Emeritus—ROY S. BONSBIB, Scarsdale, N. Y.

Vice-Chairman for Production—J. H. MCKENZIE, General Petroleum Corp., Los Angeles, Calif.

Vice-Chairman for Marketing—ALEXIS DE TARNOWSKY, The Pure Oil Co., Chicago, Ill.

Vice-Chairman for Pipe Lines—E. W. BERGQUIST, Interstate Oil Pipe Line Co., Shreveport, La.

Vice-Chairman for Exploration and Drilling—W. W. DUNCAN, Lofland Bros Co., Tulsa, Okla.

Vice-Chairman for Manufacturing—J. B. DELAUNE, Cities Service Corp., Tutwiler Refinery, Lake Charles, La.

Chairman Atlantic Division—A. E. BACCINI, The Atlantic Refining Co., Philadelphia, Pa.

Chairman Gulf Coast Division—R. L. CARRUTHERS, Shell Pipe Line Corp., Houston, Tex.

Chairman Great Lakes Division—W. W. WHITLOCK, Illinois Farm Supply Co., Chicago, Ill.

Chairman Mid-Continent Division—FRED CLAIBORNE, Stanolind Oil & Gas Co., Tulsa, Okla.

Chairman Pacific Coast Division—E. M. McCRACKEN, Shell Oil Co., Los Angeles, Calif.

Chairman Research Committee—W. O. WILSON, Standard Oil Co. (Indiana), Chicago, Ill.

Chairman Engineering Committee—PARKER FOLSE, Magnolia Petroleum Co., Beaumont, Tex.

Visual Aids Committee—J. R. MORRISON (Chairman), Shell Oil Co., New York, N. Y.; LEWIS A. MARTIN (Co-Chairman), Oklahoma A & M College, Stillwater, Okla.

Chairman Health Committee—DR. B. B. REEVE, Standard Oil Co. (Indiana), Chicago, Ill.

Chairman Off-the-Job Safety Committee—C. L. HIGHTOWER, Co., Shreveport, La.

Chairman Contest and Statistical Committee—J. H. CAMERON, Co., Philadelphia, Pa.

News Letter Editor—A. R. HOWLES, The Texas Co., New York, N. Y.

Assistant News Letter Editor—ELLIS K. LOCHER, Ethyl Corp., New York, N. Y.

Past General Chairmen—W. O. WILSON, Standard Oil Co.; D. A. KEMME, Star Line Corp.; D. A. KEMME, Star Line Corp.; J. HOWARD MYER, Magnolia Petroleum Co.; J. L. RIS, The Ohio Oil Co.; J. L. RIS, Co., Inc.; H. T. MARKEE, Phillips Petroleum Co.; Div., Socony-Vacuum Oil Co., Inc.; C. A. MILLER, Tide Water Associated Oil Co.; H. W. HOGGESS, BRELAND, Lone Star Gas Co.; R. B. ROOPER, GERALD O. LOCKWOOD, Continental Casualty Co.; Oil Co.; C. L. HIGHTOWER, United Gas Pipe Line Co. (Cal.); CLYDE W. SMITH (Retired Consultant); V. R. CURRIE, The Texas Co.; E. J. SELACE, Sinclair Prairie Oil Co.; ROY S. BONSBIB (H)

Staff Representative—ROY C. BENSON, National Safety Council, Washington, D. C.

Officers of the PUBLIC UTILITIES SECTION NATIONAL SAFETY COUNCIL 1951-52

General Chairman—W. H. ADAMS, Safety Consultant, American Gas Association, New York, N. Y.

Vice-Chairman—W. T. ROGERS, Safety Consultant, Elasco Services, Inc., New York, N. Y.

Secretary—D. C. STEWART, Niagara Mohawk Power Corporation, Buffalo, N. Y.

Engineering Committee—ROBERT McELLOWNEY, JR. (Chairman), Safety Dir., United Fuel Gas Company, Charleston, W. Va.; F. H. LAMASTER, Head, Safety & Job Training Section, Management Div., U. S. Dept. of Agriculture, Rural Electrification Adm., Washington, D. C.; EVERETT RAVN, Dir. of Safety, Wisconsin Power & Light Company, Madison, Wis.; C. A. COUTTS, Div. of Safety, Northern States Power Co., Minneapolis, Minn.; LESTER LIND, Safety Director, Michigan-Wisconsin Pipe Line Co., Detroit, Mich.

Data Sheet Subcommittee—FREDERICK G. HARRIMAN (Chairman), Safety Mgr., New England Power Service Co., Boston, Mass.; HOWARD K. COOK, Asst. Mgr., Safety Dept., Philadelphia Electric Co., Philadelphia, Pa.; EUGENE E. EDMONDSON, Safety Director, Texas Eastern Transmission Corp., Shreveport, La.; C. E. HAMMON, Safety Dir., Columbus & Southern Ohio Electric Co., Columbus, Ohio.

Safety Instruction Card Subcommittee—E. T. MARSHALL (Chairman), System Safety Eng., Pennsylvania Electric Co., Johnstown, Pa.; FORREST D. NORBERG, Safety Dir., Utah Power & Light Co., Salt Lake City, Utah; WILLIAM J. EASTON, Dir. of Acc. Pre., The Cincinnati Gas & Electric Co., Cincinnati, Ohio.

Safety Ideas Committee—R. R. CONN (Chairman), Supvr. of Training & Safety, Power Station Dept., Duquesne Light Co., Pittsburgh, Pa.; EUGENE D. McATEE, Asst. Vice Pres. & Safety Dir., The L. E. Myers Co., Chicago, Ill.; C. D. MURDOCK, Safety Supvr., Kansas City Power & Light Co., Kansas City, Mo.; R. H. ELFSTROM, Supvr. of Industrial Safety, British Columbia Electric Railway Co. Ltd., Vancouver, B. C.

Visual Aids Committee—A. B. LARSEN (Chairman), Supvr., Safety & Training Div., Const. Dept., Commonwealth Edison Co., Chicago, Ill.; C. P. SHIREY, Safety Dir., Gulf States Utilities Co., Beaumont, Tex.; C. W. PROVONCHEE, Pers. Dir., Providence Gas Co., Providence, R. I.; D. E. HUSK, Safety Dir., New Jersey Power & Light Co., Dover, N. J.

Health Committee—DR. HART E. FISHER (Chairman), Medical Dept., Chicago Transit Authority, Chicago, Ill.; DR. H. R. McKEEN, Med. Dir., Public Service Co. of Colorado, Denver, Colo.

Training Committee—P. M. GENTZEL (Chairman), Safety Coordinator, Ohio Edison Co., Akron, Ohio; J. M. FALLS, Dir. of Safety & Training, Northern Indiana Public Service Co., Hammond, Ind.; JAMES B. HALL, Mgr. of Acc. Pre., Equitable Gas Co., Pittsburgh, Pa.; D. E. ALBERTSON, Safety Engineer, Pennsylvania Power & Light Co., Allentown, Pa.

Membership Committee—F. T. ELLENBERG (Chairman), Electric Co., Atlantic City, N. J.; J. G. DICKINSON, Electric Power Co., Milwaukee, Wis.; H. A. PTOLEMY, Co. of Northern Illinois, Chicago, Ill.; AVILES, Rural Electrification Adm., Atlanta, Ga.

Poster Committee—E. M. CHASE (Chairman), Safety Service Corp., Rutland, Vt.; PAUL WINDSOR, Chicago, Ill.

Water Utilities Committee—FONS J. HUGHES, Safety Light Co., Public Service Bldg., Portland, Ore.

Publicity Committee—DAVID A. FLEMING, Safety P. of Labor, Bur. of Labor Standards-Safety Standards, W. MASTERS, Safety Director, Asplundh Tree Ex

Program Committee—W. S. KITCHEN (Chairman), Sy Electric Power Co., Roanoke, Va.; W. F. BROWN, Co. of New York, Inc., New York, N. Y.; R. P. DOUGLASS, Edison Co., Detroit, Mich.

News Letter Committee—JACK APPEL (Chairman), Edison Co., Chicago, Ill.; H. T. JAYNE, Safety Supr. Co., Philadelphia, Pa.

Statistics & Contest Committee—R. E. WALTER (Chairman), Public Power District, Omaha, Neb.; M. M. MEHLER, Philadelphia Gas Works Co., Philadelphia, Pa.

Special Projects Committee—L. C. SCHAFER (Chairman), Gas Storage Co., Jackson, Mich.; R. S. METZGER, Edison Co., Toledo, Ohio; C. A. FISCHBACK, Safety Edison Co., Alhambra, Calif.; V. L. WOMELDORF, Co., Decatur, Ill.; F. JOHN ALBI, Safety Supvr. C. Seattle, Wash.

Members-at-Large—B. A. THORNTON, South Bend, Ind.; Columbus, Ohio.

Councilors (Past General Chairmen)—1916-17, J. B. MacLACHLAN; 1925-26, B. H. McCULLOCH; 1930-31, C. J. RUTLAND; 1928-29, H. F. WEBB; 1930-31, G. A. DOELLER; 1932-33, C. B. BOULET; 1934-35, M. GODWIN; 1938-39, R. S. METZGER; 1939-40, CHARLES S. BOWDEN; *1941-42, P. L. G. HANCOCK; 1943-44, E. S. MINER; *1944-45, J. T. O'BRIEN; 1947-48, J. B. PORCHER; 1948-49, E. L. FITZGERALD; 1950-51, E. H. HANNAFORD.

Special Representatives—W. F. BROWN (Chairman), Asst. Director, Consolidated Edison Co. of New York, Inc.; HANCOCK (Chairman, Acc. Pre. Committee), Edison Co., Lighting Co., Mincola, N. Y.

Staff Representative—GEORGE MacDONALD, National Safety Council, Washington, D. C.

*Deceased.

Officers of the

RAILROAD SECTION

NATIONAL SAFETY COUNCIL 1951-52

General Chairman—L. E. HOFFMAN, St. Louis Southwestern Railway Lines, Tyler, Tex.

Vice-Chairman—R. C. SABENS, The New York, Chicago and St. Louis Railroad Company, Cleveland, Ohio.

Secretary and News Letter Editor—R. S. JAMES, Denver and Rio Grande Western Railroad Company, Denver, Colo.

Association Liaison Committee—*A. V. ROHWEDER (Chairman), Duluth, Missabe and Iron Range Railway Company, Duluth, Minn.; *D. E. MUMFORD (Vice-Chairman), New York Central System, New York, N. Y.; C. M. KIMBALL, Southern Railway System, Washington, D. C.

Contest Committee—*C. L. LAFOUNTAIN (Chairman), The Great Northern Railway Company, St. Paul, Minn.; *G. W. ELSTE (Vice-Chairman), The Baltimore and Ohio Railroad Company, Baltimore, Md.; C. M. KIMBALL, Southern Railway System, Washington, D. C.; F. R. CALLAHAN, The Pullman Company, Chicago, Ill.; D. W. NAPP, Norfolk and Western Railway Company, Roanoke, Va.

Film and Sound Committee—R. I. GREENFIELD (Chairman), The Canadian Pacific Railway, Montreal, Quebec; E. H. BLEWER (Vice-Chairman), New York Central System, New York, N. Y.; R. S. JAMES, Denver and Rio Grande Western Railroad Company, Denver, Colo.; M. A. NUGENT, The Southern Pacific Company, San Francisco, Cal.; E. J. FLAHERTY, Lehigh Valley Railroad, New York, N. Y.; J. E. SLAVEN, Chicago, Burlington and Quincy Railroad, Chicago, Ill.

Highway-Railway Crossing Committee—C. M. KIMBALL (Chairman), Southern Railway System, Washington, D. C.; *G. W. ELSTE (Vice-Chairman), The Baltimore and Ohio Railroad Company, Baltimore, Md.; C. T. DEWITT, Northern Pacific Railway Company, St. Paul, Minn.; E. L. DUGGAN, The Atchafalyp, Topeka and Santa Fe Railway Company, Chicago, Ill.; *R. P. HAMILTON, St. Louis-San Francisco Railway Company, St. Louis, Mo.; D. E. MUMFORD, New York Central System, New York, N. Y.; J. E. SLAVEN, Chicago, Burlington and Quincy Railroad, Chicago, Ill.; J. P. WADSWORTH, Canadian National Railways, Montreal, Quebec; J. T. WILLIAMS, The Pennsylvania Railroad, Philadelphia, Pa.

Health Committee—C. H. O'DONNELL, M.D. (Chairman), New York Central System, Detroit, Mich.

Membership Committee—*W. H. ROBERTS (Chairman), Chicago and North Western Railway System, Chicago, Ill.; L. H. PICKRYL (Vice-Chairman), The River Terminal Railway Company, Cleveland, Ohio; L. J. BENSON, The Chicago, Milwaukee, St. Paul and Pacific Railroad Company, Chicago, Ill.; FRANK L. WINEGAR, The Chicago, South Shore and South Bend Railroad Company, Michigan City, Ind.; F. R. CALLAHAN, The Pullman Company, Chicago, Ill.; D. P. BROWDER, Richmond, Fredericksburg and Potomac Railroad Company, Richmond, Va.; W. C. LARAWAY, The Delaware and Hudson Railroad Corporation, Albany, N. Y.

Nominations and Elections Committee—*J. R. THEXTON (Chairman), The Delaware, Lackawanna and Western Railroad Company, Hoboken, N. J.; *D. E. MUMFORD (Vice-Chairman), New York Central System, New York, N. Y.; *ROBERT SCOTT, Atlantic Coast Line Railroad, Wilmington, N. C.; *W. H. ROBERTS, Chicago and North Western Railway System, Chicago, Ill.; *R. P. HAMILTON, St. Louis-San Francisco Railway Company, St. Louis, Mo.

Program Committee—*J. R. THEXTON (Chairman), Western Railroad Company, Hoboken, N. J.; L. C. Elgin, Joliet and Eastern Railway Company, Joliet, Pullman Company, Chicago, Ill.; *J. R. TENNEY, Company, Hagerstown, Md.; F. B. LEWIS, Union Pa. Neb.; E. E. SEYFARTH, Belt Railway-Chicago & cago, Ill.; *W. H. ROBERTS, Chicago and North W Ill.; *R. P. HAMILTON, St. Louis-San Francisco R

Poster Committee—M. A. NUGENT (Chairman), The Francisco, Cal.; R. S. JAMES (Vice-Chairman), D Railroad Company, Denver, Colo.; G. R. HUNTO, Pacific Railroad Company, Chicago, Ill.; L. B. HAF Chicago, Ill.; O. R. DIAMOND, Kansas City South port, La.; B. A. McDONALD, Missouri-Pacific-Texa

Safe Practices Pamphlets Committee—J. P. WADSWO I tional Railways, Montreal, Quebec; G. M. DEMPS Milwaukee, St. Paul and Pacific Railroad Company, The Chesapeake and Ohio Railway Company, Gran Chicago and Eastern Illinois Railroad Company, Dan Wabash Railroad Company, St. Louis, Mo.

Safety Devices Committee—E. E. SEYFARTH (Chai Western Indiana Railroad, Chicago, Ill.; G. C. STE lantic Coast Line Railroad Company, Wilmington, Chesapeake and Ohio Railway Company, Richmond, ville, Chattanooga and St. Louis Railway Company, FORD, The Central Railroad Company of New Jo WILLIAMS, The Pennsylvania Railroad, Philadelpl

Safety Instruction Card and Safetygraph Committee—J. York, New Haven and Hartford Railroad Compa DEWITT (Vice-Chairman), Northern Pacific Railh J. A. FLETCHER, The Toronto, Hamilton and Bufl Ontario; A. J. BENSATA, Boston and Maine Ra H. A. LINDERER, St. Louis-San Francisco Railwa

Statistics Committee—*J. R. TENNEY (Chairman), Company, Hagerstown, Md.; D. C. IRVING (Vi Railroad, Philadelphia, Pa.; B. A. GRUBBS, Norfoll Roanoke, Va.; S. D. COULTON, The New York, Company, Cleveland, Ohio.

Trespassing Committee—*W. H. ROBERTS (Chairma Railway System, Chicago, Ill.; CAPT. J. R. NUT and Indiana Terminal Railroad Company, Louisville, ern Railway System, Washington, D. C.; M. BR Cincinnati, Ohio; HOMER CONNOR, The Baltim Baltimore, Md.; H. C. DAULTON, The Louisville Louisville, Ky.

Staff Representative—L. W. DUTTON, National Safety

*Past General Chairman

Officers of the

TEXTILE SECTION

NATIONAL SAFETY COUNCIL 1951-52

General Chairman—NEIL NELSON, District Engineering Manager, American Mutual Liability Insurance Company, Manchester, N. H.

Vice-Chairman for Membership—ROBERT I. BARR, Safety Supervisor, Industrial Rayon Corporation, Painesville, Ohio.

Membership Associates—LEWIS P. SORRELL, Deputy Commissioner, North Carolina Department of Labor, Raleigh, N. C.; HAROLD F. HAYDEN, Safety Training & Medical Director, Columbian Rope Company, Auburn, N. Y.

Secretary—CHARLES L. TROMMER, Chief, Safety Branch, Personnel Department, Mohawk Carpet Mills, Amsterdam, N. Y.

News Letter and Publicity Editor—ARTHUR A. KINSMAN, Safety Director, Crown Manufacturing Company, Pawtucket, R. I.

Associate Editor—RICHARD G. MORRIS, Robert F. Coleman, Inc., New York City.

Statistical and Contest Committee—J. W. STEWART, Assistant Manager, Industrial Relations Division, Carter Operating Group, J. P. Stevens & Company, Inc., Greensboro, N. C.

Program Committee—H. S. BAUCOM, Safety Director, North Carolina Industrial Commission, Raleigh, N. C.

Off-the-Job Committee—FRANCES BETHUNE, R.N., Employers Mutual Liability Insurance Co., Charlotte, N. C.

Health Committee—DR. STANLEY SPRAGUE, Medical Director, J & P Coats, Inc., Pawtucket, R. I.

Visual Education Committee—JOSEPH A. WINKLER, Assistant Southern Division Manager, American Mutual Liability Insurance Company, Atlanta, Ga.

Engineering Committee—WILLIAM G. ENNIS, Deputy Commissioner, Department of Labor, Hartford, Conn.

Engineering Associate—E. L. PERMENTER, Supervisor Loss Prevention Dept., Liberty Mutual Insurance Company, Spartanburg, S. C.

Synthetic Fibre Committee—GLENN G. FLEMING, Safety Director, Celanese Corporation of America, New York, N. Y.

Wool and Worsted Committee—*JOHN J. BURGER, Safety Director, W. J. Dickety & Sons, Oella, Baltimore County, Md.

Trade Associations Committee—P. M. WELPTON, Vice-President, The American Thread Company, New York, N. Y.; A. WATSON COCROFT, Berkshire Fine Spinning Associates, Inc., Providence, R. I.

Cotton Committee—FOREST N. PETTY, Safety Director, Dan River Mills, Danville, Va.

Dyeing and Finishing Committee—EARLE D. SYLVESTER, Dyeing Association (U.S.A.), Westerly, R. I.

Members-at-Large—*C. J. HYSLOP, Safety Director, Elkin, N. C.; *ROBERT M. MURRAY, Chief, Department of Labor, Providence, R. I.; *H. E. crest Mills, Division of Marshall Field & Company, Padgett, Safety Engineer, Employers Mutual Wisconsin, Charlotte, N. C.; *FRANCES BETHUNE, Director, American Enka Corp., Enka, N. C.; T. Relations, Firestone Textiles, Gastonia, N. C.; S. vising Nurse, Graniteville Company, Graniteville, S.

Staff Representative—ARTHUR S. KELLY, National

*Past General Chairman