

Received Event (Event Succeeded)

Date: 5/26/98
Pages: 5
Sender: 3172487725
Fax Number:
Type: Fax

Time: 1:34 PM
Duration: 2 min 33 sec
Company:
Subject:

PLAINTIFF'S EXHIBIT

H&G-81

MAY-26-98 TUE 12:39 HILL & GRIFFITH INDPLS FAX NO. 3172487725 P.01

HILL and GRIFFITH Company

3637 Farnsworth Ave, Indianapolis, Indiana 46241
1-800-428-3102 * 317-241-9233 * (Fax) 317-248-7725

FAX COVER SHEET

DATE: May 29, 1998

TIME: 12:30 PM

TO: Steve Welter

FROM: Lon Yager

FAX:

RE: Labels

Number of pages including cover sheet: 5

Message

Please call if you have any questions.

HG-000208

000208

Date: 5/26/98
 Pages: 5
 Sender: 3172487725
 Fax Number:
 Type: Fax

Time: 1:34 PM
 Duration: 2 min 33 sec
 Company:
 Subject:

MAY-26-98 TUE 12:40

HILL & GRIFFITH INDPIS

FAX NO. 3172487725

P. 03

FIRE	1
HEALTH	2
REACTIVITY	0
PERSONAL PROTECTION	

HILL and GRIFFITH Company



Quality and Service Since 1896

RED CHIEF DRY CORE PASTE

DANGER

HARMFUL IF SWALLOWED. MAY CAUSE IRRITATION IN SUSCEPTIBLE INDIVIDUALS. MEMBRANES CAN RESULT FROM CONTACT WITH THIS PRODUCT. THIS PRODUCT CONTAINS FREE CRYSTALLINE SILICA THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC) HAS DETERMINED THAT INHALED CRYSTALLINE SILICA IN THE FORM OF QUARTZ OR CHRISTOPHANE FROM OCCUPATIONAL SOURCES IS CARCINOGENIC TO HUMANS (IARC GROUP 1). PROLONGED INHALATION OF SILICA DUST MAY RESULT IN SILICOSIS, A PROMINENT, DISABLING, AND SOMETIMES FATAL, LUNG DISEASE. AVOID CREATING DUSTY CONDITIONS AND USE A RESPIRATOR APPROVED DUST RESISTANCE WHEN EXCEEDING LIMIT VALUES (TLV) ARE EXCEEDED.

FIRST AID

EYES - FLUSH WITH CUPIOUS AMOUNTS OF WATER FOR 15 MINUTES.
 SKIN - WASH WITH CUPIOUS AMOUNTS OF WATER FOR 15 MINUTES.
 INGESTION - DO NOT INDUCE VOMITING. CALL A PHYSICIAN IMMEDIATELY.
 INHALATION - REMOVE TO FRESH AIR. ADMINISTER OXYGEN IF BREATHING IS DIFFICULT.
 IN ALL CASES ABOVE IF PROBLEM PERSISTS SEEK MEDICAL ATTENTION.

HANDLING

WASH THOROUGHLY AFTER HANDLING. AVOID CONTACT WITH EYES OR PROLONGED SKIN CONTACT. STORE AWAY FROM HEAT SOURCES. PREFERABLY AT ROOM TEMPERATURE. DO NOT TRANSFER TO UNMARKED CONTAINERS. DO NOT REUSE OR REUSE THIS CONTAINER. SAFETY GLASSES AND GLOVES ARE RECOMMENDED WHEN HANDLING THIS PRODUCT. READ PRODUCT LITERATURE AND MATERIAL SAFETY DATA SHEET BEFORE USE.

SPILL & WASTE DISPOSAL

SMALL SPILLS CAN BE COLLECTED BY SCOPING UP AND WASHING CONTAMINATED AREA WITH SOAP AND WATER. LARGE SPILLS SHOULD BE CONTAINED AND KEPT OUT OF SEWERS, DRAINS AND WATER SOURCES. CLEAN UP BY SHOVEL AND WASH AREA WITH SOAP AND WATER. NOTIFY PROPER AUTHORITIES IF THE NEED EXISTS.

HAZARDOUS INGREDIENTS

NAME
 IRON OXIDE
 HEAT RESISTANCE DUSTS
 AS RESPIRABLE DUST

CAS #

1311-40-8
MIXTURE

FOR INDUSTRIAL USE ONLY
 KEEP OUT OF REACH OF CHILDREN

PART NUMBER

6635

LOT #

NET: 400 LBS.

SHIPPING NAME:
COMPOUND, ADHESIVE

1262 State Avenue • Cincinnati, OH 45204 • Sales Central-Cincinnati 1-800-543-0425 • Sales Central-Indianapolis 1-800-428-3102

HG-000210

C00210

P. 04

FIRE	0
HEALTH	1
REACTIVITY	0
PERSONAL PROTECTION	B

HILL and GRIFFITH Company



Quality and Service Since 1896

BY ROSEAL CLASSIC MUDGING COMPOUND

DANGER

HAZARDOUS IS AVALLOWED, MAY CAUSE IRRITATION IN SUSCEPTIBLE INDIVIDUALS. IRRITATION OF SKIN, EYES, MUCOUS MEMBRANES CAN RESULT FROM CONTACT WITH THIS PRODUCT. THIS PRODUCT CONTAINS FREE CRYSTALLINE SILICA THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC) HAS DETERMINED THAT CRYSTALLINE CRYSTALLINE SILICA IN THE FORM OF QUARTZ OR QUARTZITE FROM OCCUPATIONAL EXPOSURE IS CARCINOGENIC TO HUMANS (IARC GROUP 1). PROLONGED INHALATION OF SILICA DUST MAY RESULT IN SILICOSIS, A PROGRESSIVE, DEGENERATIVE, AND SOMETIMES FATAL, LUNG DISEASE. AVOID CREATING DUSTY CONDITIONS AND USE A NORMANSHAW APPROVED DUST RECAPITATOR WHEN THESE HOLD LIMIT VALUES (TLV) ARE EXCEEDED.

FIRST AID

EMERGENCY TREATMENT

POISONING — FLUSH WITH COPIOUS AMOUNTS OF WATER FOR 15 MINUTES.

ASPHYLXIA — WASH WITH COPIOUS AMOUNTS OF WATER FOR 15 MINUTES.

INGESTION — DO NOT INDUCE VOMITING. CALL A PHYSICIAN IMMEDIATELY.

INHALATION — REMOVE TO FRESH AIR. ADMINISTER OXYGEN IF BREATHING IS DIFFICULT.

IN ALL CASES ABOVE IF PROBLEM PERSISTS SEEK MEDICAL ATTENTION.

HANDLING

WASH THOROUGHLY AFTER HANDLING. AVOID CONTACT WITH EYES OR PROLONGED SKIN CONTACT. STORE AWAY FROM HEAT SOURCES. REFRIGERATE AT ROOM TEMPERATURE. DO NOT TRANSFER TO UNMARKED CONTAINERS. DO NOT PRESSURIZE OR REUSE THIS CONTAINER. SAFETY GLASSES AND GLOVES ARE RECOMMENDED WHEN HANDLING THIS PRODUCT. READ PRODUCT LITERATURE AND MATERIAL SAFETY DATA SHEET BEFORE USE.

SPILL & WASTE DISPOSAL

SMALL SPILLS CAN BE COLLECTED BY SCOPING UP AND WASHING CONTAMINATED AREA WITH SOAP AND WATER. LARGE SPILLS SHOULD BE CONTAINED AND KEPT OUT OF DRAINAGE, DRAIN AND WATER SOURCES. CLEAN UP BY SHOVEL AND WASH AREA WITH SOAP AND WATER. NOTIFY PROPER AUTHORITIES IF THE NEED EXISTS.

PART NUMBER

6177

LOT #

NET: 700 LBS.

**FOR INDUSTRIAL USE ONLY
KEEP OUT OF REACH OF CHILDREN
CAUTION: KEEP FROM FREEZING**

HAZARDOUS INGREDIENTS

NAME _____

NOTES

**TALC
NERT NUISANCE DUSTS**

CAS#
1832-58-7
14807-16-1
MIXTURE

SHIPPING NAME:
CAULKING COMPOUND, N.O.I.

1262 State Avenue • Cincinnati, OH 45204 • Sales Central-Cincinnati 1-800-543-0425 • Sales Central-Indianapolis 1-800-428-3102

Date: 5/26/98
 Pages: 5
 Sender: 3172487725
 Fax Number:
 Type: Fax

Time: 1:34 PM
 Duration: 2 min 33 sec
 Company:
 Subject:

MAY-26-98 TUE 12:41

HILL & GRIFFITH INDPLS

FAX NO. 3172487725

P.05

FIRE	2
HEALTH	1
REACTIVITY	0
PERSONAL PROTECTION	

HILL and GRIFFITH Company



EZ DRY PLASTIC MOLD SPRAY

SPILL & WASTE DISPOSAL

FOR SPILLS REMOVE ALL UNNECESSARY PERSONNEL FROM AREA. KEEP SOURCES OF IGNITION AND HOT METAL SURFACES ISOLATED FROM THE SPILL. SOAK UP WITH INERT ABSORBENT MATERIAL. DO NOT USE VAPOR TO PLUG THE MATERIAL INTO PIPES. TO PLUG THE MATERIAL INTO PIPES, PACK WITH INERT MATERIAL IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS. NOTIFY PROPER AGENCIES IF THE NEED EXISTS. KEEP OUT OF SEWERS, WATER SOURCES AND DRAINAGE DITCHES.

HANDLING

KEEP CONTAINERS COOL, DRY AND AWAY FROM ALL IGNITION SOURCES SUCH AS OPEN FLAMES, CIGARETTES, SMOKING MATERIAL OR ELECTRICAL EQUIPMENT. DO NOT USE NEAR FLAMMABLE OR OILY SURFACES. DO NOT TRANSPORT OR STORE IN CONTAINERS THAT ARE NOT DESIGNED FOR STORAGE. DO NOT TRANSFER TO UNMARKED CONTAINERS. READ PRODUCT LITERATURE AND MATERIAL SAFETY DATA SHEET PRIOR TO USE.

FIRST AID

EYES - FLUSH WITH COPIOUS AMOUNTS OF WATER FOR 15 MINUTES.
 SKIN - WASH WITH COPIOUS AMOUNTS OF WATER FOR 15 MINUTES.
 INGESTION - DO NOT INDUCE VOMITING. CALL A PHYSICIAN IMMEDIATELY.
 INHALATION - REMOVE TO FRESH AIR. ADMINISTER OXYGEN IF BREATHING IS DIFFICULT.
 IN ALL CASES ABOVE IF PROBLEM PERSISTS SEEK MEDICAL ATTENTION.

DANGER

CONTAINS FLAMMABLE ALIPHATIC SOLVENTS. EMPTY CONTAINER HAS THE POTENTIAL FOR IGNITION FROM SPARKS, OPEN FLAME, HOT SURFACES, HEAT, STATIC AND FLAME. NO SMOKING. VAPOR MAY SPREAD LONG DISTANCES. KEEP CONTAINER CLOSED WHEN NOT IN USE. DO NOT TRANSFER TO UNMARKED CONTAINERS. USE WITH SUFFICIENT VENTILATION TO KEEP VAPOR BELOW TLV. WEAR CHEMICAL GOGGLES AND RESISTANT GLOVES. CONTAINER MUST BE GROUND WHEN BEING EMPTIED. DO NOT INHALE VAPORS. DO NOT TAKE INTERNALLY. DO NOT ALLOW SKIN CONTACT. SEE MATERIAL SAFETY DATA SHEET AND YOUR SUPERVISOR FOR MORE INFORMATION CONCERNING PROPER AND SAFE HANDLING AND USE OF THE CONTENTS.

HAZARDOUS INGREDIENTS

NAME	CAS #
ALIPHATIC PETROLEUM DISTILLATE	8082-11-5
GRAPHITE	7782-11-5
1-HYDROXYETHYL-2-TOLYL OIL	61781-39-7

FOR INDUSTRIAL USE ONLY
 KEEP OUT OF REACH OF CHILDREN
 DANGER: COMBUSTIBLE LIQUID

PART NUMBER

6159

LOT #

NET: 520 LBS.

SHIPPING NAME:
 COMPOUND, THERMAL INSULATING

1262 State Avenue • Cincinnati, OH 45204 • Sales Central-Cincinnati 1-800-513-0425 • Sales Central-Indianapolis 1-800-428-3102

HG-000212

000212