

SEKAUER HANDY ANDY

BALL JOINT PACKINGS



Handy Andy is a ball joint packing that is used to seal the joint between the ball joint and the steering knuckle. It is made of a soft, pliable material that can be compressed to fit the joint.



- It is made of a soft, pliable material that can be compressed to fit the joint.
- It is used to seal the joint between the ball joint and the steering knuckle.
- It is made of a soft, pliable material that can be compressed to fit the joint.

Handy Andy is a ball joint packing that is used to seal the joint between the ball joint and the steering knuckle. It is made of a soft, pliable material that can be compressed to fit the joint.



HANDY ANDY No. 14 - Shower Head & Pop-up Ball Joint Packing Assortment

THE SHOWER SYSTEM OF STANDARDIZED REPAIR TROUBLE

Roll 1 No. 1 1/2" x 1/2" x 1/2" Packs M2 Others	Roll 2 No. 2 1/4" x 1/4" x 1/4" Packs M2 and Others	Roll 3 No. 3 3/4" x 1/4" x 1/4" Various Models of Packing Wafers	Roll 4 No. 4 1/4" x 1/4" x 1/4" Chicago Standard Rolls 11 1/2" x 1/2" x 1/2" Rolls
Roll 5 No. 5 1/2" x 1/2" x 1/2" Standard "Boyle" Head and Others	Roll 6 No. 6 1/2" x 1/2" x 1/2" Boyle Shower Head and Others	Roll 7 No. 7 1/2" x 1/2" x 1/2" Boyle Shower Head and Others	Roll 8 No. 8 1/2" x 1/2" x 1/2" Boyle Shower Head and Others
Roll 9 No. 9 1/2" x 1/2" x 1/2" Various Models	Roll 10 No. 10 1/2" x 1/2" x 1/2" Various Models	Roll 11 No. 11 1/2" x 1/2" x 1/2" Various Models	Roll 12 No. 12 1/2" x 1/2" x 1/2" Various Models

COPYRIGHTED - J. A. SPANGLER MFG. CO., INC.







Speakman and Others

Pop-up Waste Nut

27/32" x
Speakman

COPYRIGHTED - J. A. SEXAUER MFG. CO., INC.

