MD-3-A

PACKAGE TICKET (DRY AND PASTE ONLY)

CODE 14 785 LOT 37518

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PO
50	87	4,350		
STUMP Lump - 4450				

TOTAL NET WT. 4,350 PKG. N–CODE 1000

PROD. SPVR. LT DATE 10/27/10 WHSE. OPER.

N34875

23
244

CO 03 CODE KY-795-D PKG. ____

→ OCT 21 80 37518

EST. WGT. 1178 LBS.

AR/AP

PROCESSING INSTRUCTIONS: BATCH UN

PROCESSES	APPROVED
KY-795-D	EWK 10/6
	DCG 10/7
TYPED BY	

MAKING NOTES

REMARKS

TOTAL WGT. ~~4878#~~ ~~4630#~~ 4380#

ME "KROLOR" YELLOW-MEDIUM NON-BLEEDING

INSTRUCTIONS -PRESSING- RECORD

T	244				
TE	10-22-80				
ME	5:15 A.M.				
LEASED BY	C.J.				
ESS	22	23	24	25	
. OF CAKES	46	46	52	48	

RESS with AGITATION

ASH TO 5000 OHMS

EST AFTER 5 HOURS with 35-75 water

OAD on 5 cars

PRESSLOAD	1ST	2ND	3RD	4TH	5
STARTED	6 A				
CAKES USED	52				
WATER ON	1 Am				
HRS. WASHED	7				
OHMS	5000				
HRS. WASHED					
OHMS					
HRS. WASHED					
OHMS					
CAKE CONDITION					
NO. CARS LOADED	3+3				

EXPLAIN LOSSES

MPLES 1-8 oz jar

ELIVER TO CTL for color

SAMPLED BY 499 RELEASED BY S.R.

-DRYING-

Dry ~~14~~ 16 Hrs. at 220 F

NOTE: If dried in 12-23, 80-97, or 138-155 sections; dry for 14 hrs at 220 F record sections: fill in additional hrs required if any:

LUMP: - OK - WET - SALTS - CONTAMINA

ADDITIONAL DRYING HOURS REQUIRED

NO. DRUMS 14

MPLES

LIVER TO

NO. CARS PULLED LUMP WGT. 4455

SAMPLED BY RELEASED BY

-GRINDING-

LL 939 HSP 3/32"RP SCREEN 3500 RPM

X. TEMP. 210°F

SCREEN RPM

MAX. TEMP. °F

EXPLAIN LOSSES

MPLE AFTER / WITHOUT MIXING

~~MPLES~~ 1 ENV & 1 Pt Can.

DATE MIXED

SAMPLED BY RELEASED BY

DUP050105642

14

0.00 *
0.00M+

37518
41
85

0.00 *

3.72 +
0.14 –
3.52 +
0.14 –
3.49 +
0.14 –
3.60 +
0.14 –
3.56 +
0.14 –
3.26 +
0.14 –
3.58 +
0.14 –
3.45 +
0.14 –
3.60 +
0.14 –
3.42 +
0.14 –
3.40 +
0.14 –
3.51 +
0.14 –
3.16 +
0.14 –
1.24 +
0.14 –

44.55 *
44.55M+

DUP050105643