PLAINTIFF'S EXHIBIT
KRC-33

210

KOCH SOUTH TEXAS SAFETY AUDIT

___ MANAGER
✓ LINE SUPERVISOR
___ EMPLOYEE
___ SAFETY

LOCATION/UNIT Boiler House
CONDUCTED BY (PRINT NAME) I. Birnbaum
Chico Flores
CONTRACTOR NAME Basic Industries (Asbestos Abatement)

DATE 8-22-96
SS# 465-86-9007
451-74-4545

PERSONAL PROTECTIVE EQUIPMENT	CORRECTIVE ACTION / COMMENTS
HARD HAT, SAFETY GLASSES, FACE SHIELD	
RESPIRATORY EQUIP, HEARING PROTECTION	ALL proper PPE was in place
CHEM PROTECT / FR CLOTH, FOOTWEAR, GLOVES	
RESPONSIBILITY FOR CORRECTIVE ACTION	

BODY USAGE / POSITIONS	CORRECTIVE ACTION / COMMENTS
LIFTING, BENDING, REACHING, TURNING	
PINCH POINTS	
HOT SURFACES	N/A
CLIMBING, PUSHING, PULLING	
RESPONSIBILITY FOR CORRECTIVE ACTION	

TOOLS AND EQUIPMENT	CORRECTIVE ACTION / COMMENTS
WRONG TOOL FOR THE JOB	
TOOL USED INCORRECTLY	Scaffold, Tools were use properly
TOOL IN UNSAFE CONDITION	
SCAFFOLD, WORK PLATFORM	
RESPONSIBILITY FOR CORRECTIVE ACTION	

POLICIES AND PROCEDURES	CORRECTIVE ACTION / COMMENTS
PERMITS - SAFE / HOT WORK, CONFINED SPACE, LOTO	
NOT KNOWN / UNDERSTOOD	Procedures for electrical equip use
NOT FOLLOWED	were in proper order. (GFI in use)
RESPONSIBILITY FOR CORRECTIVE ACTION	

FIRE PROTECTION	CORRECTIVE ACTION / COMMENTS
STORAGE OF FLAMMABLES	
HYDRANTS, HOSELINES, EXTINGUISHERS	
IGNITION SOURCES	N/A
HOT WORK PERMITS	
RESPONSIBILITY FOR CORRECTIVE ACTION	

HOUSEKEEPING		CORRECTIVE ACTION / COMMENTS
SLIPPERY SURFACE	[ ]	
CLEANLINESS - SHOP / WORK AREAS	[ ]	Basic employees cleaned and stored
STORAGE OF MATERIAL	[10]	material in safe place and in
DISPOSAL OF WASTE	[ ]	good order.
RESPONSIBILITY FOR CORRECTIVE ACTION		

SUMMARY / COMMENTS Chico and I check Basic Abatement employees and Found everything in order. When each began the job, each cleaned and stored material in an orderly Fashion (Good Safety Audit

Rev. 3/96V RETURN WHITE COPY TO SAFETY POST YELLOW COPY IN AUDIT AREA RETAIN PINK COPY FOR YOUR RECORDS PS-806

K 012804

KOCH SOUTH TEXAS
SAFETY AUDIT

___ MANAGER
_✓_ LINE SUPERVISOR (Maint. Support)
___ EMPLOYEE
___ SAFETY
CONTRACTOR NAME _____

LOCATION/UNIT Gate 4 Asbestos Abatement Crew
CONDUCTED BY (PRINT NAME) H. Chew Flores - 04909

DATE 8/15/96
SS# 457-74-4545

PERSONAL PROTECTIVE EQUIPMENT	CORRECTIVE ACTION / COMMENTS
HARD HAT, SAFETY GLASSES, FACE SHIELD	
RESPIRATORY EQUIP, HEARING PROTECTION	
CHEM PROTECT / FR CLOTH, FOOTWEAR, GLOVES	N/A
RESPONSIBILITY FOR CORRECTIVE ACTION	

BODY USAGE / POSITION	CORRECTIVE ACTION / COMMENTS
LIFTING, BENDING, REACHING, TURNING	
PINCH POINTS	
HOT SURFACES	
CLIMBING, PUSHING, PULLING	N/A
RESPONSIBILITY FOR CORRECTIVE ACTION	

TOOLS AND EQUIPMENT	CORRECTIVE ACTION / COMMENTS
WRONG TOOL FOR THE JOB	
TOOL USED INCORRECTLY	
TOOL IN UNSAFE CONDITION	N/A
SCAFFOLD, WORK PLATFORM	
RESPONSIBILITY FOR CORRECTIVE ACTION	

POLICIES AND PROCEDURES	CORRECTIVE ACTION / COMMENTS
PERMITS - SAFE / HOT WORK, CONFINED SPACE, LOTO	
NOT KNOWN / UNDERSTOOD	
NOT FOLLOWED	N/A
RESPONSIBILITY FOR CORRECTIVE ACTION	

FIRE PROTECTION	CORRECTIVE ACTION / COMMENTS
STORAGE OF FLAMMABLES	
HYDRANTS, HOSELINES, EXTINGUISHERS	
IGNITION SOURCES	N/A
HOT WORK PERMITS	
RESPONSIBILITY FOR CORRECTIVE ACTION	

HOUSEKEEPING AND WORK AREAS	RATING	CORRECTIVE ACTION / COMMENTS
SLIPPERY SURFACE	8	
CLEANLINESS - SHOP / WORK AREAS	7	
STORAGE OF MATERIAL	7	
DISPOSAL OF WASTE	8	

RESPONSIBILITY FOR CORRECTIVE ACTION (Riley De Leon - Basic Industries) Chew Flores (Completed) 8/16/96

SUMMARY / COMMENTS Abatement - Decontamination Yard work Cleaning organizing equipment, scaffold material, insulation, etc. after relocating from another area.

RETURN WHITE COPY TO SAFETY POST YELLOW COPY IN AUDIT AREA RETAIN PINK COPY FOR YOUR RECORDS

95002410 Rev 3.96V PS-306

K 012805

29321

KOCH SOUTH TEXAS
SAFETY AUDIT

___ MANAGER
_X_ LINE SUPERVISOR (Support) LOCATION/UNIT Suite 4 Asphalt Abatement Crew DATE 8/15/96
___ EMPLOYEE CONDUCTED BY (PRINT NAME) H. Chico Flores - 04909 SS# 457-74-4545
___ SAFETY
CONTRACTOR NAME

PERSONAL PROTECTIVE EQUIPMENT	CORRECTIVE ACTION / COMMENTS
HARD HAT, SAFETY GLASSES, FACE SHIELD	
RESPIRATORY EQUIP, HEARING PROTECTION	
CHEM PROTECT / FR CLOTH, FOOTWEAR, GLOVES	N/A
RESPONSIBILITY FOR CORRECTIVE ACTION	

BODY USAGE / POSITION	CORRECTIVE ACTION / COMMENTS
LIFTING, BENDING, REACHING, TURNING	
PINCH POINTS	
HOT SURFACES	N/A
CLIMBING, PUSHING, PULLING	
RESPONSIBILITY FOR CORRECTIVE ACTION	

TOOLS AND EQUIPMENT	CORRECTIVE ACTION / COMMENTS
WRONG TOOL FOR THE JOB	
TOOL USED INCORRECTLY	
TOOL IN UNSAFE CONDITION	N/A
SCAFFOLD, WORK PLATFORM	
RESPONSIBILITY FOR CORRECTIVE ACTION	

POLICIES AND PROCEDURES	CORRECTIVE ACTION / COMMENTS
PERMITS - SAFE / HOT WORK, CONFINED SPACE, LOTO	
NOT KNOWN / UNDERSTOOD	
NOT FOLLOWED	N/A
RESPONSIBILITY FOR CORRECTIVE ACTION	

FIRE PROTECTION	CORRECTIVE ACTION / COMMENTS
STORAGE OF FLAMMABLES	
HYDRANTS, HOSELINES, EXTINGUISHERS	
IGNITION SOURCES	N/A
HOT WORK PERMITS	
RESPONSIBILITY FOR CORRECTIVE ACTION	

HOUSEKEEPING AND WORK AREAS	RATING	CORRECTIVE ACTION / COMMENTS
SLIPPERY SURFACE	8	
CLEANLINESS - SHOP / WORK AREAS	7	
STORAGE OF MATERIAL	7	
DISPOSAL OF WASTE	8	
RESPONSIBILITY FOR CORRECTIVE ACTION		(Completed) 8/16/96 (Ruby De Leon - Basic Industries) Chico Flores - Supervisor

SUMMARY / COMMENTS Abatement - Decontamination Unit & Rudy Cleaning, Organizing equipment, asbestos material, insulation, etc. after removing from radiator bed.

RETURN WHITE COPY TO SAFETY POST YELLOW COPY IN AUDIT AREA RETAIN PINK COPY FOR YOUR RECORDS

95002410 Rev. 3/96V PS-806

K 012806

HOUSEKEEPING RATING SYSTEM

10	Plant Example
9	Excellent / Exceeds Expectations
8	Good / Meets Expectations
7	Needs Improvement
1 – 6	Needs Immediate Improvement (Must have description of corrective action)