

MANUFACTURED BY PHILIP CAREY AND COMPANY
SHOWING % ASBESTOS CONTENT

<u>Name, Trade Name and Description</u>	<u>Date of Manufacture</u>	<u>Contents</u>
(1) Carey Aircel Pipe	1906 to 1960	Asbestos corrugated paper, approximately 60% asbestos fiber, 25% organic fiber and starch, 15% sodium silicate
(2) Careycel Pipe Covering & Block	1920's to 1960	Similar to Aircel
(3) Carocel Pipe Covering	1925 to 1960	Same as Aircel, thicker
(4) Defendex Pipe Covering	NW II	Corrugated sheets of asbestos paper, asbestos 60%, 25% organic felt, 15% sodium silicate
(5) Carey Excel Pipe Covering & Block	1925 to 1960	Same as Aircel
(6) Carey Glosscell Covering & Block	1935 to 1960	Aircel with shiny exterior
(7) Carey Lennolite	1935 to 1969 not distributed in United States	Similar to Aircel
(8) Carey Multi-Ply Pipe Covering & Block	1930 to 1960	Same as Carey Asbestos Sponge
(9) Carey Asbestos Sponge Pipe Covering & Block	1930 to 1960	Asbestos sponge 27% to 3% corrugated asbestos paper, same as Aircel
(10) 85% Magnesia Pipe Covering, Block & Cement	1906 to 1961	Basic magnesium carbonate and asbestos fiber (11% to 15%)
(11) Carey Super Light 85% Magnesia Pipe Covering & Block	1951 to 1958	Same as 85% magnesia (different mold-process)
(12) Carey Alltemp Pipe Covering & Block	1954 to 1958	Expanded perlite bentonite clay and asbestos fiber (12%)
(13) Carey Tempecheck Pipe Covering, Block	1942 to 1958	20% Magnesium Plastic 60% diatomaceous earth and 25% asbestos



	Carey Hightemp #19 Pipe Covering, Block and Cement	1906 to 1958	80% Diatomaceous earth, 20% asbestos fiber
(15)	Carey Hightemp #15 Pipe Covering, Block, and Cement	1906 to 1952	60% diatomaceous earth, 20% magnesia plastic, 20% asbestos
(16)	Carey Hightemp #12 Pipe Covering, Block and Cement	1906 to 1940	60% diatomaceous earth, 20% magnesia, 20% asbestos fiber
* (17)	Careytemp	1958 to September 1969	Expanded perlite bentonite clay and asbestos fiber (6% to 7%)
(18)	New Careytemp 1500 Pipe Covering and Block	September 1969 to 1972, 1972 to present as Calotemp	Expanded perlite bentonite clay and chopped glass roving
(19)	Careytemp adhesive		Silicate of soda, additives and asbestos fiber
(20)	Careytemp premolded Elbow Insulation	1963 to present	Same as Careytemp
(21)	Careytemp Aluminum Jacketed and Traced Pipe Insulation	1964 to 1968	Careytemp with an aluminum jacket or stainless steel jack
(22)	Careytemp 2000 Block and Cement	1964 to February 1970	Diatomaceous earth and asbestos fiber, 6.4%
(23)	Dual Careytemp Pipe Covering	1964 to 1968	Bentonite clay starc resin & asbestos fiber 19%
(24)	Carey Calcium Silicate Pipe & Block Insulation	1950 to 1955 not manufactured by Philip Carey (believed manufactured by Keene or Baldwin, Ehret & Hill) Brokered by Philip Carey	85% Calcium Silicate 15% asbestos
* (25)	Carey 707 Cement	1909 to 1960	Asbestos fiber 70% bentonite clay
* (26)	Carey Super 606 Cement	1906 to 1960	Bentonite clay, asbestos fiber and gypsum

	Carey 100 Cement	Unknown	60% asbestos bentonite clay and gypsum
(28)	Carey 303 Cement	1906 to 1960	60% Asbestos fiber, 20% gypsum, 20% bentonite clay.
(29)	Carey 7M-90 Asbestos Shorts Insulation Cement	1906 to August 1977	90% asbestos fiber, 10% serpentine rock
(30)	Carey M-W40 Cement	1950 to 1952	Mineral wool asbestos fiber, 10% and Portland cement 5%
(31)	Carey M-W50 Cement	1940 to 1967 (Continued to Broker Keene, M-W50 Cement)	Mineral wool, 10% asbestos fiber (asbestos removed from Keene M-W50 cement between 1972 to 1973.
(32)	Carey LF-20 Asbestos Cement	Unknown to 1960	60% to 70% asbestos fiber, balance benton clay and hardners
(33)	Carey Vitricel Cement (#10 & #19)	1940 to 1969	Asbestos fiber and bonding material.
(34)	Carey A-1 Cement	Unknown (supplied only to Gulf Oil)	100% long asbestos fibers
(35)	Carey A-101 Cement	1906 to 1960	Asbestos fiber, ground gypsum and bentonite clay
(36)	Carey Thermo-board	1925 to 1969	Non-asbestos insula- tion board covered with asbestos cement
(37)	4.2 Carey Stone Corrugated Sheets	1925 to 1970	3/8" corrugated sheet of Portland Cement & asbestos, (22%)
(38)	Carey Industrial A-C Board	1925 to 1970	Portland Cement and asbestos fiber
(39)	Careyflex Board	1925 to 1969	Portland Cement and asbestos fiber
(40)	Carey Firefoil Board and Panel	1940 to 1960	Asbestos paper glue together with silicate (60% asbes
(41)	Vitricel Asbestos Sheets	1941 to 1950	60% asbestos fiber saturated with sodi silicate and water

Carey Marine Panel

			fiber)
)	Carey Panel Board	1941 to 1950	Corrugated asbestos felt (60% asbestos fiber)
(1)	Carey Stone Sheathing	1925 to 1969	22% Asbestos fiber & Portland Cement.
(5)	Asbestos Paper and Roll Board	1906 to present (currently marketed under Celotex name)	60% asbestos fiber
(46)	Asbestos Millboard	1906 to present (currently under Celotex name)	80% to 85% asbestos fiber with binder
(47)	Carey Corrugated Asbestos Paper	1906 to 1960	60% asbestos fiber, organic paper, and 15% sodium silicate, and 25% organic fiber
(48)	Carey Fireguard	1950 to 1976 (lastly under Celotex name)	85% asbestos, 15% asphalt
(49)	Carey Fireclad	1965 to date	Similar to Fireguard, of lighter construction
(50)	Thermorex-B	1906 to present (currently under Celotex name)	75% asbestos fiber, emulsified asphalt & mineral stabilizers
(51)	228 Fibrated Emulsion	1906 to present (currently under Celotex name)	Bentonite clay, emulsified asphalt and asbestos fiber
(52)	Carey Insulation Seal	Unknown to present (currently under Celotex name) (1930-date)	Asbestos fibrated bituminous mastic
(53)	Fire Resistant Insulation Seal	Unknown	Asbestos fibrated rubber and polychlorinated resinous bituminous mastic
(54)	Carey Fibrous Adhesive	1906 to present (currently under Celotex name)	85% sodium silicate and 15% asbestos fiber
(55)	Carey BTU Cement	1930 to 1965	Asbestos (25% to 30%) fibrated bituminous mastic

Carey Asbestos Felts	1960 to present (currently under Celotex name)	85% asbestos
(57) Carey 45 pound Asbestos water- proof jacket .	1906 to present (currently under Celotex name)	Asbestos felt and asphalt
(58) Carey Asbestos Tank Jackets	1906 to 1945	60% asbestos fiber, organic felt and 15% sodium silicate
(59) Carey Duct-Asbestos Insulated Duct	1940 to 1947	Corrugated asbestos paper
(60) Carey Duct Adhesive	1940 to 1947	15% asbestos fiber, 85% sodium silicate
(61) Carey Thermalite	Unknown to 1937	Asbestos and sodium silicate
(62) Carey Asbestos Rope and Wick .	1925 to 1945	Asbestos fiber