

A U T O M O T I V E D A T A B O O K B U L L E T I N #2-941
November 30, 1994

	FRONT FMSI NO.	SYSTEM F/R	REAR FMSI NO.
<u>AM GENERAL</u>			
1994-93, Hummer	7531-D651** (Notes #3 & #14)	D/D	7531-D651**
<u>CHRYSLER</u>			
1995, Cirrus	7530A-D650 (Notes #2 & #13)	D/N	1481-S698* (Notes #8 & #19)
OR		/D	7438B-D641
<u>DODGE</u>			
1995, Stratus	7530A-D650	D/N	1481-S698*
OR		/D	7438B-D641
<u>FORD TRUCK (See Corrections)</u>			
F-250 1995	7535-D655** (Notes #6 & #17)	D/BH	2146T-316*
OR		/BH	2140AT-314
F-350 1995	7535-D655**	D/BH	2140AT-314
Explorer 1994	7534A-D654 (Notes #5 & #16)	D/BH	2089AT-581
Ranger 1994	7534A-D654	D/BH	2151T-569
<u>KIA</u>			
1994, Sephia	7529-D649** (Notes #1 & #12)	D/N	1480-S697* (Notes #7 & #18)
<u>MAZDA (See Comments & Corrections)</u>			
1994-93, MPV		/BH	2177-609* (Note #9)
1994-93, MPV 4x4		/BH	2177-609*
<u>NISSAN (See Comments)</u>			
1995, Maxima	7318-D653** (Note #15)	D/D	7533-D540** (Note #4)
<u>ROCKWELL AXLE</u>			
20 1/4dd 4	4713 (Note #10)	A/	
20 1/4dd 5	4714 (Note #11)	A/	

C O M M E N T S

Existing lining used with new shoe:

<u>Lining</u>	<u>Assembly</u>	<u>Application</u>
7318	7318-D653	1995 Nissan Maxima Front

SEE DISCLAIMER AT END OF BULLETIN

FMSI® and FMS® are registered trademarks of the Friction Materials Standards Institute, Inc.

Copyright® by Friction Materials Standards Institute, Inc.

C O M M E N T S (con't)Existing shoe with new lining:

<u>Shoe</u>	<u>Assembly</u>	<u>Application</u>
D540	7533-D540	1995 Nissan Maxima Rear
609	2177-609	1994-93 Mazda MPV Rear

C O R R E C T I O N S

The Catalog list FMSI 2172-609 for the rear of Mazda MPV 1994-93.
The correct listing is FMSI 2177-609.

1994 Ford Ranger/Explorer originally shown with FMSI 7125A-D387.
The correct listing is 7534A-D654.

DISC BRAKE LINING ASSIGNMENTS

Note #1	<u>FMSI 7529</u> 37.8 x 17.3 x 110.1 (1.49 x .681 x 4.33)	7529-D649 4 IM
Note #2	<u>FMSI 7530A</u> 46.7 x 10.0 x 132.0 (1.84 x .394 x 5.20)	7530A-D650 4 - 20
Note #3	<u>FMSI 7531</u> 41.5 x 16.1 x 138.0 (1.63 x .634 x 5.43)	7531-D651 4 IM

FMSI 7532 - Reserved for later release

Note #4	<u>FMSI 7533</u> 39.1 x 15.8 x 89.2 (1.54 x .622 x 3.51)	7533-D540 4 IM
Note #5	<u>FMSI 7534A</u> 41.5 x 9.2 x 132.0 42.0 x 8.2 x 154.0 (1.63 x .362 x 5.20) (1.65 x .323 x 6.06)	7534A-D654 2 - 12 2 - 14
Note #6	<u>FMSI 7535</u> 45.5 x 18.7 x 185.9 (1.79 x .736 x 7.32)	7535-D655 4 IM

DRUM BRAKE LINING ASSIGNMENTS

Note #7	<u>FMSI 1480</u> 200.0 - 34.8 x 5.0 x 185.0 (7.87 - 1.37 x .197 x 7.28)	1480-S697 4 Bonded
Note #8	<u>FMSI 1481</u> 200.0 - 32.5 x 5.1 x 158.0 200.0 - 32.5 x 3.3 x 192.3 (7.87 - 1.28 x .201 x 6.22) (7.87 - 1.28 x .130 x 7.57)	1481-S698 2 Bonded 2

DRUM BRAKE LINING ASSIGNMENTS (con't)

Note #9	<u>FMSI 2177</u>	2177-609
	260.0 - 50.0 x 5.3 x 252.0	4 Bonded
	(10.24- 1.97 x .210 x 9.92)	

BRAKE BLOCK LINING ASSIGNMENTS

Note #10	<u>FMSI 4713</u>	
	20.25dd - 4.00 x .750Tapered x 10.38 4 10- 52	
	4.00 x .750Tapered x 10.28 4	

Note #11	<u>FMSI 4714</u>	
	20.25dd - 5.00 x .750Tapered x 10.38 4 10- 52	
	5.00 x .750Tapered x 10.09 4	

DISC BRAKE SHOE ASSIGNMENTS

Note #12	<u>FMS D649</u>	7529-D649	KIA
	151.4 x 5.7		
	(5.96 x .224)		
Note #13	<u>FMS D650</u>	7530A-D650	Chrysler Dodge
	176.8 x 6.0		
	176.8 x 5.1		
	(6.96 x .236)		
	(6.96 x .201)		
Note #14	<u>FMS D651</u>	7531-D651	AM General
	176.8 x 5.4		
	(6.96 x .213)		

FMS D652 - Reserved for later release

Note #15	<u>FMS D653</u>	7318-D653	Nissan
	137.2 x 6.1		
	(5.40 x .240)		
Note #16	<u>FMS D654</u>	7534A-D654	Ford Truck
	160.0 x 5.3		
	172.0 x 5.3		
	(6.30 x .209)		
	(6.77 x .209)		
Note #17	<u>FMS D655</u>	7535-D655	Ford Truck
	220.2 x 6.2		
	(8.67 x .244)		

DRUM BRAKE SHOE ASSIGNMENTS

Note #18	<u>FMS S697</u>	1480-S697	KIA
	200.0 x 35.0		
	(7.87 x 1.38)		
Note #19	<u>FMS S698</u>	1481-S698	Chrysler Dodge
	200.0 x 32.5		
	(7.87 x 1.28)		

CLUTCH FACING APPLICATIONS BY MODELCHEVROLET

Chevette 7001
(Note #22)
Corvette 10027
(Note #36)
Chevrolet 10031
(Note #40)

CHEVROLET TRUCK

Truck 11004D
(Note #41)
Truck 10031

DODGE

1990-89, Dakota 9060
(Note #33)
1992-91, Shadow 9060
Dodge 10031

DODGE TRUCK

1995-94, 8.0L V10 1285
(Note #21)
1995-94, 5.9L Turbo Diesel 1285
Truck 10031

Ford

Mustang 5.0L 10028
(Note #37)
1992-86, Mustang 5.0L 10030
(Note #39)
Ranger 2.9L 8058
(Note #27)
1994-93, Ranger 2.3L 8059
(Note #28)

FORD TRUCK

1994-93, 7.5L F Series 1285
1991-88, Truck 10025
(Note #34)
1989-88, Bronco 10025
Truck 10029
(Note #38)
Truck 10031

GEO

1993-90, GEO Storm 744A
(Note #20)

GMC TRUCK

Truck 9058
(Note #31)
Truck 5.7L & 7.4L 10026
(Note #35)
Truck 10029
Truck 10031
Truck 4.3L & 5.0L 11024
(Note #42)
Truck 11004D

HONDA

Accord 8037C
(Note #24)

CLUTCH FACING APPLICATIONS BY MODEL (con't)HONDA (con't)

Civic 8057
(Note #26)

ISUZU

1992-90, Impulse 1.6L 744A

MAZDA

RX 7 8037B
(Note #23)

RX 7 8045A
(Note #25)

MERCURY

1986, Capri 8 Cyl. 10030

NISSAN

Maxima 9057
(Note #30)
300ZX 3.0L 9057

PONTIAC

1990-89, LeMans 9059
(Note #32)
T1000 7001

SATURN

1994-91, 1.9L 8060
(Note #29)

TOYOTA

Supra 8037B
Supra 8045A
Pick-Up 8037B
Pick-Up 8045A

CLUTCH FACING ASSIGNMENTS

Note #20	<u>FMSI 744A</u>								
	7.88	x	5.38	x	.125		16	Gr A Str	- 16
Note #21	<u>FMSI 1285</u>								
	12.23	x	7.89	x	.134		40	DGAP	- 40
Note #22	<u>FMSI 7001</u>								
	7.99	x	5.98	x	.124		16	Gr A Str	- 16
Note #23	<u>FMSI 8037B</u>								
	8.86	x	5.91	x	.138		16	Gr A Str	- 16
Note #24	<u>FMSI 8037C</u>								
	8.86	x	5.91	x	.138		16	Gr A Str	- 16
Note #25	<u>FMSI 8045A</u>								
	8.86	x	5.91	x	.150		16	Gr A Str	- 16
Note #26	<u>FMSI 8057</u>								
	8.39	x	5.91	x	.138		16	Gr A Str	- 16
Note #27	<u>FMSI 8058</u>								
	8.83	x	5.95	x	.146		16	Gr A Str	- 16
Note #28	<u>FMSI 8059</u>								
	8.25	x	5.29	x	.124		16	Gr A Str	- 16

CLUTCH FACING ASSIGNMENTS (con't)

Note #29	<u>FMSI 8060</u>							
	8.83	x	5.95	x	.136		16 Gr A Str	- 16
Note #30	<u>FMSI 9057</u>							
	9.84	x	6.30	x	.138		32 DGAP	- 32
Note #31	<u>FMSI 9058</u>							
	9.11	x	6.12	x	.139		16 Gr A Str	- 16
Note #32	<u>FMSI 9059</u>							
	9.65	x	6.12	x	.134		16 Gr A Str	- 16
Note #33	<u>FMSI 9060</u>							
	9.02	x	6.14	x	.134		16 Gr A Str	- 16
Note #34	<u>FMSI 10025</u>							
	10.99	x	7.82	x	.130		16 Gr A Str	- 16
Note #35	<u>FMSI 10026</u>							
	10.99	x	6.75	x	.138		40 SP	- 40
Note #36	<u>FMSI 10027</u>							
	10.72	x	6.53	x	.138		40 DGAP	- 40
Note #37	<u>FMSI 10028</u>							
	10.35	x	6.71	x	.148		40 DGAP	- 40
Note #38	<u>FMSI 10029</u>							
	10.99	x	6.75	x	.134		40 DGAP	- 40
Note #39	<u>FMSI 10030</u>							
	10 1/2	x	6 3/4	x	.130		18 Gr A Str	- 18
Note #40	<u>FMSI 10031</u>							
	10.95	x	6.50	x	.138		40 DGAP	- 40
Note #41	<u>FMSI 11004D</u>							
	11 7/8	x	6 3/4	x	.140		40 DGAP	- 40
Note #42	<u>FMSI 11024</u>							
	11.82	x	6.77	x	.136		40 DGAP	- 40

The data shown in this bulletin has been supplied by sources considered to be reliable. While we believe that such information is correct, the Institute cannot and does not accept any responsibility or liability for errors or omissions, or harm resulting therefrom.

The data shown in this bulletin indicates dimensions only and in no way refers to quality of any materials that may be embodied in the product or particular application involved, and moreover SINCE FIELD CONDITIONS AND OTHER FACTS MAY NECESSARILY VARY FROM ONE APPLICATION TO ANOTHER, FRICTION MATERIALS SUPPLIERS AND INSTALLERS SHOULD RELY ULTIMATELY AND SOLELY UPON THEIR OWN EXPERTISE AND JUDGMENT AS TO QUALITY AND DIMENSIONAL SIZE. Under no circumstances should replacement items be used when they do not appear to fit, nor be "forced" to fit, nor be modified in the field instead of obtaining a proper sized item from a supplier. If such items are modified in the field to fit, the Institute specifically disclaims all liability and responsibility for any harm resulting therefrom.

If any error or omission is noted in this bulletin, it should be reported immediately to the Friction Materials Standards Institute, Inc., 588 Monroe Turnpike, Monroe, Connecticut 06468.