

OSHA HAZARD COMMUNICATION STANDARD

ABERDEEN PLANT COMPLIANCE SCHEDULE

<u>Item</u>	<u>Completion Date</u>	<u>Responsibility</u>
1. Establish routine clerical help in copying MSDSs and editing chemical list data base.	2/1/86	WFH
2. Update chemical list, using new MSDSs.	2/15	JVU
3. Finalize training outline.	2/28	JVU
4. Install signs and labels.	3/15	JVU
5. Verify and finalize chemical lists.	3/15	Dept. Heads,JVU
6. Finalize and issue written program.	3/31	Dept. Heads,JF,JWW,JVU
7. Make and Issue Hazardous Material Reference Books.	3/31	JVU
8. Conduct training for all employees.	4/30	AHS,JVU,JGR
9. Conduct training for Receiving.	4/30	MAS,JVU
10. Re-print Compound Tickets and put into use.	5/1	PJK,JVU
11. Set up system to document MSDS requests.	5/1	WFH,MAS

VINYL DEPARTMENT HAZARDOUS MATERIALS

12/13/86
PAGE 1

PROD: 2-ETHYL HEXALDEHYDE
CHEM: 2-ETHYL HEXANAL
USAGE: PVC PROCESSING AGENT
MANUF: EASTMAN CHEMICAL PRODUCTS

PROD: 2-MERCAPTOETHANOL
CHEM: 2-HYDROXYETHYL MERCAPTAN
USAGE: PVC PROCESSING AGENT
MANUF: PHILLIPS CHEMICAL COMPANY

PROD: ALPEROX - F
CHEM: BIS(1-OXODODECYL) PEROXIDE OR DODECANOYL
USAGE: CATALYST
MANUF: PENNWALT CORPORATION

PROD: AMS
CHEM: ALPHA METHYL STYRENE
USAGE: PVC REACTION SHORT-STOP
MANUF: USS CHEMICALS

PROD: AMSCO SOLV 1241
CHEM: ODORLESS MINERAL SPIRITS
USAGE: SOLVENT
MANUF: UNION OIL CO. OF CALIF.

PROD: BISPHENOL A
CHEM: 4,4 ISOPROPYLIDENEDIPHENOL
USAGE: COMPOUND ANTI-OXIDANT
MANUF: USS CHEMICALS

PROD: CAD-3
CHEM: BUTYLATED HYDROXYTOLUENE
USAGE: ANTI-OXIDANT
MANUF: SHEREX CHEM. CO.

PROD: CHLORINE
CHEM: CHLORINE
USAGE: COOLING WATER TREATMENT
MANUF: THOMPSON-HAYWARD CHEMICAL CO.

PROD: DIESEL FUEL
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: ESPEROX 33M
CHEM: T-BUTYL PEROXYNEODECANOATE
USAGE: CATALYST
MANUF: WITCO CHEM. CORP.

PROD: ESPEROX 939M
CHEM: CUMYL PEROXYNEODECANOATE
USAGE: CATALYST
MANUF: WITCO CHEMICAL CORP.

PROD: GASOLINE
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: IONOL CP
CHEM: 2, 6 DITERTIARY BUTYL-P-CRESOL IN TOLUENE (BHT)
USAGE: ANTI-OXIDANT
MANUF: SHELL CHEMICAL CO.

PROD: KEMSTRENE
CHEM: GLYCERIN
USAGE: ANTI-STATIC AGENT
MANUF: WITCO CHEM. CORP

PROD: LUPERSOL 10M75
CHEM: T-BUTYL PEROXYNEODECANOATE
USAGE: CATALYST
MANUF: PENNWALT CORP.

PROD: LUPERSOL 11
CHEM: T-BUTYL PEROXYPIVALATE
USAGE: CATALYST
MANUF: PENWALT CORP.

PROD: LUPERSOL 188-M75
CHEM: ALPHA-CUMYL PEROXYNEODECANOATE
USAGE: CATALYST
MANUF: PENNWALT CORP.

PROD: LUPERSOL 223-M75
CHEM: DI-(2- ETHYL HEXYL) PEROXYDICARBONATE
USAGE: CATALYST
MANUF: PENNWALT CORP.

PROD: LUPERSOL 554-M50
CHEM: TERTIARY-AMYL PEROXYPIVALATE
USAGE: CATALYST
MANUF: PENNWALT CHEMICALS

PROD: LUPERSOL TA 46-M75
CHEM: T-AMYL PEROXYNEODECANOATE
USAGE: CATALYST
MANUF: PENNWALT CORP.

PROD: MERCURY
CHEM: MERCURY
USAGE: FLUID FOR MERCURY MANOMETERS
MANUF: B.F. GOLDSMITH CHEMICAL & METAL CORP.

PROD: METHANOL
CHEM: METHYL ALCOHOL
USAGE: SOLVENT; LIQUID CHROMATOGRAPH CARRIER
MANUF: THOMPSON-HAYWARD CHEM. CO., DUPONT, FISHER

PROD: NITROGEN
CHEM: NITROGEN, COMPRESSED
USAGE: MISC. PROCESS CONTROLS; G. C. CARRIER GAS
MANUF: AIRCO, INC.

PROD: NOSE-GUARD
CHEM: NATURAL OIL EXTRACT, ISOPROPYL ALCOHOL
USAGE: ODOR MASKING AGENT
MANUF: PHILIPS CHEMICAL CO.

PROD: ODORLESS MINERAL SPIRITS
CHEM: ALIPHATIC PETROLEUM DISTILATES
USAGE: SOLVENT
MANUF: ASHLAND CHEMICAL CO.

PROD: PPG EHP-75%
CHEM: DI (2-ETHYL HEXYL) PEROXYDICARBONATE
USAGE: CATALYST
MANUF: PPG INDUSTRIES, INC.

PROD: RECONSTITUTED BREATHING AIR
CHEM: AIR, COMPRESSED
USAGE: SELF-CONTAINED BREATHING APPARATUS AIR
MANUF: MS WELDING SUPPLY

PROD: SHELL SOL 71
CHEM: HYDROCARBON
USAGE: SOLVENT
MANUF: SHELL CHEMICAL CO.

PROD: SODIUM TRIPOLYPHOSPHATE
CHEM: SODIUM TRIPOLYPHOSPHATE
USAGE: PROCESS ADDITIVE
MANUF: THOMPSON HAYWARD CHEM. CO.

PROD: STPP
CHEM: SODIUM TRIPOLYPHOSPHATE
USAGE: PROCESS PH CONTROL
MANUF: OLIN CORP.

PROD: TECQUINOL
CHEM: HYDROQUINONE
USAGE: INHIBITOR
MANUF: EASTMAN CHEMICAL PRODUCTS, INC.

PROD: TRIGNOX 36-C75
CHEM: BIS(3,5,5-TRIMETHYLHEXANOYL) PEROXIDE
USAGE: CATALYST
MANUF: NOURY CHEMICAL CORP.

PROD: TRIGNOX EHP-C75
CHEM: BIS(2-ETHYLHEXYL) PEROXYDICARBONATE
USAGE: CATALYST
MANUF: NOURY CHEMICAL CORP.

PROD: BUBBLE BREAKER 3056A
CHEM: REACTED SILICA IN HYDROCARBON SOLVENT
USAGE: ANTIFOAM AGENT
MANUF: WITCO CHEM. CO.

PROD: CALCIUM STEARATE, 50 %
CHEM: CALCIUM STEARATE
USAGE: ANTI-STATIC AGENT
MANUF: MALLINCKRODT, INC.

PROD: COMMERCIAL INSTRUMENT INK
CHEM: SOLUTION OF DYES, GUM ARABIC, DENATURED ALCOHOL, AND GLYCERINE
USAGE: RECORDER PEN INK
MANUF: TAYLOR INSTRUMENT

PROD: CULMINAL MHPC 25
CHEM: METHYL HYDROXYPROPYL CELLULOSE
USAGE: SUSPENDING AGENT
MANUF: HENKEL CORP

PROD: FOAMASTER DF-160-L
CHEM: HYDROCARBON - SILICATE DISPERSION
USAGE: ANTI-FOAM AGENT
MANUF: DIAMOND SHAMROCK CORP.

PROD: GOHSENOL
CHEM: POLYVINYL ALCOHOL
USAGE: SUSPENDING AGENT
MANUF: NIPPON SYNTHETIC CHEMICAL INDUSTRY CO., LTD.

PROD: HIGH TEMPERATURE INK
CHEM: SOLUTION CONTAINING DYES AND GLYCERINE
USAGE: RECORDER PEN INK
MANUF: TAYLOR INSTRUMENT

PROD: ISONOX 132
CHEM: 2, 6-DI-TERT-BUTYL-4-SEC-BUTYLPHENOL
USAGE: ANTI-OXIDANT
MANUF: SCHENECTADY CHEMICALS, INC.

PROD: LUBRACAL 48N
CHEM: AQUEOUS DISPERSION OF CALCIUM STEARATE
USAGE: ANTI-STATIC AGENT
MANUF: WITCO CHEM. CORP.

PROD: METHOCEL F-50
CHEM: HYDROXYPROPYL METHYLCELLULOSE
USAGE: SUSPENDING AGENT
MANUF: DOW CHEMICAL CO.

PROD: NAUGARD BHT
CHEM: 2, 6-DI-TERT-BUTYL-P-CRESOL
USAGE: ANTI-OXIDANT
MANUF: UNIROYAL

PROD: 1943-T1 GRAY
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2013-T1 GRAY
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2170-T1 GRAY
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 32-GY-18
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: WILSON PRODUCTS CO.

PROD: ADVASTAB TM 948
CHEM: ALKYTIN MERCAPTOACID ESTER
USAGE: DRY BLEND STABILIZER
MANUF: MORTON THIOKOL, INC.

PROD: ANTIMONY OXIDE TMS
CHEM: ANTIMONY OXIDE
USAGE: COMPOUND FLAME RETARDENT
MANUF: ANZO AMERICA, INC.

PROD: ANZON BFR2
CHEM: ANTIMONY TRIOXIDE
USAGE: COMPOUND FLAME RETARDENT
MANUF: ANZON AMERICA, INC.

PROD: BISPHENOL A
CHEM: 4,4 ISOPROPYLIDENEDIPHENOL
USAGE: COMPOUND ANTI-OXIDANT
MANUF: USS CHEMICALS

PROD: CHLORINE
CHEM: CHLORINE
USAGE: COOLING WATER TREATMENT
MANUF: THOMPSON-HAYWARD CHEMICAL CO.

PROD: CYASTAB 15
CHEM: DIBASIC LEAD CARBONATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO

PROD: CYASTAB 247
CHEM: DIBASTIC LEAD STEARATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO.

PROD: CYASTAB 523
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO.

PROD: CYASTAB 564
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO.

PROD: CYASTAB 712
CHEM: DIBASIC LEAD PHOSPHITE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO.

PROD: CYASTAB 800
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO.

PROD: CYASTAB 988
CHEM: DIBASIC LEAD PHTHALATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO.

PROD: DIESEL FUEL
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: DS-207 OILED
CHEM: LEAD STEARATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: DYPHOS OILED
CHEM: DIBASIC LEAD PHOSPHITE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: DYTHAL ENVIROSTAB
CHEM: DIBASIC LEAD PHTHALATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: DYTHAL XL ND
CHEM: DIBASIC LEAD PHTHALATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: EPISTATIC 100
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: EAGLE-PICHER INDUST., INC.

PROD: EPISTATIC 102
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: EAGLE-PICHER INDUST., INC.

PROD: EPISTATIC 112
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: EAGLE-PICHER INDUST., INC.

PROD: EPITHAL 122
CHEM: DIBASIC LEAD PHTHALATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: EAGLE-PICHER INDUST., INC.

PROD: FERRO 1827
CHEM: BARIUM/CADMIUM FATTY ACID SOAPS
USAGE: COMPOUND HEAT STABILIZER
MANUF: FERRO CORP.

PROD: FIRE SHIELD
CHEM: ANTIMONY OXIDE
USAGE: COMPOUND HEAT STABILIZER
MANUF: PPG INDUSTRIES, INC.

PROD: GASOLINE
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: HAL-LUB-D
CHEM: DIBASIC LEAD STEARATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: HALBASE 10
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: HALBASE 10/EP
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: HALBASE 100 EP
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: HALCARB 20
CHEM: DIBASIC LEAD CARBONATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: HALPHOS
CHEM: DIBASIC LEAD PHOSPHITE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: HALTHAL EP
CHEM: DIBASIC LEAD PHTHALATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: INTERSTAB R-4067
CHEM: BARIUM/CADMIUM/ZINC ORGANIC COMPLEX
USAGE: COMPOUND HEAT STABILIZER
MANUF: INTERSTAB CHEM., INC.

PROD: MARK 1314
CHEM: BARIUM/CADMIUM COMPLEX
USAGE: COMPOUND HEAT STABILIZER
MANUF: WITCO CHEM. CORP.

PROD: MARK 2045
CHEM: BARIUM/CADMIUM/ZINC ORGANIC COMPLEX
USAGE: COMPOUND HEAT STABILIZER
MANUF: WITCO CHEMICAL CORP.

PROD: MARK 7119
CHEM: LIQUID BARIUM-CADMIUM-ZINC STABILIZER
USAGE: COMPOUND HEAT STABILIZER
MANUF: WITCO CHEM. CORP.

PROD: MARK SC 111-32A
CHEM: BARIUM/CADMIUM SOAP
USAGE: COMPOUND HEAT STABILIZER
MANUF: ARGUS CHEMICAL CORP.

PROD: ONGARD 2
CHEM: MAGNESIUM OXIDE AND ZINC OXIDE
USAGE: COMPOUND FLAME RETARDENT
MANUF: ANZON AMERICA, INC.

PROD: RECONSTITUTED BREATHING AIR
CHEM: AIR, COMPRESSED
USAGE: SELF-CONTAINED BREATHING APPARATUS AIR
MANUF: MS WELDING SUPPLY

PROD: RED STAR
CHEM: ANTIMONY OXIDE
USAGE: COMPOUND FLAME RETARDENT
MANUF: ANZON AMERICA, INC.

PROD: THERMOGARD S
CHEM: ANTIMONY OXIDE
USAGE: COMPOUND FLAME RETARDENT
MANUF: M & T CHEMICALS, INC.

PROD: 1186-R1 RED
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 19349-R2 BLUE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 19349-R2 WHITE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 1942-T1 WHITE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR CONCENTRATE
MANUF: AMERICHEM, INC.

PROD: 2228-T1 BLACK
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2312-T1 SILVER
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2486-T1 WHITE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2489-T1 WHITE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2602-T1 WHITE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2656-T1 BLUE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2777-T1 CHROME
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 30-BK-32
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: WILSON-FIBERFIL INTERNATIONAL

PROD: 3152-T1 WHITE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR CONCENTRATE
MANUF: AMERICHEM, INC.

PROD: 32-BK-1
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: WILSON PRODUCTS CO.

PROD: 32-BK-33
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: WILSON-FIBERFIL INTERNATIONAL

PROD: 32-GY-16
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: WILSON PRODUCTS CO.

PROD: 32-GY-4
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: WILSON PRODUCTS CO.

PROD: 4310-R1 VIOLET
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 6500-R4 BLACK
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: AC 6A
CHEM: LOW MOL. WT. POLYETHYLENE
USAGE: COMPOUND LUBRICANT
MANUF: ALLIED CHEM. CORP.

PROD: ADMEX 711
CHEM: EPOXIDIZED SOYBEAN OIL
USAGE: COMPOUND PLASTICIZER
MANUF: SHEREX CHEM. CO.

PROD: ADVAWAX 165
CHEM: REFINED PARAFFIN WAX
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: MORTON THICKOL, INC.

PROD: ADVAWAX 280
CHEM: REFINED PARAFFIN WAX
USAGE: COMPOUND/DRYBLEND LUBRICANT
MANUF: MORTON THIOKOL, INC.

PROD: ALCOA HYDRATED ALUMINA
CHEM: HYDRATED ALUMINA
USAGE: COMPOUND FLAME RETARDANT
MANUF: ALUM. CO. OF AMERICA

PROD: ATOMITE
CHEM: CALCIUM CARBONATE
USAGE: COMPOUND FILLER
MANUF: THOMPSON WEINMAN, & CO.

PROD: BURGESS 30
CHEM: ANHYDROUS KAOLIN CLAY
USAGE: COMPOUND FILLER
MANUF: BURGESS PIGMENT CO.

PROD: BURGESS 30 P
CHEM: ANHYDROUS KAOLIN CLAY
USAGE: COMPOUND FILLER
MANUF: BURGESS PIGMENT CO.

PROD: CARNATION WHITE MINERAL OIL
CHEM: WHITE MINERAL OIL
USAGE: COMPOUND INTERNAL LUBRICANT
MANUF: WITCO CHEM. CORP.

PROD: CERECLORE S-52
CHEM: CHLORINATED PARAFFIN
USAGE: COMPOUND SECONDARY PLASTICIZER
MANUF: ENNIS CHEM. CO.

PROD: COMMERCIAL INSTRUMENT INK
CHEM: SOLUTION OF DYES, GUM ARABIC, DENATURED ALCOHOL, AND GLYCERINE
USAGE: RECORDER PEN INK
MANUF: TAYLOR INSTRUMENT

PROD: CS-2027
CHEM: PARAFFINIC WAX
USAGE: COMPOUND LUBRICANT
MANUF: CRYSTAL SOAP & CHEMICAL CO.

PROD: CYASORB UV 531
CHEM: 2-HYDROXY-4-N-OCTOXYBENZOPHENONE
USAGE: COMPOUND LIGHT ABSORBER
MANUF: AMERICAN CYANAMID CO.

PROD: DIOCTYL ADIPATE
CHEM: BIS(2-ETHYLHEXYL) ADIPATE; DI(2-ETHYLHEXYL) ADIPATE; HEXANEDIOIC ACID, BI
USAGE: COMPOUND PLASTICIZER
MANUF: MONSANTO CO.

PROD: DIUNDECYL PHTHALATE (DUP)
CHEM: 1,2-BENZENEDICARBOXYLIC ACID, DIUNDECYL ESTER
USAGE: COMPOUND PLASTICIZER
MANUF: MONSANTO CO.

PROD: DRAPEX 6.8
CHEM: EPOXIDIZED SOYBEAN OIL
USAGE: COMPOUND SECONDARY PLASTICIZER
MANUF: ARGUS CHEMICAL CORP.

PROD: EPOLENE E14F
CHEM: OXIDIZED POLYOLEFIN
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: EASTMAN CHEM. PROD., INC.

PROD: FLEXOL EPO
CHEM: EPOXIDIZED SOYBEAN OIL
USAGE: COMPOUND PLASTICIZER
MANUF: UNION CARBIDE

PROD: GAMA-SPERSE 6532
CHEM: CALCIUM CARBONATE
USAGE: COMPOUND FILLER
MANUF: GEORGIA MARBLE COMPANY

PROD: GRAY VCP 5082
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: HARWICK CHEM. CO.

PROD: GRAY VCP 5083
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: HARWICK CHEM. CO.

PROD: HIGH TEMPERATURE INK
CHEM: SOLUTION CONTAINING DYES AND GLYCERINE
USAGE: RECORDER PEN INK
MANUF: TAYLOR INSTRUMENT

PROD: HOSTALUB XL-165
CHEM: SYNTHETIC PETROLEUM WAX
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: AMERICAN HOECHST CORP.

PROD: HYDRATED ALUMINA
CHEM: HYDRATED ALUMINA
USAGE: COMPOUND FLAME RETARDENT
MANUF: ALUM. CO. OF AMERICA

PROD: HYDROFOL 1655
CHEM: STEARIC ACID
USAGE: COMPOUND LUBRICANT
MANUF: SHEREX CHEM. CO.

PROD: HYSTRENE 5016
CHEM: STEARIC ACID
USAGE: COMPOUND LUBRICANT
MANUF: WITCO CHEM. CORP.

PROD: JAYFLEX DIDF
CHEM: DI ISODECYL PHTHALATE
USAGE: COMPOUND PLASTICIZER
MANUF: EXXON CHEM. CO.

PROD: KODAFLEX TOTM
CHEM: TRI (2-ETHYL HEXYL) TRIMELLITATE
USAGE: COMPOUND PLASTICIZER
MANUF: EASTMAN CHEM. PROD. INC.

PROD: KRONITEX 100
CHEM: TRI ARYL PHOSPHATE
USAGE: COMPOUND SECONDARY PLASTICIZER
MANUF: FMC CORP.

PROD: KRONOX S
CHEM: EPOXIDIZED SOYBEAN OIL
USAGE: COMPOUND SECONDARY PLASTICIZER
MANUF: FMC CORP.

PROD: LOXIOH H 7107
CHEM: SYTHETIC WAX BLEND
USAGE: COMPOUND LUBRICANT
MANUF: HENKEL CORP.

PROD: LOXIOH HOB 7121
CHEM: PENTAERYTHRITOL MONO-DI-STEARATE
USAGE: COMPOUND LUBRICANT
MANUF: HENKEL CORP.

PROD: MICOWHITE
CHEM: CALCIUM CARBONATE
USAGE: COMPOUND FILLER
MANUF: SYLACAUGA CALCIUM PROD.

PROD: MINEX #4
CHEM: NEPHELINE SYENITE
USAGE: COMPOUND FILLER
MANUF: INDUSTMIN LTD.

PROD: PALATINOL TOTM
CHEM: TRI(2-ETHYLHEXYL) TRIMELLITATE
USAGE: COMPOUND PLASTICIZER
MANUF: BADISCHE CORP.

PROD: PX-316
CHEM: N-OCTYL, N-DECYL PHTHALATE
USAGE: COMPOUND PLASTICIZER
MANUF: USS CHEMICALS

PROD: QUICK-DRY RECORDER INK
CHEM: WATER SOLUTION CONTAINING GUM ARABIC, GLYCERINE, DYES, SALICYLIC ACID
USAGE: RECORDER PEN INK
MANUF: TAYLOR INSTRUMENT

PROD: REGULAR RECORDER INK
CHEM: SOLUTION CONTAINING DYES, GUM ARABIC, DENATURED ALCOHOL, AND GLYCERINE
USAGE: RECORDER PEN INK
MANUF: TAYLOR INSTRUMENT

PROD: ROSS WAX 145
CHEM: PETROLEUM WAX
USAGE: COMPOUND LUBRICANT
MANUF: FRANK B ROSS COMPANY

PROD: SANTICIZER 146
CHEM: MODIFIED PHOSPHATE ESTER
USAGE: COMPOUND PLASTICIZER
MANUF: MONSANTO CO.

PROD: SANTICIZER 429
CHEM: POLYESTER OF ADIPIC ACID
USAGE: COMPOUND PLASTICIZER
MANUF: MONSANTO CO.

PROD: SANTICIZER 97
CHEM: DI-ALKYL ADIPATE; HEXANEDIOIL ACID; BIS-ALKYL ESTERS
USAGE: COMPOUND PLASTICIZER
MANUF: MANSANTO CO

PROD: SATIN TONE NO. 2
CHEM: ANHYDROUS ALUMINUM SILICATE
USAGE: COMPOUND FILLER
MANUF: ENGLEHARD MINERAL & CHEMICAL CORP.

PROD: SP 33
CHEM: ANHYDROUS KAOLIN CLAY
USAGE: COMPOUND FILLER
MANUF: FREEPORT KAOLIN CO.

PROD: SUNOLITE 160
CHEM: PETROLEUM WAX
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: WITCO CHEMICAL CORP.

PROD: SYNPRON 1438
CHEM: BARIUM CALCIUM ZINC COMPLEX
USAGE: COMPOUND HEAT STABILIZER
MANUF:

PROD: T-CARB ULTRA
CHEM: CALCIUM CARBONATE
USAGE: COMPOUND FILLER
MANUF: THOMPSON HAYWARD CHEMICAL COMPANY

DRY BLEND DEPARTMENT HAZARDOUS MATERIALS

12/13/86
PAGE 1

PROD: ACRYLOID K-120N
CHEM: PROPRIETARY ACRYLIC ESTER COPOLYMER
USAGE: DRY BLEND PROCESSING AID
MANUF: ROHM & HAAS

PROD: ACRYLOID K-175
CHEM: PROPRIETARY ACRYLIC POLYMER
USAGE: DRY BLEND IMPACT MODIFIER
MANUF: ROHM & HAAS

PROD: ACRYLOID KM-323B
CHEM: PROPRIETARY ACRYLIC POLYMER
USAGE: DRY BLEND IMPACT MODIFIER
MANUF: ROHM & HAAS

PROD: ACRYLOID KM-330
CHEM: PROPRIETARY ACRYLIC POLYMER
USAGE: DRY BLEND IMPACT MODIFIER
MANUF: ROHM & HAAS

PROD: ACRYLOID KM-653
CHEM: METHACRYLATE/BUTADIENE/STYRENE POLYMER
USAGE: DRY BLEND IMPACT MODIFIER
MANUF: ROHM & HAAS

PROD: ACRYLOID KM-680
CHEM: PROPRIETARY ACRYLIC POLYMER
USAGE: DRY BLEND IMPACT MODIFIER
MANUF: ROHM & HAAS

PROD: ADVASTAB TM 181
CHEM: ALKYL TIN MERCAPTOACID ESTER
USAGE: DRY BLEND HEAT STABILIZER
MANUF: MORTON THIOKOL, INC.

PROD: ADVASTAB TM 692
CHEM: ALKYL TIN MERCAPTOESTER SULFIDES
USAGE: DRY BLEND STABILIZER
MANUF: MORTON THIOKOL, INC.

PROD: CHLORINE
CHEM: CHLORINE
USAGE: COOLING WATER TREATMENT
MANUF: THOMPSON-HAYWARD CHEMICAL CO.

PROD: DIESEL FUEL
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: DURASTRENGTH 200
CHEM: PROPRIETARY ACRYLIC POLYMER
USAGE: DRY BLEND IMPACT MODIFIER
MANUF: M & T CHEM., INC.

PROD: AC 629A
CHEM: LOW MOL. WT. POLYETHYLENE
USAGE: DRY BLEND LUBRICANT
MANUF: ALLIED CHEM. CORP.

PROD: ADVAWAX 165
CHEM: REFINED PARAFFIN WAX
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: MORTON THICKOL, INC.

PROD: ADVAWAX 280
CHEM: REFINED PARAFFIN WAX
USAGE: COMPOUND/DRYBLEND LUBRICANT
MANUF: MORTON THICKOL, INC.

PROD: CALCIUM STEARATE
CHEM: CALCIUM STEARATE
USAGE: DRY BLEND LUBRICANT
MANUF: WITCO CHEM. CORP.

PROD: COMMERCIAL INSTRUMENT INK
CHEM: SOLUTION OF DYES, GUM ARABIC, DENATURED ALCOHOL, AND GLYCERINE
USAGE: RECORDER PEN INK
MANUF: TAYLOR INSTRUMENT

PROD: EPOLENE E14P
CHEM: OXIDIZED POLYOLEFIN
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: EASTMAN CHEM. PROD., INC.

PROD: HIGH TEMPERATURE INK
CHEM: SOLUTION CONTAINING DYES AND GLYCERINE
USAGE: RECORDER PEN INK
MANUF: TAYLOR INSTRUMENT

PROD: HOSTALUB XL-165
CHEM: SYNTHETIC PETROLEUM WAX
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: AMERICAN HOECHST CORP.

PROD: OMYACARB UF-T
CHEM: CALCIUM CARBONATE
USAGE: DRY BLEND FILLER
MANUF: OMYA, INC.

PROD: QUICK-DRY RECORDER INK
CHEM: WATER SOLUTION CONTAINING GUM ARABIC, GLYCERINE, DYES, SALICYLIC ACID
USAGE: RECORDER PEN INK
MANUF: TAYLOR INSTRUMENT

PROD: REGULAR RECORDER INK
CHEM: SOLUTION CONTAINING DYES, GUM ARABIC, DENATURED ALCOHOL, AND GLYCERINE
USAGE: RECORDER PEN INK
MANUF: TAYLOR INSTRUMENT

PROD: 2-ETHYLHEXANOL
CHEM: 2-ETHYL-1-HEXANOL, 2-ETHYLHEXYL ALCOHOL
USAGE: PLASTICIZER RAW MATERIAL
MANUF: BADISCHE CORP

PROD: ALFOL 610
CHEM: 6,8,10 BLEND OF NORMAL ALCOHOLS
USAGE: PLASTICIZER RAW MATERIAL
MANUF: VISTA CHEM. CO.

PROD: ALFOL 810
CHEM: 8,10 BLEND OF NORMAL ALCOHOLS
USAGE: PLASTICIZER RAW MATERIAL
MANUF: VISTA CHEM. CO.

PROD: BISPHENOL A
CHEM: 4,4 ISOPROPYLIDENEDIPHENOL
USAGE: COMPOUND ANTI-OXIDANT
MANUF: USS CHEMICALS

PROD: CAUSTIC SODA
CHEM: SODIUM HYDROXIDE
USAGE: PLASTICIZER PROCESSING
MANUF: VULCAN MATERIALS

PROD: CHLORINE
CHEM: CHLORINE
USAGE: COOLING WATER TREATMENT
MANUF: THOMPSON-HAYWARD CHEMICAL CO.

PROD: DARCO S-51
CHEM: ACTIVATED CARBON
USAGE: DECOLORIZING CHARCOAL
MANUF: ICI AMERICAS, INC.

PROD: DECYL ALCOHOL
CHEM: ISODECANOL
USAGE: PLASTICIZER RAW MATERIAL
MANUF: EXXON CHEM. CO.

PROD: DIESEL FUEL
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: GASOLINE
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: PARA TOLUENESULFONIC ACID
CHEM: TOLUENESULFONIC ACID
USAGE: PLASTICIZER ACID CATALYST
MANUF: JIM WALTERS RESOURCES, INC.

PROD: COMMERCIAL INSTRUMENT INK
CHEM: SOLUTION OF DYES, GUM ARABIC, DENATURED ALCOHOL, AND GLYCERINE
USAGE: RECORDER PEN INK
MANUF: TAYLOR INSTRUMENT

PROD: FILTROL K85
CHEM: DIATOMACEOUS EARTH
USAGE: CLAY ABSORBENT FOR DECOLORIZING
MANUF: FILTROL CORP.

PROD: HIGH TEMPERATURE INK
CHEM: SOLUTION CONTAINING DYES AND GLYCERINE
USAGE: RECORDER PEN INK
MANUF: TAYLOR INSTRUMENT

PROD: HYFLO SUPER-CEL
CHEM: DIATOMACEOUS EARTH
USAGE: FILTER AID
MANUF: JOHNS-MANVILLE

PROD: QUICK-DRY RECORDER INK
CHEM: WATER SOLUTION CONTAINING GUM ARABIC, GLYCERINE, DYES, SALICYLIC ACID
USAGE: RECORDER PEN INK
MANUF: TAYLOR INSTRUMENT

PROD: REGULAR RECORDER INK
CHEM: SOLUTION CONTAINING DYES, GUM ARABIC, DENATURED ALCOHOL, AND GLYCERINE
USAGE: RECORDER PEN INK
MANUF: TAYLOR INSTRUMENT

PROD: SUPER FILTROL
CHEM: DIATOMACEOUS EARTH
USAGE: CLAY ABSORBENT FOR DECOLORIZING
MANUF: FILTROL CORP.

PROD: TRANSCOPE INK
CHEM: SOLUTION CONTAINING GUM ARABIC, DYES, GLYCERINE, AND SALICYLIC ACID
USAGE: RECORDER PEN INK
MANUF: TAYLOR INSTRUMENT

PROD: TSP
CHEM: TRISODIUM PHOSPHATE
USAGE: OIL ABSORBENT
MANUF: OLIN CHEMICALS

LABORATORY HAZARDOUS MATERIALS

12/13/86
PAGE 1

PROD: 2-PROPANOL
CHEM: ISOPROPYL ALCOHOL
USAGE: PLASTICIZER TESTING SOLVENT
MANUF: FISHER SCIENTIFIC

PROD: ACETONE
CHEM: ACETONE
USAGE: CLEANING SOLVENT
MANUF: FISHER SCIENTIFIC

PROD: ACETONITRILE
CHEM: ACETONITRILE
USAGE: LIQUID CHROMATOGRAPH SOLVENT
MANUF: FISHER SCIENTIFIC

PROD: BUFFER SOLUTIONS
CHEM: SODIUM PHOSPHATE, POTASSIUM PHOSPHATE SOLUTION
USAGE: CALIBRATION OF PH METERS
MANUF: FISHER SCIENTIFIC

PROD: CYCLOHEXANE
CHEM: CYCLOHEXANE
USAGE: GENERAL PURPOSE LAB SOLVENT
MANUF: AMERICAN SCIENTIFIC PRODUCTS

PROD: CYCLOHEXANONE
CHEM: CYCLOHEXANONE
USAGE: VISCOSITY TESTING
MANUF: FISHER SCIENTIFIC

PROD: DIESEL FUEL
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: DRY FILM LUBRICANT
CHEM: 1,1,1, TRICHLOROETHANE, TRICHLOROTRIFLUOROETHANE, LIQUIFIED PETROLEUM GAS
USAGE: MOLD RELEASE AGENT
MANUF: CROWN INDUSTRIAL PRODUCTS CO.

PROD: ETHYL ETHER
CHEM: ETHYL ETHER
USAGE: EXTRACTION SOLVENT
MANUF: FISHER SCIENTIFIC

PROD: GASOLINE
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: HELIUM
CHEM: HELIUM, COMPRESSED
USAGE: G.C. CARRIER GAS
MANUF: AIRCO, INC.

PROD: HYDRANAL-COULOMAT C
CHEM: METHANOLIC SOLUTION
USAGE: WATER DETERMINATION TEST
MANUF: CRESCENT CHEMICAL CO., INC. (IMPORTER)

PROD: HYDROCHLORIC ACID
CHEM: HYDROCHLORIC ACID
USAGE: EFFLUENT WATER TREATMENT; GENERAL PURPOSE LAB ACID
MANUF: STAUFFER CHEM. CO.; FISHER SCIENTIFIC

PROD: HYDROGEN
CHEM: HYDROGEN, COMPRESSED
USAGE: G. C. FUEL
MANUF: AIRCO, INC.

PROD: MERCURY
CHEM: MERCURY
USAGE: FLUID FOR MERCURY MANOMETERS
MANUF: B.F. GOLDSMITH CHEMICAL & METAL CORP.

PROD: METHANOL
CHEM: METHYL ALCOHOL
USAGE: SOLVENT; LIQUID CHROMATOGRAPH CARRIER
MANUF: THOMPSON-HAYWARD CHEM. CO., DUPONT, FISHER

PROD: METHYLENE CHLORIDE
CHEM: METHYLENE CHLORIDE
USAGE: GENERAL PURPOSE LABORATORY SOLVENT
MANUF: FISHER SCIENTIFIC

PROD: N,N-DIMETHYLACETAMIDE
CHEM: N,N-DIMETHYLACETAMIDE
USAGE: VCM DOSIMETRY ANALYSIS SOLVENT
MANUF: J.T. BAKER

PROD: NITROGEN
CHEM: LIQUID NITROGEN
USAGE: BRITTLE POINT ANALYSIS COOLANT
MANUF: MS WELDING SUPPLY

PROD: NITROGEN
CHEM: NITROGEN, COMPRESSED
USAGE: MISC. PROCESS CONTROLS; G. C. CARRIER GAS
MANUF: AIRCO, INC.

PROD: OXYGEN
CHEM: OXYGEN, COMPRESSED
USAGE: FLAME CUTTING & WELDING; PVC COMPOUND QUALITY CONTROL AID
MANUF: AIRCO, INC.

PROD: REAGENT ALCOHOL
CHEM: DENATURED ETHYL ALCOHOL
USAGE: PLASTICIZER TESTING SOLVENT
MANUF: FISHER SCIENTIFIC

LABORATORY NON-HAZARDOUS MATERIALS

12/13/86
PAGE 1

PROD: HI-SIL 233
CHEM: HYDRATED AMORPHOUS SILICA
USAGE: ANTISTAT AGENT FOR RESIN TESTING
MANUF: PPG INDUSTRIES, INC.