FILE NAME: Flintkote (FLK)

DATE: 1977 May 17

DOC#: FLK114


DOCUMENT DESCRIPTION: Memo with Warning Label for Celotex & Questions RE When Labels are Required

May 17, 1977

Mr. S. Weiss

Wilson Harvey

WARNING ON ASBESTOS FELT LABELS





Attached is a copy of the warning label we intend to put on the asbestos felt Celotex will make for us under our label.

We are still manufacturing an 80# asbestos cap sheet here. This is a coated sheet with granules. Do we need a warning label on this?

Sincerely,

WH:FK
Att'd


Glatex
Glatex
ASPHALT
SBESTOS FELT
15
PERFORATED


Celotex
Celotex
Celotex
15
Celotex
TAMPA, FLORIDA 33622
a jim walter company
WARNING
THIS PRODUCT CONTAINS ASBESTOS FIBER. THE OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA), AN AGENCY OF THE UNITED STATES GOVERNMENT, BELIEVES THAT REPEATED INHALATION OF ASBESTOS FIBER IS A HEALTH HAZARD AND MAY CAUSE VARIOUS DISEASES INCLUDING CANCER AND ASBESTOSIS.