

**To:** Dravis, Samantha[dravis.samantha@epa.gov]  
**From:** Jennifer Kaufmann  
**Sent:** Mon 5/1/2017 12:26:54 PM  
**Subject:** RE: Letter [WARNING: DKIM validation failed]

Thank you! Give me a call if you need anything or have questions.

Hope you had a great weekend. Let's catch up when you've got some free time.

.....  
**Mercury.**

Jennifer Kaufmann  
Vice President  
300 Tingey Street SE | Suite 202  
Washington, DC | 20003  
202.261.4000 office | 301.807.8303 mobile  
www.mercuryllc.com

**From:** Dravis, Samantha [mailto:dravis.samantha@epa.gov]  
**Sent:** Monday, May 1, 2017 8:26 AM  
**To:** Jennifer Kaufmann <jkaufmann@mercuryllc.com>  
**Subject:** RE: Letter [WARNING: DKIM validation failed]

Jennifer,

I am taking a look at this issue today.

**From:** Jennifer Kaufmann [mailto:jkaufmann@mercuryllc.com]  
**Sent:** Tuesday, April 18, 2017 12:51 PM  
**To:** Dravis, Samantha <dravis.samantha@epa.gov>  
**Subject:** FW: Letter [WARNING: DKIM validation failed]

Greetings,

I don't mean to be a pest but I wanted to make sure you received my email below. We're having some trouble reaching the appropriate people and I was wondering if you might steer us in the right direction. I don't believe the issue is controversial or even particularly complex; industry is just looking for guidance on implementation. We'd be delighted to make experts available to the right individuals to further discuss if that is helpful/appropriate. Any assistance you could provide in getting this correspondence into the right hands would be very much appreciated!

And as an aside, let me know when you're not crazy hectic so we can grab a drink and catch up on all things work and non-work related!

Miss you!

Jenny

.....  
**Mercury.**

Jennifer Kaufmann

Vice President

300 Tingey Street SE | Suite 202

Washington, DC | 20003

202.261.4000 office | 301.807.8303 mobile

[www.mercuryllc.com](http://www.mercuryllc.com)

**From:** Jennifer Kaufmann

**Sent:** Tuesday, April 4, 2017 5:27 PM

**To:** 'dravis.samantha@epa.gov' <[dravis.samantha@epa.gov](mailto:dravis.samantha@epa.gov)>

**Cc:** Mike McSherry <[mmcsherry@mercuryllc.com](mailto:mmcsherry@mercuryllc.com)>

**Subject:** Letter


Hi Sam,

First, congrats on the new position!

Per our brief conversation this morning, our client is a member of one of the organizations represented in the attached letter. They are concerned about some of the unintended consequences implementation of the Rule mentioned in the letter and promulgated by the previous Administration will have on their industry. Erik Winchester and Wendy Cleland-Hamnett have received copies of this letter but I wanted to flag for you as well. If you have any questions or need additional information we'd be happy to provide.

Thanks again! Let's catch up soon.

~Jenny Kaufmann



**Jennifer Kaufmann**

Director

300 Tingey Street SE, Suite 202

Washington, DC | 20003

(202) 261-4000 office | 301-807-8303 mobile

[www.mercuryllc.com](http://www.mercuryllc.com)

This email is intended only for the person or entity to which it is addressed and may contain information that is privileged, confidential or otherwise protected from disclosure. Dissemination, distribution, or copying of this email or the information herein by anyone other than the intended recipient, or an employee or agent responsible for delivering the message to the intended recipient, is prohibited. If you have received this email in error, please immediately notify us by calling our Network Operations Center at +1 855 237 8324.