Douglas United Nuclear, Inc.
Richland, Wash.

0597802

WATER_PCB-00039530

Douglas United Nuclear Richland, Wash.

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S), REQUIRED FEE(S) PAID.

☐ Show to whom, date and address where delivered

☐ Deliver ONLY to addressee

RECEIPT

Received the numbered article described below.

REGISTERED NO.	SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)
CERTIFIED NO. 649161	1
INSURED NO.	2 SIGNATURE OF ADDRESSEE'S AGENT, IF ANY F. Zahrow for Orkes
DATE DELIVERED 12-20-71	3 SHOW WHERE DELIVERED (*only if requested*)

0597803

12-15-71 Mlg.

-11 847-198 GPO

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS



PENALTY FOR PRIVATE USE TO AVOID PAYMENT OF POSTAGE, $300

POSTMARK OF DELIVERING OFFICE

Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Moisten gummed ends and attach this card to back of article.

RETURN TO

Monsanto Company
P.O. Box 14617
St. Louis, Mo. 63178

POD Form 3811 Apr. 1969 c55—16—71568-13

0597804

WATER_PCB-00039532

(509) 942-7417

STATUS

1. Customer DOUGLAS UNITED NUCLEAR — Major FR User / MICC Bus. Grp. / Other MC
2. Address Richland, Wash. (FR Location)
3. Other Locations Using FR: Yes ☐ No ☐
4. Prior Experience: T-55 ☐ T-66 ☐ Other ☐
5. Other Locations Converted from FR: Yes ☐ No ☐
6. Any Conversion Attempts by Monsanto: Yes ☐ No ☐
7. Any Conversion Inducements: Yes ☐ No ☐
8. If Yes to 6 or 7, give details and status _____
9. Applications for FR (Details) _____
10. FR System(s) — Volume (gal.) — Max. Op. Temp (°F)
    FT1
11. Any System Peculiarities or Precautions _____
12. Likely Replacement: T-55 ☐ T-66 ☐ Other ☐
13. Sales History

	1968	1969	1970	1971	Date of last order	Volume of last order
Total Volume Orders/Year			600			

14. Key Personnel (address/title/phone)
    Mr. Lawson (509) [illegible]
    Mr. Landblom " " -6198

0597805

WATER_PCB-00039533

CONVERSION ACTION

1. Conversion Target Date

2. Monsanto Help Needed _____

_____

_____

_____

_____

3. Progress of Conversion

Date	Action	Initiated by
3/27	Called Lawson - he will check and have user contact me.	[illegible]
3/28	Lindblom called - They have no record of purchase. Thinks used for testing in connection with Market Survey on heat transfer fluids.	Neary

0597806

Douglas United Nuclear

Richland, Wash.

FR-1 , 600# bought in 1970

Received 12-15-71 mailing

Team has never contacted

Karen believes under a different name,

but can't recall.

Please contact customer on conversion.

5-24-72

Paul

Unable to locate fluid. We have no record of sale and they have no record of purchase. May have been shipped under blanket order for hydraulic or lubricating fluids. See log notes

Bob N.

6-10-72

0597807

WATER_PCB-00039535