

UNION CARBIDE CORPORATION
MINING AND METALS DIVISION

P. O. Box K, King City, California 93930

June 3, 1977

Mr. David R. Urquidez - Packaging/Palletizer Operator - For Union Carbide Corporation, Metals Division - King City, California - Employee No. 303 - C.S.D. 8/20/75 - S.S. No. 585-22-5566

Dear Mr. Urquidez:

SUBJECT: Cal/OSHA Asbestos Regulations, Title 8, Section 5208 - Subparagraph (K) - Employee Notification (New Section Adopted 11/1/76)


In accordance with Cal/OSHA Asbestos Regulations, Title 8, Section 5208, Subparagraph (K), Employee Notification, notice is hereby given that your exposure of asbestos fibers was in excess of the permissible limits on May 31, 1977. Twelve (12) each thirty (30) minute personal air samples were taken. The average asbestos fiber count for the twelve (12) samples was 2.64 fibers longer than 5 micrometers, per cubic centimeter of air.

Corrective action shall be taken immediately.

- B) Exhaust ventilation systems are in good working order. Exhaust ventilation systems are checked each shift. (On-going)
- C) Asbestos spills shall be vacuumed cleaned promptly. (On-going)
- D) Air-filtering respirators are in use and worn in accordance with provisions of Section 5144. (On-going)
- E) Change room and special clothing will continue to be provided to each employee. Employees will be required to vacuum clean their coveralls as it is needed. (On-going)
- F) Laundering of asbestos-contaminated clothing will continue in accordance with Section 5208. (On-going)

Very truly yours,

UNION CARBIDE CORPORATION


R. J. Kronkayte
Safety Engineer

cc: Messrs: O. J. Malacarne
R. O. Marsten
J. L. Myers

E. A. Piersall
E. W. Shortridge ✓
W. C. Thurber

/ljg

A08561

