

MD-3-A

PACKAGE TICKET

(DRY AND PASTE ONLY)

CODE RT618 LOT 38225

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PQ
	<u>20</u>	<u>2780</u>	<u>60</u>	

TOTAL NET WT. 2780 PKG. N-CODE _____

PROD. SPVR. [Signature] DATE 13/27 WHSE. OPER. 292

D.T
189.+
136.+
148.+
136.+
128.+
169.+
151.+
136.+
135.+
151.+
123.+
142.+
160.+
141.+
108.+
133.+
152.+
136.+
146.+
30.+
2700.T

CG 32 CODE RT-618-D PKG.

→ DEC 10 80 38225

EST. WGT. 2902 LBS.

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES RT-618-D (S) APPROVED BY JJG 08-15-78; AMJ 09-19-78;

TYPED BY emw092078

MAKING NOTES

REMARKS

NAME: WATCHUNG® RED Y

NON-BLEEDING

INSTRUCTIONS

-PRESSING-

RECORD

VAT		903			PRESSLOAD	1ST	2ND	3RD	4TH	5TH
DATE		12-11-80			STARTED	7 PM				
TIME		11:45 PM			CAKES USED	68				
RELEASED BY					WATER ON	1 3/4				
PRESS	95				HRS. WASHED	7				
NO. OF CAKES	68				OHMS	4000				
PRESS	without	AGITATION			HRS. WASHED					
WASH TO	3000	OHMS with 35-75°F water			OHMS					
TEST AFTER	2	HOURS			HRS. WASHED					
LOAD	on 10 cars				OHMS					
	Use Mn free equipment				CAKE CONDITION	11				
	Instruct Making Area to add 10# N-588-A				NO. CARS LOADED					
	halfway thru pressing				EXPLAIN LOSSES					
	Clean Magnetic Separator after pressing									
	Cleaned by	Time Cleaned								
SAMPLES	803				SAMPLED BY					
DELIVER TO					RELEASED BY					

-DRYING-

DRY	24	HOURS AT	180	°F	LUMP:	- OK - WET - SALTS - CONTAMINATED
		Use Mn free equipment				
		Use paper liners in L/P				
		Hold on track 30 min before dumping pans				
					ADDITIONAL DRYING HOURS REQUIRED	
SAMPLES	803				NO. DRUMS	17
DELIVER TO					NO. CARS PULLED	2806
					SAMPLED BY	
					RELEASED BY	

-GRINDING-

MILL	2 LSP	1/8" RP	SCREEN	1750	RPM	SCREEN		RPM
MAX. TEMP.		150°F				MAX. TEMP.		°F
		Do not grind other organics in immediate area						
		Use Mn free equipment						
						EXPLAIN LOSSES		
SAMPLE		WITHOUT MIXING				DATE MIXED	12/20/80	
SAMPLES	2	ENV				SAMPLED BY	2/13	
DELIVER TO		CTL				RELEASED BY		

0.00 *

38225

51

17

0.00 *

1.99	+
0.14	-
1.94	+
0.14	-
1.96	+
0.14	-
1.73	+
0.14	-
1.86	+
0.14	-
1.81	+
0.14	-
1.83	+
0.14	-
1.89	+
0.14	-
1.83	+
0.14	-
2.00	+
0.14	-
1.87	+
0.14	-
1.81	+
0.14	-
1.80	+
0.14	-
1.85	+
0.14	-
1.75	+
0.14	-
1.70	+
0.14	-
0.82	+
0.14	-
28.06	*