int Compound Instant Selector

PLAINTIFF'S EXHIBIT

USG-1798

N 25 LB. BAGS

ALL PURPOS



GP004 0149

Your United States Gypsum J

POWDER-TYPE JOINT COMPOUNDS

USG® brand Joint Compounds

For those who demand the very finest . . . from the people who know drywall best. A new family of superior formulations that mix faster, stay mixed better, apply smoother, better.

The crisp white bag tells you it's our finest quality powder compound.

GP004 0150

Your United States Gypsum .

POWDER-TYPE JOINT COMPOUNDS

01000 0153

PERF-A-TAPE* Joint Compounds

Our standard of excellence. Their outstanding performance and superb, well-balanced characteristics have made them a popular choice of exacting professionals, for years.

The rich brown bag identifies the established formulation, accepted as the leader throughout the construction industry.



nt Compound Instant Selector

25 LB. BAGS



GP004 0160

1910 0004 CF

int Compound Instant Selector

N 25 LB. BAGS



CF004 0169

Your United States Gypsum J

POWDER-TYPE JOINT COMPOUNDS

CP004 0170

GP004 0171

J.66 U.S.G. 12/68

DURABOND* Joint Compounds

Strength, hardness, minimum shrinkage, make this family of compounds the choice for rugged jobs, special applications. Fast hardening, independent of on-the-job humidity conditions, DURABOND is ideal for repair and remodeling work, or for regular joint work. Choose DURABOND 90 for pre-fill coating of SHEETROCK* SW gypsum wallboard, or for quick patching needs. The soft tan bag holds our treatment for special needs.

For further information on these materials, contact United States Gypsum Co., 101 S. Wacker Dr., Chicago, Illinois 60606



CP004 0172

Your United States Gypsum J

POWDER-TYPE JOINT COMPOUNDS

CP00n 0181

CT000 0183

J-66 U.S.G. 12/66

int Compound Instant Selector

25 LB. BAGS



GP004 0187

Your United States Gypsum J

POWDER-TYPE JOINT COMPOUNDS

CF00H 0188

READY MIXED COMPOUNDS IN POI

USG Ready Mixed Compounds . . . Save time and money on the job. Pre-mixed, factory-controlled quality without compromise. They're ready to use soon as you open the container. No waste at day's end—just close the container again. Specify: USG Ready Mixed Joint Compound—All Purpose, for all three applications (taping, topping, texturing).



GP004 0195

JLAR 5-GALLON CONTAINERS



CF00u 0196

LAR 5-GALLON CONTAINERS



GF004 0201

J-68 U.S.G. 12/66