

11-22-72

20 gal batch today

strip off teluene - by distillation
at 110° - 120° C.

4-7 hours

@ ~ 25

T8 day -

absorption into paper -
no heat

Offset Printing inks -

1. sheet press -

100% solids

drying oil - linseed etc
alkyd

2. wet inks -

sol in HC - mostly aliphatics

Gravure inks -

20% solids

1. isopropanol

ethyl acetate

not much HC

11-27-72
Larry Davis - Inst'l gr.
DD - Australia

856-200 clear
959-200 chcr.
see CKI

Doc. of TLV - 1971 -

Clay Smith
R-66 Reg 5 Phila.

label for Phila - X code
will remove non-conform from file
confirming but not labeled

M.A. Bruder -
has NPCA found

could we just put sign in paint area?

Med Levi

↳ Dan King says use rubber
stamp

Flexo Inks- similar to Green Inks

cellulosin

alcohols

Newspaper

Out ink + ali AC

11-27-72

Tam Nelson
NCO.

has method
Ges. is getting Desmodium
to set up stls

will try in hood @ various dist.
= stl - Refinish -

Dust - 65 line sanding
2 fibres/ml -

more sanding in lab

cyclone separator → respirable
1 ordered 3ms. ago
ash sample
Dust

→ how much encapsulated

send him Canadian law

Joe Brawolshi

11-27-72

Ochamar Yellow CI Pig Yellow 74

CI # 11,741

no toxic data

Rhodamine Red

XYS ?

BY ?

cell him & specific mat'l of interest

Dick Dim

not a med emergency
black paint can that exploded

def told them didn't need right away

C DeBoer

X-268

explained & he will
talk to Paul Hayes

Zimmet - Re: Phila Corliss - memf. solo problem
he doesn't want to get involved
try R-66 Luv, & Ind.

see 11-27 AM. Paul's Journal electrical
WZ wrote it

Re: Ohio camp - he agrees he's a passive
non reactive - could get turned

down too late to make needed
changes in equip

Walt Moffett - Southfield

Dick Hubish -

↳ how can Pfizer and by X ray
diff. - tell whether fibrous or not

W. Moffett -

presentation to GM on 12-13-72

mobay GM MD has asked mobay
to discuss

EL Grimm blocked urethra - 1 phg.

FTJ letter - he wouldn't expect
an answer

Marked -

can take chance of not
being challenged

or label -

rubber stamp idea of

Dave Ring sounds OK

White Glue -

no law that says FHSA test
must be run on actual formula
sold.

Walt Moffett cont.

need info on toxicity of
blocked urethans

Walt Duffy / al Armauer
blocked diisocyanates

(
Dave Wald -
L

applies coil coating
Hylene W adduct

3 mols Hylene W (2.00/lb.)
Glycerol PT 440- sells for
Wyanlot 89.00/gal

no free NCO -

when heat Ketoxim de caps

OH polyesters }
NCO adduct } tie up

polyester - urethans

very UV sensitive

Desmophene 650

Dave Helma

Hylene W

Solvents H-601 or H-6
H

isophorone
cellulose
butyl cell ...

Pete Smyth
Chemplost
Northland

11-27

11/28 - Day of Vacation

11/29

CS Hornberger

Glue stick - will start feeding right away

Pete Smyth

Bob Moffett

Caprolactam adduct of
capped diisocyanate
- i methyl ethyl ketolime

Kodak - may be supplier of
caprolactam

he will have Duffy send me
letter stating
probable ingredients
reaction products
unblocking emulsion

C. Hornbergs

DMF - windshield washer
is eye irritant

advised
start
11/30

recovery of cornea in 15 days
FNSA - eye irritant

but he thinks would be OK
since not permanent
report - coming soon

blocked NCO finishes

need good resp. protection
not nec. - sur would need air line
impermeable

he would guess that blocked NCO
product would not be significantly
less toxic than present 2 phg