FILE NAME: Hampshire (HAMP)

DATE: 1991-1994

DOC#: HAMP117

DOCUMENT DESCRIPTION: Legal - Summary of Charles Fry Testimony

CHARLES FRY
5/22/91

PAGE	LINES	SUMMARY
5	19-21	started Hamp 1975
9	11-20	involved in doc retention
10	21	
11	1-10, 15-20	Boxes of docs thrown out in dumpsters
26	3-19	Heard at Hamp - did a lot of business with USG - largest supplier in 1975
32	8-12, 14-18	**no research or testing of products in 60's & 70's**
39	21	**no warnings re asb. to building**
40		**owners**
111		**Hamp never tried to determine which of its prods. were ACPs**

CHARLES FRY
5/27/93

PAGE	LINES	SUMMARY
3	8-11	sworn
5	4-9, 10-13, 18-21	name, Treasurer of Hamp, JH Hamp set up 1981, prior JH
6	1	Hamp changed name to Hamp Industries 1981 and became parent
8	1-13	Old JH Hamp became Hamp Industries new JH Hamp formed to be holding company
10	12-16, 19-21	set up in depts - plaster,
11	1-17	drywall, acoustical ceilings



CHARLES FRY
1/6/94

PAGE	LINES	SUMMARY
25	17-21	plastering dept - plasterers, lathers
26	5-10	hod carrier, lather job
27	12-21	has an idea that plstr was USG
28	1-3, 5, 17-21	trowel applied
29	1-6	dry in bags, mixed with water
36	15-18	acoustical dept. - USG, Arm, **Celotex,** Flintkote
38	3-4, 6, 10-12, 21	buying Arm, **USG, ceiling tiles** when he arrived 1975
39	1, 7-9	believes used Celotex ceiling tiles pre 1975
49	19-21	dry wall dept. - carpenters, finishers
50	1-8, 13-14, 16-21	finishers used **jt compound, USG**
51	1-9, 11-13, 15-16, 20-21	GP, NG, USG prior to 1975
52	1-3	GP made jt compound
75	11-12, 14,-17, 20-21	Gold Bond jt. compound
76	1	used by drywall dept.
81	17-18, 20-21	USG - drywall board, jt compound, ceiling tile
93	10-21	**not require Hamp Yees to take precautions re: ACP**, no asbestos training courses for Yees.
94	1-7	aware of **11 WCC**, 1st filed 1983
96	-21	**no IH, no MD**, no nurse
97	1-14	no cxr program, **never tested ACPs, no search of med/scientific literature**, no conference re:hazards
134	18-21	**no one** at Hamp **responsible for health & safety of Yees**
135	1-10	**no meetings where warned Yees**, not require annual physicals

CHARLES FRY
10/26/94

PAGE	LINES	SUMMARY
15769	13-21	time to time purged records
70	1, 19-21	not just spray, **purged all**
71	1-3	**records**, whatever dept managers said didn't need
74	16-21	DNK when stopped using ACP
75	1-10	use whatever is requested, DNK content of prods it purchases, **not for Hamp to know if is ACP**