

U. S. DEPARTMENT OF LABOR
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
700 MIDTOWN PLAZA, ROOM 203
SYRACUSE, N. Y. 13210

~~SECRET~~
Rc D 347



PLAINTIFF'S EXHIBIT

GP-1634

July 10, 1973

RECEIVED

JUL 16 1973

Mr. John Rauch
Manager
Georgia Pacific Corporation
Bloomingdale Road
Akron, New York 14001

Dear Mr. Rauch:

Enclosed are the amended citations and under separate cover Amendment to Notification of Proposed Penalty, and the revised Multi-Step Abatement date for the incorporation of immediate temporary administrative controls.

These changes reflect the revisions to the original citations issued, as was agreed upon at our informal conference held July 5, 1973.

If you have any questions, please do not hesitate to contact this office.

Sincerely,

A handwritten signature in dark ink, appearing to read "Chester C. Whiteside".

Chester C. Whiteside
Area Director

Enclosures



SGP 0007024

U.S. DEPARTMENT OF LABOR Occupational Safety and Health Administration AMENDMENT TO NOTIFICATION OF PROPOSED PENALTY	CSHO NO.	OSHA-1 NO.
	P-1568	48
	AREA	REGION
	6010	2

TO: Mr. John Rauch
 Manager
 Georgia Pacific Corporation
 Bloomingdale Road
 Akron, New York 14001


On the 10th day of July, 1973, a Citation(s) was (were) issued to you in accordance with the provisions of section 9(a) of the Occupational Safety and Health Act of 1970 (84 Stat. 1601; 29 U.S.C. 651, et seq.) hereinafter referred to as the Act. You were thus notified of certain alleged violations of the Act, as specified in that Citation(s).

YOU ARE HEREBY NOTIFIED that pursuant to the provisions of section 10(a) of the Act, the penalty(ies) set forth below is/are being proposed, based on the above Citation(s):

SERIOUS VIOLATIONS	Notification of Proposed Penalty issued on the 13th day of June, 1973 is amended as set forth below.
<u>Citation No.</u>	<u>Proposed Penalty</u>
1	\$800.00

OTHER VIOLATIONS*

<u>Citation No.</u>	<u>Item No.</u>	<u>Proposed Penalty</u>
1, Page 1 of 5	1.	\$ 90.00
	2.	90.00
1, Page 2 of 5	3.	None
	4.	None
1, Page 3 of 5	5.	None
	6.	90.00
1, Page 4 of 5	7.	90.00
1, Page 5 of 5	8.	90.00
	9.	90.00



New Total for All Alleged Violations \$1340.00

* In the case of each "other violation," the proposed penalty reflects a 50 percent adjustment factor for corrective action taken within the period prescribed in the citation. If a particular alleged violation is not corrected within this period, an automatic additional penalty of 50 percent will be proposed for each violation. However, if you contest an alleged violation in good faith before the Review Commission, the period for correction does not begin to run until the entry of a final order by the Review Commission affirming the citation. The proposed penalty is exclusive of such other additional penalty as may subsequently be proposed for failure to correct a violation within the abatement period.


SGP 0007025

The payment of penalties is to be made by certified check or money order, payable to the order of "Occupational Safety and Health-Labor." Remit to the Area Director whose address appears below.

YOU ARE FURTHER NOTIFIED that the aforesaid Citation(s), this Notification, and the proposed assessment shall be deemed to be the final order of the Occupational Safety and Health Review Commission and not subject to review by any court or agency, unless, within 15 working days from the date of receipt of this notice, you notify the official named below in writing that you intend to contest the Citation or this Notification of Proposed Penalty before the Review Commission. The Review Commission is an independent quasi-judicial agency with authority to issue decisions regarding citations and proposed penalties.


There is no requirement that this Notification be posted.

Dated at Syracuse, New York this 10th day
of July, 19 73.



Area Director
Occupational Safety and Health Administration
U. S. Department of Labor

203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210



U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

CSHO NO. P-1568	OSHA-1 NO. 48
AREA 6010	REGION 2

CITATION*

Citation Number 1, Page 1 of 5 Date Issued JUN 13 1973

EMPLOYER Georgia Pacific Corporation

(Street Bloomington Road)

ADDRESS (

(City Akron State New York Zip 14001)


An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
1.	29 CFR 1910.93a (d)(3) Page 22143	Failure of the employer to provide and require use of special clothing, such as coveralls or similar whole body coverings, gloves, and foot coverings to prevent skin contact with asbestos fibers, of employees within the dry mix and packout area.	Multi-Step Abatement (See Reverse Side of this Citation)
2.	29 CFR 1910.93a (d)(4) Page 22143	Failure of the employer to provide change rooms, two separate clothes lockers for work and street clothes, and the laundering and handling of work clothes for all employees exposed to airborne concentrations of asbestos fibers in excess of prescribed limits, within the joint compound mixing and packout area.	Multi-Step Abatement (See Reverse Side of this Citation)



Area Director's Signature

Chester C. Whiteside
Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U. S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that no penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

Mr. M. F. Fink, Gypsum Division
Georgia-Pacific - Tigard, Ore.

Gypsum Association

201 North Wells Street, Chicago, Illinois 60606 (312) 726-5675

July 10, 1973

TO ALL MEMBERS OF THE
MANUFACTURING AND MINING COMMITTEE

Gentlemen:

Subject: Asbestos in Joint Treatment
Compound

The attached letter mailed to the Technical Committee July 6, 1973 reports the current status of the Association's study covering asbestos in joint treatment compound. Any additional input you may have available should be sent to the secretary.

You will also find attached a recent OSHA Citation which is sent to you, as in the past, for your information and files. This is the first OSHA Citation received by the Association relative to employee exposure to airborne concentrations of asbestos fibers and accompanies this status report since the plant mixing of joint compound is one phase of the proposed Association program.

Very truly yours,

GYPSUM ASSOCIATION



F. J. Rogers, Secretary
Manufacturing and Mining
Committee

FJR:mc
Attachment

cc: Safety Committee

SGP 0007028

RECEIVED
JUL 10 1973

JUL 30 1973



PROPOSED PENALTY

<u>Citation No.</u>	<u>Proposed Penalty</u>
1.	\$800.00
2.	800.00
3.	800.00

OTHER VIOLATIONS

<u>Item No.</u>	<u>Proposed Penalty</u>
1.	\$ 90.00
2.	90.00
3.	None
4.	None
5.	None
6.	90.00
7.	90.00

Total for All Alleged Violations \$2760.00

CITATION FOR SERIOUS VIOLATION

Standard or Regulation Allegedly Violated	Description of Alleged Violation	Date on Which Alleged Violation Must be Corrected
29 CFR 1910.93a (b) Page 22142	Failure of the employer to maintain employee exposure to airborne concentrations of asbestos fibers below acceptable levels:	MULTI-STEP ABATEMENT
Citation No. 1	1) Concentrations below 5 fibers, longer than 5 microns, per CC, based on an 8 hour Time Weighted Average, 2) Concentrations, at any time, below 10 fibers, longer than 5 microns, per CC.	
29 CFR 1910.93a (d) (2) Page 22143	Failure of the employer to provide, and for the employees to use, U.S. Bureau of Mines approved respirators to prevent inhalation of airborne asbestos dust fibers (within the dry mixing and packout area).	MULTI-STEP ABATEMENT
Citation No. 2		
29 CFR 1910.93a (d) (2) (iv) Page 22143	Failure of employer to establish a respiratory program throughout the dry mixing area in accordance with the American National Standard Practice for Respiratory Protection Z88.2-1969, for employees who are exposed to excessive asbestos dust concentrations.	MULTI-STEP ABATEMENT
Citation No. 3		

CITATION

Item Number	Standard or Regulation Allegedly Violated	Description of Alleged Violation	Date on Which Alleged Violation Must Be Corrected
1.	29 CFR 1910.93a (d) (3) Page 22143	Failure of the employer to provide and require use of special clothing, such as coveralls or similar whole body coverings, gloves, and foot coverings to prevent skin contact with asbestos fibers, of employees within the dry mix and packout area.	Multi-Step Abatement
2.	29 CFR 1910.93a (d) (4) Page 22143	Failure of the employer to provide change rooms, two separate clothes lockers for work and street clothes, and the laundering and handling of work clothes for all employees exposed to airborne concentrations of asbestos fibers in excess of prescribed limits, within the joint compound mixing and packout area.	Multi-Step Abatement
3.	29 CFR 1910.93a (f) (2) (ii) Page 22143	Failure of the employer to establish a personal monitoring program at intervals not greater than 6 months within the joint compound mixing and packout areas where asbestos exposure may reasonably be foreseen to exceed prescribed limits.	Multi-Step Abatement
4.	29 CFR 1910.93a (g) (1) (i) Page 22143	Failure of employer to post "Caution" signs at all approaches to the joint compound mixing and packout area where airborne concentrations of asbestos fibers may be in excess of prescribed limits.	Multi-Step Abatement

T
U. S. DEPARTMENT OF LABOR
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
700 MIDTOWN PLAZA, ROOM 203
SYRACUSE, N. Y. 13210



July 10, 1973

Mr. John Rauch
Manager
Georgia Pacific Corporation
Bloomingdale Road
Akron, New York 14001

Dear Mr. Rauch:

Enclosed are the amended citations and under separate cover Amendment to Notification of Proposed Penalty, and the revised Multi-Step Abatement date for the incorporation of immediate temporary administrative controls.

These changes reflect the revisions to the original citations issued, as was agreed upon at our informal conference held July 5, 1973.


If you have any questions, please do not hesitate to contact this office.

Sincerely,

A handwritten signature in dark ink, appearing to read "Chester C. Whiteside".

Chester C. Whiteside
Area Director

Enclosures



SGP 0007032

Occupational Safety and Health Administration

203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

CSHO NO.	OSHA-I NO.
P-1568	48
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 1 of 5 Date Issued JUN 13 1973EMPLOYER Georgia Pacific Corporation(Street Bloomington Road)

ADDRESS (

(City Akron State New York Zip 14001)An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
1.	29 CFR 1910.93a (d)(3) Page 22143	Failure of the employer to provide and require use of special clothing, such as coveralls or similar whole body coverings, gloves, and foot coverings to prevent skin contact with asbestos fibers, of employees within the dry mix and packout area.	Multi-Step Abatement (See Reverse Side of this Citation)
2.	29 CFR 1910.93a (d)(4) Page 22143	Failure of the employer to provide change rooms, two separate clothes lockers for work and street clothes, and the laundering and handling of work clothes for all employees exposed to airborne concentrations of asbestos fibers in excess of prescribed limits, within the joint compound mixing and packout area.	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature

Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that no penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 31, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

OSHA NO.	OSHA-1 NO.
P-1568	46
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 2 of 5 Date Issued JUN 13 1973

EMPLOYER Georgia Pacific Corporation

(Street Bloomington Road

ADDRESS (

(City Akron State New York Zip 14001

An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
3.	29 CFR 1910.93a (f)(2)(ii) Page 22143	Failure of the employer to establish a personal monitoring program at intervals not greater than 6 months within the joint compound mixing and packout areas where asbestos exposure may reasonably be foreseen to exceed prescribed limits.	Multi-Step Abatement (See Reverse Side of this Citation)
4.	29 CFR 1910.93a (g)(1)(i) Page 22143	Failure of employer to post "Caution" signs at all approaches to the joint compound mixing and packout area where airborne concentrations of asbestos fibers may be in excess of prescribed limits.	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature

Chester C. Whiteside
Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U. S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that no penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 31, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z68.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.

Occupational Safety and Health Administration
203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

CSHO NO.	OSHA-1 NO.
P-1568	48
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 3 of 5 Date Issued JUN 13 1973
EMPLOYER Georgia Pacific Corporation
(Street Bloomington Road)
ADDRESS ((City Akron State New York Zip 14601)
An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows:

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
5.	29 CFR 1910.93a (g)(2)(i) Page 22144	Failure of the employer to affix a "Caution" label to all raw materials, mixtures, scrap, waste, debris and other products containing asbestos fibers to prevent exposure to concentrations above prescribed limits during any reasonably foreseeable use.	Multi-Step Abatement (See Reverse Side of this Citation)
6.	29 CFR 1910.93a (h)(1) Page 22144	Failure of the employer to maintain all external surfaces within the joint compound, dry mixing and packout area, free of accumulations of asbestos fibers (dry sweeping is to be discouraged, utilize vacuum sweeping methods).	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature

Chester C. Whiteside
Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that no penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 31, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

CSHO NO	OSHA-1 NO.
P-1568	48
AREA	REGION
6010	2

AMENDMENT TO CITATION*

Citation Number 1, Page 5 of 5 Date Issued July 10, 1973

EMPLOYER Georgia Pacific Corporation

(Street Bloomington Road

ADDRESS (

(City Akron State New York Zip 14001

An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
8.	Citations for Serious Violation #2 and #3, issued on the 13th day of June, 1973 are amended as set forth below: 29 CFR 1910.93a (d)(2) Page 22143 <i>CP</i>	Failure of the employer to provide, and for the employees to use, U.S. Bureau of Mines approved respirators to prevent inhalation of airborne asbestos dust fibers (within the dry mixing and packout area).	Multi-Step Abatement (See reverse side of this citation)
9.	29 CFR 1910.93a (d)(2)(iv) Page 22143 <i>CP</i> 	Failure of employer to establish a respiratory program throughout the dry mixing area in accordance with the American National Standard Practice for Respiratory Protection Z88.2-1969, for employees who are exposed to excessive asbestos dust concentrations.	Multi-Step Abatement (See reverse side of this citation)

Area Director's Signature

Chester C. Whiteside
Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that no penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 31, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all packout areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and packout areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.

U.S. DEPARTMENT OF LABOR Occupational Safety and Health Administration AMENDMENT TO NOTIFICATION OF PROPOSED PENALTY		CSMO NO. P-1568	OSHA-1 NO. 48
		AREA 6010	REGION 2

TO: Mr. John Rauch
 Manager
 Georgia Pacific Corporation
 Bloomingdale Road
 Akron, New York 14001

On the 10th day of July, 1973, a Citation(s) was (were) issued to you in accordance with the provisions of section 9(a) of the Occupational Safety and Health Act of 1970 (84 Stat. 1601; 29 U.S.C. 651, et seq.) hereinafter referred to as the Act. You were thus notified of certain alleged violations of the Act, as specified in that Citation(s).

YOU ARE HEREBY NOTIFIED that pursuant to the provisions of section 10(a) of the Act, the penalty(ies) set forth below is/are being proposed, based on the above Citation(s):

SERIOUS VIOLATIONS	Notification of Proposed Penalty issued on the 13th day of June, 1973 is amended as set forth below.
--------------------	--

<u>Citation No.</u>	<u>Proposed Penalty</u>
1	\$800.00

OTHER VIOLATIONS*

<u>Citation No.</u>	<u>Item No.</u>	<u>Proposed Penalty</u>
1, Page 1 of 5	1.	\$ 90.00
	2.	90.00
1, Page 2 of 5	3.	None
	4.	None
1, Page 3 of 5	5.	None
	6.	90.00
1, Page 4 of 5	7.	90.00
1, Page 5 of 5	8.	90.00
	9.	90.00

New Total for All Alleged Violations \$1340.00

*In the case of each "other violation," the proposed penalty reflects a 50 percent adjustment factor for corrective action taken within the period prescribed in the citation. If a particular alleged violation is not corrected within this period, an automatic additional penalty of 50 percent will be proposed for each violation. However, if you contest an alleged violation in good faith before the Review Commission, the period for correction does not begin to run until the entry of a final order by the Review Commission affirming the citation. The proposed penalty is exclusive of such other additional penalty as may subsequently be proposed for failure to correct a violation within the abatement period.

SGP 0007041

The payment of penalties is to be made by certified check or money order, payable to the order of "Occupational Safety and Health-Labor." Remit to the Area Director whose address appears below.

YOU ARE FURTHER NOTIFIED that the aforesaid Citation(s), this Notification, and the proposed assessment shall be deemed to be the final order of the Occupational Safety and Health Review Commission and not subject to review by any court or agency, within 15 working days from the date of receipt of this notice, you notify the official as you below in writing that you intend to contest the Citation or this Notification of Proposed Penalty before the Review Commission. The Review Commission is an independent quasi-judicial agency with authority to issue decisions regarding citations and proposed penalties.

There is no requirement that this Notification be posted.

Dated at Syracuse , New York this 10th day
of July , 19 73 .



Area Director
Occupational Safety and Health Administration
U. S. Department of Labor

203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210



SGP 0007042

GP 02

GEORGIA-PACIFIC
ROUTE SLIP

LOCATION

Tigard R & D

ATTN:

Mr. C. W. Lehman

FDD

WNU

~~GUU~~

☐ PLEASE HANDLE TO CONCLUSION ☒ FOR YOUR FILES
☐ READ AND GIVE ME YOUR COMMENTS ☐ FOR YOUR APPROVAL
☐ PLEASE READ AND RETURN ☐ PER YOUR REQUEST

DATE

7/12

FROM

J D Ranch

61

SGP 0007043

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 31, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

CSHO NO.	OSHA-1 NO.
P-1568	48
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 4 of 5 Date Issued JUN 13 1973
EMPLOYER Georgia Pacific Corporation
(Street Bloomington Road)
ADDRESS (Akron State New York Zip 14001
An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
7.	29 CFR 1910.93a (b)(2) Page 22144 <i>612</i>	Failure of the employer to collect and dispose of all asbestos waste, scrap, debris, bags, containers, contaminated clothing in sealed impermeable bags to prevent any foreseeable airborne concentrations of asbestos fibers above the allowable limit.	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature

Chester C. Whiteside
Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that no penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

SGP 0007045

- | | | | |
|----|--|---|----------------------|
| 5. | 29 CFR 1910.93a
(g) (2) (i)
Page 22144 | Failure of the employer to affix a "Caution" label to all raw materials, mixtures, scrap, waste, debris and other products containing asbestos fiber to prevent exposure to concentrations above prescribed limits during any reasonably foreseeable use. | Multi-Step Abatement |
| 6. | 29 CFR 1910.93a
(h) (1) Page
22144 | Failure of the employer to maintain all external surfaces within the joint compound, dry mixing and packout area, free of accumulations of asbestos fibers (dry sweeping is to be discouraged, utilize vacuum sweeping methods). | Multi-Step Abatement |
| 7. | 29 CFR 1910.93a
(h) (2) Page
22144 | Failure of the employer to collect and dispose of all asbestos waste, scrap, debris, bags, containers, contaminated clothing in sealed impermeable bags to prevent any foreseeable airborne concentrations of asbestos fibers above the allowable limits. | Multi-Step Abatement |

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 1, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all employees working within the joint compound dry mixing and pack out areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and pack out areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Adminis-

showing

a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.

- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.

Asbestos

O. S. H. A.

7-10-73

Schedule:

1. Set up respirator Program per ANSI Standard Z 88.2-1969.
2. Have unapproved respirators unavailable for Joint System employees. We should only keep U. S. Bureau of Mines respirators available for use in this department.
3. Complete medical check-up for all department employees. Set-up schedule for repeat medical on at least a 12 month basis.
4. Investigate and advise best method to comply with asbestos waste disposal.

Note: All of Above must be Completed by
JULY 30, 1973.

SGP 0007048

PR

Asbestos

C. S. H. A.

7-10-73

Notes:

Run field tests on No. asbestos formula as
expedient as possible.

[Signature]

Asbestos

O.S.H.A.

7-10-73

Gaddis:

1. Provide method of waste disposal in mine,
in approved manner.

2. Arrange complete employee monitoring program.

Note: Above must be completed by 7-30-73.

MM

Asbestos

O.S.N.A.

7-10-73

Entry:

1. Provide approved protection head to the clothing. Either then a way type or reusable type.

Note: Above must be completed by 7-30-73.

YB

Asbestos

D.S.H.A.

7-10-73

Weibel:

1. Remove Portable fan from air-flo Parker
2. Enforce use of protective clothing provided
3. Enforce use of approved respirator provided
4. Enforce use of plastic waste liquid container

Note All of above must be completed by 7-30-73

JLB

Asbestos

O.S.H.A.

7-10-73

Recommend:

1. Purchase or build small, individual lockers for employee storage of respirators.
2. Enclose bag slitter to increase effectiveness of present dust collection system.
3. Purchase or build a double locker system for affected employees work & street clothes.
4. Provide a separate change room to include #1 & #3 above.
5. Purchase & install portable dust collector for present air-fb bag factor. (industrial sweepers w/fly line).
6. Clean inside of 2/3 area of dust accumulation.

SGP 0007053

Note: All of above must be completed by 7-30-73

SH

Asbestos

O.S.H.A.

7-10-73

Schiffert's:

1. Set up respirator program per ANSI Standard Z.88.2-1969. Program set up on 7/10/73. *JK*
Instruction to be furnished 7/18/73 *JK* Completed 7/20 & 7/24
2. Have unapproved respirators unavailable for Joint System employees. We should only buy U.S. Bureau of Mines respirators available for use in this department. Completed 7/6/73 *JK*
3. Complete medical check-up for all department employees. Set-up schedule for repeat examination at least on a 12 month basis. Scheduled for 7/12/73 & 7/13/73 at Bataan Hospital *JK* *Still working on this on 7/16/73 6 months later* Completed 7/24/73 *JK*
4. Investigate and advise best method to Comp! with asbestos waste disposal. Completed 7/20/73 *JK*

Note: All of above must be completed by
JULY 30, 1973.

Asbestos

G. S. H. A.

7-10-73

NALBONE:

Run field tests on No asbestos formula as rapidly as possible.

1. Running tests in Detroit 7/11/73 & 7/12/73. 11 Tests were satisfactory 3 of 5 trials. Other 2 trials were not failures, but will require formula modification. See Field Test Report

[Signature]

Asbestos

O.S.H.A.

7-10-73

Gaddis:

1. Provide method of waste disposal in mine,
in approved manner. Completed with Bureau of
mines in June of 1973 *gk* Dust Boxes delivered 7/26/73 *gk*

2. Arrange complete employee monitoring program
7/11/73/- Total testing set for 7/21/73 *gk* Union Carbide to
do three tests on 7/17/73 *gk* Complete tests by Mr. Hollis on 7/23/73 *gk* ✓

Note: Above must be completed by 7-30-73.

gk

Asbestos

O.S.H.A.

7-10-73

Entry:

1. Provide approved protection head to toe clothing. Either throw away type or reusable type. Two Rep. to be at plant 7/11/73
all hse rep. in truck 7/11/73 with Wilson exp. ~~RD~~ Ordered all hse equipment on 7/24/73 ~~at~~ Boots delivered 7/27/73

Note: Above must be completed by 7-30-73.

[Signature]

Asbestos

O.S.H.A.

7-10-73

Label:

1. Remove Portable fan from air-flo Packs.
Complete 7/9/73 ✓
2. Enforce use of Protective Clothing Provided.
Schedule meeting with Union for 7/18/73 re the matter 7/16/73 ✓
3. Enforce use of approved respirators Provided.
Schedule meeting with Union for 7/18/73 re the matter 7/16/73 ✓
4. Enforce use of Plastic waste disposal Containers.
To start 7/30/73 - Bags provided 7/25/73 ✓

Note: All of Above must be Completed by 7-30-73.

JLB

Asbestos

O. I. H. G.

7-10-73

Measures:

1. Purchase or build small, individual lockers for employee storage of respirators. Ordered 7/10/73 *pk*
2. Enclose bag splitter to increase effectiveness of present dust collection system. Started 7/12/73
Completed 7/4/73 *pk*
3. Purchase or build a double locker system for affected employees work & street clothes.
Ordered 7/10/73 *pk*
4. Provide a separate change room to include #1 & #3 above. Moved into place 7/11/73. Completion as soon as #1 & #3 above ready.
5. Purchase & install portable dust collector for personal air. f/s bag factor. (industrial sweepers w/f/s).
Ordered 7/10/73 *pk*
6. Clean inside of 3/4 area of dust accumulation.
To start 7/28/73 *pk*

Note: All of Above must be completed by 7-20-73

100700

D 1521

PURCHASE ORDER

Georgia-Pacific Corporation

PURCHASE
ORDER

No. NY06536

GYPSUM DIVISION

BLOOMINGDALE ROAD • AKRON, NEW YORK 14001

TELEPHONE (716) 542-5431 • TELETYPE 710-266-1170

INVOICE TO BE SENT TO

PURCHASE ORDER NUMBER MUST BE SHOWN
ON EACH INVOICE, SHIPPING PAPER, PACKAGE
AND ALL CORRESPONDENCE

DATE WRITTEN	DATE REQUIRED	F.O.B.	ACCOUNT CODE NUMBER	TERMS
7/10/73	7/12/73	Divd.	241-8469-8302	Net

TO

Buffalo Testing Laboratories
902 Kenmore Avenue
Buffalo, New York 14216

SHIPPING INSTRUCTIONS:

SHIP TO
US AT: AKRON, NEW YORK 14001VIA
ROUTE best wayINVOICE BLOOMINGDALE ROAD
TO US AT AKRON, NEW YORK 14001ORDER SUBJECT TO CONDITIONS ON REVERSE SIDE ☒ TAXABLE ☐ NON-TAXABLE

QUANTITY	DESCRIPTION	PRICE	DO NOT WRITE IN THIS AREA
12	Millipore filters for asbestos fiber count	50.00 50.00	Rec'd: 7/17/73
<u>CONFIRMATION</u> 168-07/8/7/73			

PLEASE ACKNOWLEDGE BY RETURN MAIL

- IMPORTANT -

IF YOU CANNOT DELIVER & BILL THIS ORDER BEFORE
DATE WANTED PLEASE NOTIFY US IMMEDIATELY.

Georgia-Pacific Corporation

BY

PURCHASING AGENT

☐ OFFICE
MGR
☐ ASS'T
P.A.

PAPER • PLYWOOD • REDWOOD • PULP • GYPSUM PRODUCTS • CHEMICALS • LUMBER

AN EQUAL EMPLOYMENT OPPORTUNITY EMPLOYER

PLANT PURCHASING COPY

SGP 0007060

GD 1531

PURCHASE ORDER

Georgia-Pacific Corporation



GYPSUM DIVISION

BLOOMINGDALE ROAD • AKRON, NEW YORK 14001

TELEPHONE (716) 542-5431 • TELETYPE 710-266-1170

PURCHASE
ORDER

No. NY06530

INVOICE

PURCHASE ORDER NUMBER MUST BE SHOWN
ON EACH INVOICE SHIPPING PAPER PACKAGE
AND ALL CORRESPONDENCE

DATE WRITTEN	DATE REQUIRED	F.O.B.	ACCOUNT CODE NUMBER	TERMS
7/10/73	7/20/73	Akron,	241-7140-4199	1Z - 10

TO Ward Brothers 62 Market Street Lockport, New York 14094	SHIPPING INSTRUCTIONS: SHIP TO US AT: AKRON, NEW YORK 14001 VIA ROUTE best way INVOICE TO US AT BLOOMINGDALE ROAD AKRON, NEW YORK 14001
---	--

 ORDER SUBJECT TO CONDITIONS ON REVERSE SIDE ☒ TAXABLE ☐ NON-TAXABLE

QUANTITY	DESCRIPTION	PRICE	DO NOT WRITE IN THIS AREA
6	Lyon Lockers Double tier W/Padlock Attachment size 12 x 12 x 36-3 wide #5202-3	advise	
2	Lyon Lockers Double Tier W/Padlock Attachment size 12 x 12 x 26 - 1 wide #5202	advise	
1	Lyon locker multiple tier W/Padlock Attachment 5 high - 3 wide size 12 x 12 x 12 #5302-3	advise	
1	Lyon Locker Multiple Tier W/Padlock Attachment 5 high 1 wide size 12 x 12 x 12 #5302	advise	

PLEASE ACKNOWLEDGE BY RETURN MAIL

- IMPORTANT -

IF YOU CANNOT DELIVER & BILL THIS ORDER BEFORE
DATE WANTED PLEASE NOTIFY US IMMEDIATELY.

Georgia-Pacific Corporation

 BY Coleen Swain
 PURCHASING AGENT

☐ OFFICE
☐ MGR
☐ ASST
☐ P.A.

PAPER • PLYWOOD • REDWOOD • PULP • GYPSUM PRODUCTS • CHEMICALS • LUMBER

AN EQUAL EMPLOYMENT OPPORTUNITY EMPLOYER

PLANT PURCHASING COPY

SGP 0007061



GEORGIA-PACIFIC

REQUEST FOR CHECK

PAY TO Occupational Safety & Health Labor		DATE 07-12-73
700 Midtown Plaza		AMOUNT \$ 1340.00
700 E. Water St.		
Syracuse, N. Y. 13210		
PURPOSE: (WILL NOT APPEAR ON CHECK STUB. ENTER CHECK STUB MESSAGE BELOW.)		
Penalty for alleged violation under the Occupational Safety and Health Administration (as per attached)		
C.S.H.O.-NO P-1568		
O.S.H.A. - 1 NO 48		
AREA 6010		
REGION 2		

MESSAGE CODE		USE ONLY WHEN CATALOGUED MESSAGE IS REQUIRED MESSAGE (TO APPEAR ON CHECK STUB ONLY; MAXIMUM 31 CHARACTERS EACH LINE).				
(22)	LINE 1					
	LINE 2					
(23)	LINE 3					
	LINE 4					
BATCH NO.	VENDOR NO.	INVOICE NO.	INVOICE DATE	PAY DATE	REFERENCE NO.	DISPOSITION OF CHECK
			071273			☒ MAIL TO PAYEE ☐ INTERCO MAIL ☐ HOLD FOR ☐ OTHER
GROUP 1	GROUP 2	GROUP 3 (1)	GROUP 4	AMOUNT	DISC. % (2)	
1 2 0	2 4 1	8 4 6 9	8 3 0 2	1340 00		
P.E.Q. APPROVAL		PAYMENT APPROVAL		TOTAL	1340 00	REQUESTED BY <i>J D Ranch</i>

REQUEST FOR CHECK

Occupational Safety & Health Labor

700 Midtown Plaza

700 E. Water St.

Syracuse, N. Y. 13210

DATE

07-12-73

DATE	DESCRIPTION	AMOUNT
12-1-58	...	...
12-2-58	...	...
12-3-58	...	...
12-4-58	...	...
12-5-58	...	...
12-6-58	...	...
12-7-58	...	...
12-8-58	...	...
12-9-58	...	...
12-10-58	...	...
12-11-58	...	...
12-12-58	...	...
12-13-58	...	...
12-14-58	...	...
12-15-58	...	...
12-16-58	...	...
12-17-58	...	...
12-18-58	...	...
12-19-58	...	...
12-20-58	...	...
12-21-58	...	...
12-22-58	...	...
12-23-58	...	...
12-24-58	...	...
12-25-58	...	...
12-26-58	...	...
12-27-58	...	...
12-28-58	...	...
12-29-58	...	...
12-30-58	...	...
12-31-58	...	...

\$ 1340.00

PURPOSE: (WILL NOT APPEAR ON CHECK STUB. ENTER CHECK STUB MESSAGE BELOW.)

Penalty for alleged violation under the Occupational Safety and Health Administration
(as per attached)

C.S.H.O.-NO P-1568

O.S.H.A. - 1 NO 48

AREA 6010

REGION 2

MESSAGE CODE

USE ONLY WHEN CATALOGUED MESSAGE IS REQUIRED
MESSAGE TO APPEAR ON CHECK STUB ONLY; MAXIMUM 31 CHARACTERS EACH LINE).

(22) LINE 1

LINE 2

(23) LINE 3

LINE 4

[illegible]

DATE 7/18/73		PLANT AKRON, NEW YORK 241		R.C.E. NUMBER	JOB NUMBER 1568	
JOB DESCRIPTION 1. Install Dust Collecting System for Joint System Packer 2. Enclose open sides of mixing hopper. 3. Install hood over bag bailer. 4. Enclose existing dust collector discharge area. 5. Purchase floor vacuum sweeper.				CODING 120-241-0890-1568		
				APPROVED DATE 8/3/73 SIGNED KS		
				J/E		
				DATE		
TO START 8/1/73	TO COMPLETE 12/30/73	STARTED	COMPLETED	EXPECTED LIFE 20 yrs	BUILDING NO. 230	DEPARTMENT 7140
LIST ANY ITEM OR PART REMOVED OR SCRAPPED, APPRAISAL PAGE OR OLD JOB ORDER NUMBER, APPRAISAL VALUE OR VALUE ON OLD JOB ORDER. (ESTIMATE PROPORTIONATE VALUE OF PARTS). NONE						
DISPOSITION OF ITEMS REMOVED						
FAIR VALUE (IF PLACED IN STOREROOM)		BUDGET ITEM NUMBER		BUDGETED AMOUNT		
Ref # DETAIL (ITEMIZE ALL MATERIAL AND WORK)				ESTIMATED COSTS		
				MATERIAL	PAYROLL	TOTAL
1. Cyclone & Baghouse collector				\$9,000 00		\$9,000 00
2. 15 H.P. Air compressor				2,800 00		2,800 00
3. Enclose existing dust collector discharge area				1,000 00		1,000 00
4. 25 H.P. Fan, motor & drive to upgrade existing dust collector				3,500 00		3,500 00
5. Dust Collection Hood over Bailing Machine				1,500 00		1,500 00
6. Floor Vacuum Sweeper				1,000 00		1,000 00
7. Mechanical Installation				12,000 00		12,000 00
8. Electrical Installation				3,000 00		3,000 00
9. Final Painting				1,200 00		1,200 00
TOTAL ESTIMATED COSTS				\$35,000 00		\$35,000 00
ACTUAL COSTS						
ESTIMATED BY				REQUESTED BY <i>M. H. ...</i>		
DISTRIBUTION						
1 PROPERTY DEPT. - PAOLI						
2 PLANT MAINTENANCE						
3 GEN. MFG. DEPT. - PAOLI						
4 PURCHASING DEPT.						

DATE 7/12/73		PLANT ARSON, NEW YORK 241		R.C.E. NUMBER		JOB NUMBER 1512	
JOB DESCRIPTION 1. Install Dust Collecting System for Joint System Packer 2. Enclose open sides of mixing hopper. 3. Install hood over bag bailer. 4. Enclose existing dust collector discharge area. 5. Purchase floor vacuum sweeper.				CODING			
				J/E			
				DATE			
TO START 8/1/73	TO COMPLETE 12/30/73	STARTED	COMPLETED	EXPECTED LIFE 20 yrs	BUILDING NO. 200	DEPARTMENT 7140	
LIST ANY ITEM OR PART REMOVED OR SCRAPED, APPRAISAL PAGE OR OLD JOB ORDER NUMBER, APPRAISAL VALUE OR VALUE ON OLD JOB ORDER. (ESTIMATE PROPORTIONATE VALUE OF PARTS).							
EC20							
DISPOSITION OF ITEMS REMOVED							
FAIR VALUE (IF PLACED IN STOREROOM)				BUDGET ITEM NUMBER		BUDGETED AMOUNT	
DETAIL (ITEMIZE ALL MATERIAL AND WORK)				ESTIMATED COSTS			
				MATERIAL		PAYROLL	
				TOTAL			
1. Cyclone & Baghouse collector				\$9,000 00		\$9,000	
2. 15 H.P. Air compressor				2,800 00		2,800	
3. Enclose existing dust collector discharge area				1,000 00		1,000	
4. 25 H.P. Fan, motor & drive to upgrade existing dust collector				3,500 00		3,500	
5. Dust Collection Hood over Bailing Machine				1,500 00		1,500	
6. Floor Vacuum Sweeper				1,000 00		1,000	
7. Mechanical Installation				12,000 00		12,000	
8. Electrical Installation				3,000 00		3,000	
9. Final Painting				1,200 00		1,200	
DISTRIBUTION				TOTAL ESTIMATED COSTS		\$35,000 00	
1 PROPERTY DEPT.- PAOLI 2 PLANT MAINTENANCE 3 GEN. MFG. DEPT.-PAOLI 4 PURCHASING DEPT.				ACTUAL COSTS			
				ESTIMATED BY W. J. Hammer WJA		REQUESTED BY J. D. Rensch	

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

CSHO NO.	OSHA-T NO.
P-1568	48
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 2 of 5 Date Issued JUN 13 1973
EMPLOYER Georgia Pacific Corporation
(Street Bloomington Road)
ADDRESS (Akron State New York Zip 14001
An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
3.	29 CFR 1910.93a (f)(2)(ii) Page 22143	Failure of the employer to establish a personal monitoring program at intervals not greater than 6 months within the joint compound mixing and packout areas where asbestos exposure may reasonably be foreseen to exceed prescribed limits.	Multi-Step Abatement (See Reverse Side of this Citation)
4.	29 CFR 1910.93a (g)(1)(i) Page 22143	Failure of employer to post "Caution" signs at all approaches to the joint compound mixing and packout area where airborne concentrations of asbestos fibers may be in excess of prescribed limits.	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature

Chester C. Whiteside
Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that no penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11(c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near" place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected or 3 working days, whichever period is longer.

Violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

Form OSHA-2
AUG 1972

SGP 0007066

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 31, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all packout areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and packout areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

CCHD NO.	OSHA-1 NO.
P-1568	48
AREA	REGION
6010	2

CITATION*

Citation Number 1, Page 3 of 5 Date Issued JUN 13 1973

EMPLOYER Georgia Pacific Corporation

(Street Bloomington Road)

ADDRESS (

(City Akron State New York Zip 14001)

An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
5.	29 CFR 1910.93a (g)(2)(i) Page 22144	Failure of the employer to affix a "Caution" label to all raw materials, mixtures, scrap, waste, debris and other products containing asbestos fibers to prevent exposure to concentrations above prescribed limits during any reasonably foreseeable use.	Multi-Step Abatement (See Reverse Side of this Citation)
6.	29 CFR 1910.93a (h)(1) Page 22144	Failure of the employer to maintain all external surfaces within the joint compound, dry mixing and packout area, free of accumulations of asbestos fibers (dry sweeping is to be discouraged, utilize vacuum sweeping methods).	Multi-Step Abatement (See Reverse Side of this Citation)

Area Director's Signature

Charles C. Whiteside
Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that no penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

Requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, whichever period is longer.

is covered by this citation are those which are not serious violations within the meaning of the Act but of immediate relationship to occupational safety and health.

Form OSHA-2
4-77

SGP 0007068

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 31, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all packout areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and packout areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

CITATION NO.	OSHA-1 NO.
P-1568	48
AREA	REGION
6010	2

CITATION*


Citation Number 1, Page 4 of 5 Date issued JUN 13 1973
EMPLOYER Georgia Pacific Corporation
(Street Bloomington Road)
ADDRESS (Akron State New York Zip 14001
An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
7.	29 CFR 1910.93a (h)(2) Page 22144	Failure of the employer to collect and dispose of all asbestos waste, scrap, debris, bags, containers, contaminated clothing in sealed impermeable bags to prevent any foreseeable airborne concentrations of asbestos fibers above the allowable limit.	Multi-Step Abatement (See Reverse Side of this Citation)



SGP 0007070

Area Director's Signature

Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U. S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that no penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 31, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all packout areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and packout areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
203 Midtown Plaza
700 E. Water St.
Syracuse, N. Y. 13210

CSHO NO.	OSHA-1 NO.
P-1568	48
AREA	REGION
6010	2

AMENDMENT TO CITATION*

Citation Number 1, Page 5 of 5 Date Issued July 10, 1973
EMPLOYER Georgia Pacific Corporation
(Street Bloomington Road)
ADDRESS (City Akron State New York Zip 14001)
An inspection of a workplace under your ownership, operation, or control located at above address

and described as follows

Manufactures gypsum wallboard and jointing compound

has been conducted. On the basis of the inspection it is alleged that you have violated the Occupational Safety and Health Act of 1970, 29 U.S.C. 651, in the following respects:

Item number	Standard or regulation allegedly violated	Description of alleged violation	Date on which alleged violation must be corrected
8.	Citations for Serious Violation #2 and #3, issued on the 13th day of June, 1973 are amended as set forth below: 29 CFR 1910.93a (d)(2) Page 22143	Failure of the employer to provide, and for the employees to use, U.S. Bureau of Mines approved respirators to prevent inhalation of airborne asbestos dust fibers (within the dry mixing and packout area).	Multi-Step Abatement (See reverse side of this citation)
9.	29 CFR 1910.93a (d)(2)(iv) Page 22143	Failure of employer to establish a respiratory program throughout the dry mixing area in accordance with the American National Standard Practice for Respiratory Protection 288.2-1969, for employees who are exposed to excessive asbestos dust concentrations.	Multi-Step Abatement (See reverse side of this citation)

Area Director's Signature

Chester C. Whiteside
Chester C. Whiteside

The issuance of a citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless the citation is affirmed by the Occupational Safety and Health Review Commission.

RIGHTS OF EMPLOYEES

Any employee or representative of employees who believes that any period of time fixed in this citation for the correction of a violation is unreasonable has the right to contest such time for correction by filing a notice with the U.S. Department of Labor at the address shown above within 15 working days of the receipt by the employer of notice of proposed penalty or notice that no penalty is being proposed.

"No person shall discharge or in any manner discriminate against any employee because such employee has filed any complaint or instituted or caused to be instituted any proceeding under or related to this Act or has testified or is about to testify in such proceeding or because of the exercise by such employee on behalf of himself or others of any right afforded by this Act." Sec. 11 (c)(1) of the Occupational Safety and Health Act of 1970, 29 U.S.C. 651.

The law requires that a copy of the enclosed citation(s) "shall be prominently posted" in a conspicuous place "at or near each place a violation referred to in the citation occurred." It must remain posted until all violations cited therein are corrected, or for 3 working days, whichever period is longer.

* Alleged violations covered by this citation are those which are not serious violations within the meaning of the Act but which have a direct or immediate relationship to occupational safety and health.

MULTI-STEP ABATEMENT

I. Immediate Temporary Administrative Controls

Initiate immediate temporary administrative controls to prevent employee exposure to excessive asbestos dust concentrations by July 31, 1973. A Compliance Officer will determine if these temporary controls are preventing employee exposure.

- (1) Provide U. S. Bureau of Mines approved respirators for all packout areas of the main plant. Continue the use of respirators until the installation of permanent engineering controls.
- (2) Establish a complete respirator program in accordance with the provisions of the American National Standard Practices for Respiratory Protection Z88.2-1969.
- (3) Establish a program for maintaining the joint compound dry mixing and packout areas of the main plant in a clean, orderly and sanitary condition to prevent asbestos dust contamination of the air. This program will include utilizing sealed impermeable bags for the storage of waste asbestos.
- (4) Provide employees with protective clothing that can be maintained in a sanitary and reliable condition from becoming contaminated with asbestos. In addition, provide employees with individual clothes lockers to prevent their personal clothing from becoming contaminated with asbestos dust.
- (5) Establish a personal monitoring program to determine, at six month intervals, the concentrations of asbestos dust.
- (6) Post asbestos "Caution" signs at all approaches to the work area to prevent unprotected persons from entering.
- (7) Affix asbestos "Caution" labels on all raw materials, mixtures, scrap, waste, debris and other products containing asbestos to prevent exposure to asbestos dust.

II. Permanent Engineering and Administrative Controls

- (1) By July 27, 1973, submit a plan for approval to the U. S. Department of Labor, Occupational Safety and Health Administration, 203 Midtown Plaza, 700 E. Water Street, Syracuse, New York 13210, Mr. Chester C. Whiteside, Area Director, showing a timetable for the installation of engineering controls to prevent employee exposure to asbestos dust concentrations above allowable limits.
- (2) Incorporate items (3) through (7) (listed as temporary administrative controls in Part I) as permanent administrative controls to prevent employee asbestos dust exposure.