

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



**PLAINTIFF'S
EXHIBIT**

ARCO 22

January 21, 1992

Mr. Michael Doyle
Arco Marine, Inc.
c/o Arco Alaska

Dear Mr. Doyle:

While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,


Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. Prudencio Fernandez
P. O. Box 6133
New Orleans, LA 70174

Dear Mr. Fernandez:

While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,

Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Ms. Martha Jimenez
Arco Marine, Inc.
c/o Arco Fairbanks

Dear Ms. Jimenez:

While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,

Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. Rodney Lanoza
P. O. Box 174 RT 4
Jacksonville, NC 28540

Dear Mr. Lanoza:


While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,


Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. David Lundquist
8425 Adirohack Trail
Austin, TX 78759

Dear Mr. Lundquist:

While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,

Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. Ronald McCann
7535 Springhill Drive
Gladstone, OR 97027

Dear Mr. McCann:

While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,


Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Ms. Norma Mitchell
1225 Mercedes Lane
Santa Barbara, CA 93101

Dear Ms. Mitchell:

While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,


Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. Timothy Murray
Arco Marine, Inc.
c/o Arco Spirit

Dear Mr. Murray:

While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,

Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. Patrick Newman
3316 Bluejay Lane
Austin, TX 78732

Dear Mr. Newman:


While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,


Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. Dennis Palys
Rd 4 Box 4329
East Stroudsburg, PA 18301

Dear Mr. Palys:

While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,

Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. Geoffrey Robinson
Arco Marine, Inc.
c/o Arco Fairbanks

Dear Mr. Robinson:

While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,

Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. Robert Rush
Arco Marine, Inc.
c/o Arco Alaska

Dear Mr. Rush:

While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,



Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. Michael Sandusky
8943 Harvey Avenue
Pennsauken, NJ 08109

Dear Mr. Sandusky:


While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,


Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. Walter Vavra
2413 College Street
Simi, CA 93065

Dear Mr. Vavra:

While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,


Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. Donald Clarkson
410 Pasadena Way
Vancouver, WA 98661

Dear Mr. Clarkson:


While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,


Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. Josh Horvitz
Arco Marine, Inc.
c/o Arco Spirit

Dear Mr. Horvitz:

While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,

Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. John McCune, Jr.
Arco Marine, Inc.
c/o Arco Spirit

Dear Mr. McCune, Jr.:


While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,


Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. Scott Mercer
P. O. Box 605
Wakefield, NH 03872

Dear Mr. Mercer:


While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,


Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. Kenneth Petitt
603 New Jersey Road
Brown Hills, NJ 08015

Dear Mr. Petitt:


While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,


Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. Joe Riley
23033 W. Echo Lake Loop Rd.
Shohomish, WA 98290

Dear Mr. Riley:

While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,

Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. Mark Rupprecht
46 A Oak Place
Brielle, NJ 08730

Dear Mr. Rupprecht:


While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,


Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. James Stratford
1225 E. Sunset, Suite 488
Bellingham, WA 98226

Dear Mr. Stratford:

While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,

Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. Philip Voorhees
5756 South Lansing Ct.
Englewood, CO 80111

Dear Mr. Voorhees:


While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,


Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. Charles Barnes
P. O. Box 7
Haines, OR 97833

Dear Mr. Barnes:

While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,


Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Mr. John Bridwell
Arco Marine, Inc.
c/o Arco Texas

Dear Mr. Bridwell:


While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,


Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec

ARCO Marine, Inc.
300 Oceangate
Post Office Box 22617
Long Beach, California 90801-5617
Telephone 213 590 4400
TWX 910 341 6829



January 21, 1992

Ms. Michelle Campbell
Arco Marine, Inc.
c/o Arco Spirit

Dear Ms. Campbell:

While you were on board the ARCO Spirit from October 2-7, 1991, Clayton Environmental Services, Inc., was taking samples to determine airborne levels of asbestos and conducting employee awareness training. During the training classes we indicated that the results of the survey would be provided to all crew members on board at the time. Recently, the results of the independent lab analysis were received. The full report has been sent to the vessel and we will ask the Master to make the report available to all crew members. At the completion of the monitoring program, which involves riding the eight AMI vessels which are known to be constructed with some asbestos bearing materials, a summary report will be mailed to all vessels.

Airborne asbestos levels are measured by drawing a volume of air through a filter and counting the number of fibers that are retained in the filter. All air samples collected on the Spirit showed concentrations below the applicable permissible exposure limits (PELs) established by the U.S. Coast Guard of 0.1 fibers/cubic centimeter (f/cc) and the U.S. Occupational Safety and Health Administration (OSHA) PEL of 0.2 f/cc. These samples were also below the Environmental Protection Agency (EPA) recommended concentration of 0.01 f/cc for general occupancy.

On board the Arco Spirit 24 samples were taken and analyzed to determine the presence of airborne asbestos fibers. Samples were taken from both working and living spaces. Samples analyzed by an independent lab ranged from less than 0.00026 to 0.006 f/cc.

The complete report is on board the Arco Spirit and available for your review. If you would like any additional information, please feel free to call me at (310) 590-4521.

Sincerely,

Jay C. Kitchener
Manager, Safety, Health &
Environmental Protection

JCK/cec