

1941

WORKPLACE ENVIRONMENT MONITORING - FIELD DATA SHEET

Page of

Date 10-27-84 Project

Asbestos

Department 327530

General Operating Conditions: CHECKING FOR ASBESTOS AROUND BLDG 146 WHICH IS BEING DEMOLISHED.

Sampling Method and Equipment: Personal : Area ☒ : Portable Sampler Pump : Charcoal Tube :

Bag : Other FILTER CASSETTE .8 MICROPORE

Remarks:

Shift: Day ☒ Eve. Mid. No. Employees Sampled By HCS LEM III

Employee Name, Job Title, Payroll No., Soc. Sec. No., Bldg. No. - Monitoring Loc. Smoke - Chew?	Sample No.	Pump Ser. Number	Pump Kv	Pump Flow Control Set	Initial Pump Reading	Final Pump Reading	Net Pump Reading	Start (Time)	Stop (Time)	Net Sample Time, Min.	Volume, Liters.	Conc., ppmv
AT LIGHT N. END OF UPPER BRIDGE	1	9247	100% 1/5	100% 1/5	2 LPM	2 LPM	2 LPM	0830	1500	390	780	5.001
S. SIDE OF BLDG 8-164	2	9240	100% 1/5	100% 1/5	2 LPM	2 LPM	2 LPM	0830	1500	390	780	5.001
AT LOADING RAIL N OF BLOG 146 100% TANK	3	9267	100% 1/5	100% 1/5	2 LPM	2 LPM	2 LPM	0830	1500	390	780	5.001
AT DUMPSTER E END OF BLOG 146 OUTSIDE OF BAG	4	9247	100% 1/5	100% 1/5	2 LPM	2 LPM	2 LPM	0830	1500	390	780	5.001
(#1) 1 EC / 100 FIELDS	.01 X 855											
(#2) NO EC / 100 FIELDS	5.8 X 780 > 1.001											
(#3) NO EC / 100 FIELDS												
(#4) NO EC / 100 FIELDS												

arks: (See Reverse Side)

1941

UCC 0012184

INDUSTRIAL HYGIENE WORKPLACE SAMPLING

[illegible]

WEATHER CONDITIONS	
RELATIVE HUMIDITY	77 78 79 80
BAROM. PRESS.	1110
TEMPERATURE	
AM	PM

[illegible]

