

CG 18 - CODE GT-674-D PKG. _____
 → NOV 3 80 37700
 EST. WGT. ~~2800~~ 2800 LBS.
 STD. HRS. _____ TIME 11P M

PROCESSES		APPROVED BY
() GT-674-D	(Y)	AJC 1-16-78
() GT-680-P	(K)	DCG 1-18-78
(A) GC-3-A	()	MTW 1-24-78
()	()	
TYPED BY		
NSA 3-22-78		

NON-BLEEDING

IPMENT	NAME: MONASTRAL® GREEN B	USE LBS.	N CODE	ACCT. LBS.
SV 1	1 Run 2-3" (±200G) water into V- <u>284</u>			
	2 Use station # <u>1</u> , preset water meter per chart for water addition to full totes. Use Mode 3 for N-8101-A full totes & mode 2 for stumping totes. When 8104-A scheduled, use mode 4 for pumping full totes & mode 1 for stumping tote. Pump in thru 20-mesh screen		8101-A	2578 <u>2710</u>
	Gals of Water			
	Sequencer Steps			
	LOT 6 11 16 #100% %			
	891-C 100 20 75 659 26.2 257.5			
	891-B 100 20 75 663 26.5 2500			
	889-A 100 20 75 638 25.7 2500			
	888-B 40 20 80 629 25.0 261.6			
	862 STUMP 121 28.0 419			
	<u>2710</u> #100% Total			
	3 Turn on agitator, use station # <u>1</u> & pump in		8600-A	50
	LOT #100% %			
	393-A STUMP 50 11.5 435			
	4 After last tote pumped run in 100 gal water & pump to SV to clean line			
314 2	5 Run 18" (140 G) water into V-314 & heat to 80-100°F	<u>75</u>		<u>75</u>
	6 Turn on agitator & add in 2-3 min	105	530-A	105
	7 Stir 5 min & Record: pH <u>10.1</u> (10.0-10.5)			
	8 Stir 15 min or longer to dissolve for S 13			
304 3	9 Run 8" (98 G) water into V-304 & start agitator	<u>25</u>		<u>25</u>
	10 Add in ± 1 min & stir to dissolve for S 14	25	20-A	25
SV 4	11 After 5 min or longer stir Record: pH <u>8.6</u> (8.0 or above)			
	12 If necessary adj to pH 8.0 or above Assume 50% & Record: pH _____		7-D	
	13 Run in V-314 thru 20 mesh screen & stir 10 min			
	14 Run in V-304 in 1-3 min & stir 5 min			
	15 Record: pH <u>10.5</u> (10.5-11.5)			
	16 Flood to <u>82</u> " & stop agitator			
	S 16 200 202 204 210 213 261 264			
	IN. 54 62 62 53 37 42 82			
	GAL. 3650 3670 3646 3684 3667 3654 3624			
	START FIN OPTR			
	<u>7:45 PM</u> <u>11 PM</u> <u>114</u>			
	<u>1:00 PM</u> <u>1:00 AM</u> <u>105</u>			
	<u>7 AM</u> <u>9:10 AM</u> <u>438</u>			

320 REV.

200, 202, 204, 210, 213, 261, 284

C.V.

D.V.

CG 18 CODE GT-674-D PKG.
 → ~~007~~ 007 31'80, 37699
 EST. WGT. ~~2800~~ 2800 LBS.
 STD. HRS. TIME 11P M

PROCESSES		APPROVED BY	
() GT-674-D	(Y)	AJC	1-16-78
() GT-680-P	(K)	DCG	1-18-78
(A) GC-3-A	()	MTW	1-24-78
()	()		
TYPED BY			
NSA 3-22-78			

NON-BLEEDING

SHIPMENT	NAME: MONASTRAL® GREEN B	USE LBS.	N CODE	ACCT. LBS.
SV 1	1 Run 2-3" (±200G) water into V- <u>2.00</u>			
	2 Use station # <u>1</u> , preset water meter per chart for water addition to full totes. Use Mode 3 for N-8101-A full totes & mode 2 for stumping totes. When 8104-A scheduled, use mode 4 for pumping full totes & mode 1 for stumping tote. Pump in thru 20-mesh screen		8101-A	2710
	Gals of Water			
	Sequencer Steps			
	LOT 6 11 16 #100%			
	843-A 50 125 100 553 22.1 2500			
	843-B 50 25 100 550 22.0 2500			
	886-A 50 245 100 720 20.1 2505			
	892-A 50 245 100 798 20.9 2715			
	892-A MADE STUMP 48 51.1 379			
	<u>2710</u> #100% Total			
	3 Turn on agitator, use station # <u>1</u> & pump in		8600-A	50
	LOT <u>366-B MADE STUMP</u> #100%			
	<u>50</u> <u>14.1</u> <u>355</u>			
	4 After last tote pumped run in 100 gal water & pump to SV to clean line			
314 2	5 Run 18" (140 G) water into V-314 & heat to 80-100°F	<u>75</u>		<u>75</u>
	6 Turn on agitator & add in 2-3 min	<u>75</u>	530-A	<u>75</u>
	7 Stir 5 min & Record: pH <u>10.0</u> (10.0-10.5)			
	8 Stir 15 min or longer to dissolve for S 13			
304 3	9 Run 8" (98 G) water into V-304 & start agitator	<u>25</u>		<u>25</u>
	10 Add in ± 1 min & stir to dissolve for S 14	<u>25</u>	20-A	<u>25</u>
SV 4	11 After 5 min or longer stir Record: pH <u>8.5</u> (8.0 or above)			
	12 If necessary adj to pH 8.0 or above Assume 50%		7-D	
	13 & Record: pH			
	13 Run in V-314 thru 20 mesh screen & stir 10 min			
	14 Run in V-304 in 1-3 min & stir 5 min			
	15 Record: pH <u>8.5</u> (10.5-11.5)			
	16 Flood to <u>54</u> " & stop agitator			
	S 16 200 202 204 210 213 261 264			
	IN. 54 62 62 53 37 42 82			
	GAL. 3650 3670 3646 3684 3667 3654 3624			
	START FIN OPTR			
	<u>7:00 AM</u> <u>4:09</u>			
	<u>3:00 P</u> <u>2:59</u>			

FM