MD-3-A

PACKAGE TICKET (DRY AND PASTE ONLY)

CODE KY-787 LOT E1484

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PQ
50	68	3400		
	STUMP	Lump 3470		

TOTAL NET WT. 3400 PKG. N–CODE 1000

PROD. SPVR. DH DATE 5/26/81 WHSE. OPER.

13/243

CG 03 CODE KY-787-D PKG. ____

→ MAY-6-81-E1484

EST. WGT. ~~XXXXX 992~~ LBS.

OK / HP

3464

Total Wgt. ~~3332#~~ ~~3490#~~

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES	APPROVED BY
KY-787-D (R)	FWK 9/22/76
Alternate	DCG 9/27/76
TYPED BY	
NF 2/12/77	

MAKING NOTES

REMARKS

AME: KROLOR - YELLOW MEDIUM

NON-BLEEDING

-PRESSING-

INSTRUCTIONS					
AT	243				
ATE	5-19-81 (JM)				
IME	6:A.M.				
ELEASED BY	E.M.				
RESS	22	23	24	24	
O. OF CAKES	46	46	46	52	

RESS with AGITATION

ASH TO 2000 OHMS with 35-75°F water

EST AFTER 2 HOURS

OAD on 6 cars

Bfte

AMPLES 1-8 oz JAR

ELIVER TO ctl for color

RECORD					
PRESSLOAD	1ST	2ND	3RD	4TH	5TH
STARTED	9 25AM				
CAKES USED	46				
WATER ON	2PM				
HRS. WASHED	4 1/2				
OHMS	250				
HRS. WASHED					
OHMS					
HRS. WASHED					
OHMS					
CAKE CONDITION					
NO. CARS LOADED	6				
EXPLAIN LOSSES					

SAMPLED BY RELEASED BY [signature]

-DRYING-

Dry 12 hrs at 220°F.
Then Dry 8 hrs at 160°F

LUMP: - OK - WET - SALTS - CONTAMINATE

ADDITIONAL DRYING HOURS REQUIRED

No. Drums 16

AMPLES

ELIVER TO

NO. CARS PULLED LUMP WGT. 3470

SAMPLED BY RELEASED BY [signature]

-GRINDING-

ILL 039 HCP 3/32" OP SCREEN 3500 RPM

AX. TEMP. 150 °F

SCREEN RPM

MAX. TEMP. °F

EXPLAIN LOSSES

AMPLE / WITHOUT MIXING

AMPLES 2 ENV & 2 Pt. Cns

ELIVER TO C T L

DATE MIXED

SAMPLED BY RELEASED BY

DUP050096473

1484
375

0.00 *

2.42 +
0.11 -
2.58 +
0.11 -
2.39 +
0.12 -
2.43 +
0.12 -
2.26 +
0.12 -
0.92 +
0.12 -
12.30 *

1484
124
41

2.53 +
0.14 -
2.67 +
0.14 -
2.50 +
0.14 -
2.43 +
0.14 -
2.04 +
0.14 -
12.30 +
23.77 *

1484
124
41

2.46 +
0.14 -
2.52 +
0.14 -
2.49 +
0.14 -
2.44 +
0.14 -
1.72 +
0.14 -
23.77 +
34.70 *

DUP050096474