
here's how to
GET MORE PERFORMANCE
and
SAVE MONEY
when specifying transformers



Monsanto

0406929

TOWOLDMON0030692

ASKAREL

. . . the fire-resistant dielectric preferred by

askarel fire-resistant transformers offer

LOWER OPERATING COSTS
due to lower power losses

HIGH IMPULSE STRENGTH
giving a margin of safety against transformer failure

LOW MAINTENANCE COSTS
install them and leave 'em alone

LOW INSTALLATION COSTS
place them where YOU want them placed

FIRE-RESISTANCE
askarel provides safety from fire

QUIETNESS
naturally designed to be quieter than open dry types

RELIABILITY
more than 30 years of trouble-free operation

0406930

TOWOLDMON0030693

specifiers who want to save money now and for years to come...

For over 37 years askarel transformers have served the commercial, industrial and utility fields faithfully with safety, economy and reliability. They are built to exact specifications by all major electrical equipment manufacturers.*

Mineral oil transformers can catch fire. When used in confined or populated areas, they require fire walls, vaults, and sprinkling systems; or they must be located at a more remote point requiring long expensive low-voltage lines.

Open dry type transformers are limited in flexibility of location. Supplemental installation costs usually run much higher than with askarel units, especially if sound-deadening or enclosing from atmospheric contamination and moisture is required. They are less dependable than askarel units because they are affected by corrosive atmospheric conditions. Due to the nature of open dry type units, they can require a great deal of maintenance; have a high noise level, are expensive to operate, and have lower impulse strength and overload capacities.

*

Monsanto has manufactured and supplied askarel fluids since the askarel type transformer was first introduced. The askarel fluid insulation is supplied under various trademarks such as "PYRANOL" (General Electric); "INERTEEN" (Westinghouse); "CHLORENTOL" (Allis-Chalmers); "NOFLAMOL" (Wagner Electric). Many other manufacturers such as I-T-E and Niagara Transformer Corp. use the generic name, askarel. In all cases, Monsanto makes the askarel fluid for these transformers.

TOWOLDMON0030694



askarel fire-resistant transformers operate less expensively than other types due to lower core and coil losses

Askarel units deliver a steady power flow year after year, offering lower operating and maintenance costs, quietness and dependability. They are fire-resistant and allow you to place them where YOU want them placed, right at the point of use if you choose. Think of the savings in installation alone!

Askarel will not oxidize or sludge; remains chemically stable when subjected to elevated temperatures and will not corrode metals.

IT'S JUST LIKE GETTING A FREE TRANSFORMER IN ABOUT 10 YEARS!

Incorporate your own figures in the following example and prove this point to yourself. The figures shown assume the same first cost of an askarel transformer and an open dry type unit. (Askarel transformers are now quoted at the same price as 150°C. open dry types.)

TYPICAL EXAMPLE

1,000 KVA, 3 phase, 60 cycle, 13,800 to 480 Y volts. Transformer first cost assumed about $8,500.

UNIT	CORE LOSS (Watts)	COIL LOSS (at 100% Load) (Watts)
Open Dry Type	4,200	18,500
Askarel Unit	2,900	12,500

(A) Based on a 75% load factor, coil losses are approximately as follows:

Open Dry Type.....18,500 x $(.75)^2$ = 10,400 watts

Askarel Type.....12,500 x $(.75)^2$ = 7,000 watts

Coil Loss Difference. . .3,400 watts

Total Core and Coil Loss Difference in favor of Askarel.....4,700 watts

Based on an 8,700 hour year operation:
4,700 x 8,700 = 41,000 KWHR (Approx.)

Assuming power cost is $0.015 per KWHR: the savings each year is $615.00 . . . or the Askarel Transformer first cost is paid for in about 10 years.*

**This annual savings compounded at 6% per year.*

0406932

TOWOLDMON0030695

askarel fire-resistant transformers offer easy maintenance

And this is just one of the many advantages Askarel Transformers offer over open dry types.


askarel fire-resistant transformers offer higher impulse levels and greater overload capacities than open dry types

ASKAREL GIVES YOU AN ADDED MARGIN OF SAFETY AGAINST POWER FAILURE!


Don't settle for anything less than a transformer that will handle the full basic impulse level of the system. A liquid transformer gives you greater overvoltage protection and just naturally has more overload capacity because of a built-in heat sink. Askarel is your answer to the overload and power surge problem.

LOW MAINTENANCE MEANS GREATER SAVINGS IN TIME AND MONEY!

Askarel transformers are easiest to maintain. Proper sealing of modern askarel transformers has banished the threat of water contamination, the arch enemy of all transformers. No need to periodically shut down the system for cleaning . . . the askarel fluid is sealed against moisture and atmospheric contamination. Other than an occasional fluid test, you install them and leave 'em alone.



TOWOLDMON0030696



askarel fire-resistant transformers can give you lower installation costs

PLACE THE ASKAREL TRANSFORMER WHERE AND WHEN YOU WANT IT PLACED!

Because of the unique features of askarel transformers, you can place them where and when YOU want them placed . . . right at the point of power usage if you desire. You do not have to wait until other phases of construction are completed. No added expenses are necessary to protect it from contamination, subdue the sound level or run expensive lines from distant locations. You place it where your system dictates, not where the transformer dictates.

The start-up costs for askarel transformers are almost nil. Because they are sealed, there is no expensive clean-up and drying out required prior to starting. Just bring it in, hook it up and start operating. This alone offers a big savings.

askarel transformers offer fire safety...

ASKAREL FLUIDS ARE FIRE-RESISTANT!

The fluid is fire-resistant and does not support combustion. Just as important, the fluid will not carry or add burning oil hazards to fires which may start from other causes. The liquid does not deteriorate when exposed to heat or hot metal; it does not decompose over long periods of time. The gases formed by arcing will not support combustion, eliminating the possibility of fire. Municipal codes also tend to favor askarel transformer installations over other types.

0406934

TOWOLDMON0030697

CHECK THE STANDARDS

Open dry types produce a higher noise level, requiring expensive sound-suppressing additions or location far from the point of power usage. Wherever the sound level is a factor, askarel transformers rate quieter than comparable open dry type units . . . 3 to 6 decibels is a major reduction in discernible sound level.

askarel fire-resistant transformers are reliable...


THERE ARE MANY EXAMPLES OF OVER 30 YEARS OF TROUBLE-FREE OPERATION!

A properly designed and installed askarel transformer will give long years of trouble-free service . . . many in operation for over 30 years. This fact has been proven in installations throughout the world. Even longer life can now be expected due to more modern design practices in sealing out moisture and eliminating leaks.

LET'S GET ALL THE FACTS ON THE TABLE

Askarel fluids have been manufactured, handled and used safely for 37 years. Transformer makers, utilities and specifiers handle askarel fluids under standard normal good housekeeping and personal precautions used with other industrial materials.

askarel fire-resistant transformers are quieter!



0406935

TOWOLDMON0030698

ARCING IN ASKAREL DOES NOT PRODUCE

Should you encounter this misconception, don't you believe it! Five independent series of research from three different countries, both theoretically and in practice, prove that it is impossible to derive Phosgene or Chlorine from the arcing of askarel. Under strong conditions of arcing, HCL gas can be evolved. Where appropriate or necessary, standard techniques or devices for venting are available from transformer makers.


The most significant and reliable measurement of transformer askarel electrical performance is its dielectric strength. Askarel will maintain its high dielectric strength unless there is a significant amount of moisture contamination or breakdown of the fluid from an unusually severe electrical discharge.

Askarel fluids are manufactured by Monsanto and shipped to transformer makers all over the world. They are manufactured and quality checked for consistency and properly packaged for shipment.

0406936

TOWOLDMON0030699

PHOSGENE OR CHLORINE GASES!!



Operating with askarel fire-resistant transformers is the safest, easiest and often the least expensive way to distribute electrical power. Your transformer supplier can give you the complete story on his askarel transformers. Be sure to check with him soon . . . specifying askarel transformers is your best bet when your plans call for transformer equipment in . . .

Industrial Unit Substations, Load Centers, Power Centers . . . in factory areas where maximum safety from fire is required and where atmospheric contamination may exist.

Utility Networks . . . where safety and space is a consideration.

Institutions and Office Buildings . . . schools, hospitals, hotels, shopping centers, apartments, etc. where maximum safety, low noise levels and space is a prime factor.

In any electrical system . . . where you are charged with the responsibility of giving your client the best installation available at the lowest overall installation and operational cost.

0406937

TOWOLDMON0030700

SPECIFY ASKAREL FOR YOUR NEXT JOB

Monsanto will be happy to supply you with a copy of "The Care and Grooming of Askarel Transformer Fluid" or "Monsanto Askarel Inspection and Maintenance Guide." Ask your supplier to get your copy for you, or simply return the coupon below.

Monsanto Company
Functional Fluids Dept. 323
800 North Lindbergh Blvd.
St. Louis, Missouri 63166

Please send the literature checked

☐ The Care & Grooming of Askarel Transformer Fluid

☐ Monsanto Askarel Inspection & Maintenance Guide

Name/Title

Company

Address

City/State/Zip

0406938

TOWOLDMON0030701



"Nothing contained herein is to be construed as a recommendation to use any product in conflict with any patent. MONSANTO MAKES NO WARRANTIES AS TO THE FITNESS OR MERCHANTABILITY OF ANY PRODUCT REFERRED TO, no guarantee of satisfactory results from reliance upon contained information or recommendations, and disclaims all liability for any resulting loss or damage."

0406939

TOWOLDMON0030702

DISTRICT SALES OFFICES ALL DIVISIONS

AKRON, OHIO 44313
260 Springside Drive
Montrose Development Park
Tel. (216) 666-4111

ATLANTA, GEORGIA 30339
320 Interstate North Parkway
Suite 500
Tel. (404) 432-7111

BOSTON, MASSACHUSETTS 02149
Everett Station
Tel. (617) 387 5010

CHICAGO, ILLINOIS
3158 Des Plaines Ave.
Des Plaines, Illinois 60018
Tel. (312) 296-6688

CINCINNATI, OHIO 45206
1501 Madison Road
Tel. (513) 751-6707

DETROIT, MICHIGAN
500 Northland Towers West
Southfield, Mich. 48075
Tel. (313) 357-0910

HONOLULU, HAWAII 96812
205 Pacific International Bldg.
677 Ala Moana Blvd., P. O. Box 3824
Tel. (808) 531-2744

HOUSTON, TEXAS 77027
1301 Post Oak Tower
5051 Westheimer Road
Tel. (713) 621-9550

LOS ANGELES, CALIFORNIA 90022
6670 E. Flotilla St.
Tel. (213) 723-2492

NEW YORK, NEW YORK 10017
277 Park Avenue
Tel. (212) 922-4111

ST. LOUIS, MISSOURI 63166
800 N. Lindbergh Blvd.
Tel. (314) 694-1000

SAN FRANCISCO BAY AREA
2710 Lafayette, Santa Clara, Calif. 95052
Tel. (408) 243-0414

SEATTLE, WASHINGTON 98121
2112 Third Avenue
Tel. (206) 622-4203

WILMINGTON, DELAWARE 19803
2005 Concord Pike, Fairfax
Tel. (302) 658-6531

Additional District Offices are maintained by:

Agricultural Division

ALLENTOWN, PENNSYLVANIA 18104
Park Professional Building
2200 Hamilton Street
Tel. (215) 437-5471

DECATUR, ILLINOIS 62523
207 Decatur Professional Building
363 South Main Street
Tel. (217) 423-6031

DES MOINES, IOWA 50310
312 Merle Hay Tower
Tel. (515) 276-8503

INDIANAPOLIS INDIANA 46205
Suite 215, 4002 Meadows Drive Building
Tel. (317) 547-9148

KANSAS CITY, MISSOURI 64133
701 Blue Ridge Tower
4240 Blue Ridge Boulevard
Tel. (816) 353-8060

LULING, LOUISIANA 70070
P. O. Box 174
Tel. (504) 784-6263

MANKATO, MINNESOTA 56001
111 Madison East
Tel. (507) 387-3406

MEMPHIS, TENNESSEE 38104
303 Union Plaza Building
1835 Union Avenue
Tel. (901) 278-7811

MUSCATINE, IOWA 52761
P. O. Box 473
Tel. (319) 263-1331

Hydrocarbons & Polymers Division

NEW ENGLAND AREA
730 Worcester St.
Indian Orchard, Mass. 01051
Tel. (413) 788-6911

Lion Oil

EL DORADO, ARKANSAS 71730
Lion Oil Building
Tel. (501) 863-3111

JACKSON, MISSISSIPPI 39209
P. O. Box 10937, Westland Station
Tel. (601) 352-3648

N. LITTLE ROCK, ARKANSAS 72119
410 West 8th Street, P. O. Box 5821
Tel. (501) 376-2437

MEMPHIS, TENNESSEE 38113
1023 Riverside Drive, P. O. Box 13248
Tel. (901) 948-4451

Plastic Products & Resins Division

EUGENE, OREGON 97402
855 Seneca Road
Tel. (503) 342-7201

KENILWORTH, NEW JERSEY 07033
North Seventh St. & Monroe Ave.
Tel. (201) 276-2900

SPRINGFIELD, MASS. 01101
P. O. Box 2130,
Tel. (413) 788-6911

Textiles Division

CHARLOTTE, NORTH CAROLINA 28210
6230 Fairview Road, Suite 400
Tel. (704) 364-0110

GREENVILLE, SOUTH CAROLINA 29606
McAlister Plaza
P. O. Box 5564, Station B
Tel. (803) 242-6700

NEW YORK, NEW YORK 10001
350 Fifth Ave.
Tel. (212) 656-5100

MONSANTO, 800 N. LINDBERGH BLVD., ST. LOUIS, MISSOURI 63166

4/71

0406940

2-3190-0671-6 LITHO IN U.S.A.

TOWOLDMON0030703