

AUTHOR'S INDEX

- ARRILL, A. E. & G. F. SIMSON.** Design features of three Canadian hydroelectric projects analyzed. Feb. '53.
- Archer, A. I.** How to plan and engineer your piping systems using slip expansion joints. Feb. '54.
- Aime, P.** Typical cable applications in generating stations. July '56.
- Alekno, H. E.** How water gets into fan bearings. Jan. '55.
- Alexander, R. C.** Trouble-free chemical feed system results from integrated design. Mar. '55.
- Anders, M. F.** To burn wood efficiently choose properly designed combustion chambers. Apr. '56.
- Anderson, E. J., Max Sherritt & J. B. Thuman.** Is this stack the right size? June '52.
- Aash, V. R.** How can I regulate process-water pressure? Oct. '54.
- Annett, F. A.** Get moving stairways off to a good start. Aug. '52. Get to know moving stairs before they catch up with you. Apr. '53. Proportioning pumps deliver controlled drops of gum. Pt. 1. July '55. More proportioning pumps for flows from drops to gallons. Pt. 2. Aug. '55. Rotary-piston pumps: how they can do a job in your plant today. Nov. '55. Variable displacement pumps control fluid delivery to meet load needs. Sept. '55. Why diaphragm pumps do a masterful industrial job. Dec. '55.
- Applebaum, R. H.** Demineralization passes in review. '55.
- Arndine, F. J.** Ice does damage. May '52. "Know common valves." July '56.
- Avant, George.** How we can stop boiler vibration. Oct. '54.
- BACHMAN, CARL.** What's best way to remove ammonia in emergency? Sept. '52.
- Rodger, W.** What causes feed-pump vibration? May '56.
- Dallier, H. T.** It all was stopped. May '54. Positive-action electric switch. Aug. '54. Selsyn motor is good for remote control. Aug. '55.
- Dalby, Herbert F.** Air conditioning gives you fast money return. June '54.
- Daker, C. J.** Refrigeration trouble shooting. Aug. '55.
- Daker, John.** Is diesel Q and A. May '55. Is diesel question and answer. Sept. '54.
- Barnes, P. M.** Erection lower motor motor. Nov. '54.
- Harrell, Thomas J.** Put heating-system maintenance on a long-range operating program. July '55.
- Bartol, John.** Exhaust nuisance stopped in wire mill. June '55.
- Bassett, K. I.** Why does this motor reverse? Apr. '55.
- Bell, C. W., Jr.** How can we convert our heating plant? Apr. '54. What causes feed-pump vibration? May '55. Why does this motor reverse? Apr. '55.
- Bellin, Art.** How we can stop boiler vibration. Oct. '55. How we can stop erosion of pump casing. Dec. '57. Is rain water ok for boiler feed in this plant? Aug. '54. Return line gives up plenty of hot water. Nov. '55. What causes this water hammer. Mar. '55. When to tighten manhole bolts. Feb. '56. Why is diesel piston worn? June '55.
- Benning, John.** Why welder overheats rods. Mar. '54.
- Bentley, C. W.** Removing balls from pulverizer mill. Apr. '55.
- Benton, E. D.** How we can stop boiler vibration. Oct. '55.
- Berns, W. R.** Unattended plant runs smooth with remote signals. Jan. '55.
- Birran, H. A.** How can I regulate process-water pressure? Oct. '54.
- Bisbe, James W.** Keying down cool. Jan. '55. No more sticking of smoke-flue damper. Feb. '55. How electric motor moves water without boiling. July '55. Why washer keeps engine running. Aug. '55.
- Bogue, H.** Old boiler makes feedwater filter. Sept. '55.
- Bond, Hubert M. & Curtis J. Martin.** Is this stack the right size? June '52.
- Bower, C. T.** Circular coils in belt helps drill vertically. July '55. Gage for grading drills. Apr. '55. Lath's steady rest in case make. June '55. "No tail" oil container. Oct. '55. Taking up cable slack. Sept. '55.
- Boyhan, G. F.** How we find underground valves? July '55. How to set up heating records. Feb. '55. Thawing freeze condensate line. Jan. '55. When to tighten manhole bolts. Feb. '55.
- Brannigan, Miles.** Another switch box must be. Apr. '55. Condenser stands must be rigid. June '55. Drip pan keeps floor clean. May '54.
- Breugelmans, A. J.** Best hookup for refrigerating unit. Dec. '55. How can I regulate process-water pressure? Oct. '54. How can we convert our heating plant? Apr. '55. How can we find underground valves? July '55. How many men for electrical maintenance? May '55. How to cut lower windage loss. Jan. '55. How water gets into fan bearings. Jan. '55. How we can stop boiler vibration. Oct. '55. How we can stop erosion of pump casing. Dec. '57. Is this stack the right size? June '52. What causes feed-pump vibration? May '55. What causes these burn spots on bars? Sept. '55. What causes this water hammer. Mar. '55. What's best way to remove ammonia in emergency? Sept. '52. Why is diesel piston worn? June '55.
- Briggs, E. H.** Lining up grid spring-coupling. Jan. '55.
- Drill, William & J. F. White.** Replace 100,000 lb. per hour in 17 weeks. Feb. '55.
- Brindley, Paul.** Water seals versus lip-sealed shafts to cover surface areas. Apr. '54. Ingersoll Heller scale at work. Jan. '54. Variable water-tube boiler treatment. Dec. '55. Proper water treatment for packaged boilers. June '55.
- Britt, W. H.** How we can stop erosion of pump casing. Dec. '57.
- Brick, A.** Kid vertical-pump intake design of gums with model tests. Feb. '55.
- Brown, John R.** "We had to fix it ourselves." Dec. '55.
- Brown, E. M.** Is this stack the right size? June '52.
- Burley, R.** Old auto brake opens window. holds in place. Dec. '55. Old tanks make sturdy workshop. July '55. Toilet air-tight below wash insulator. June '55. Sures flow to protect edges. Feb. '55.
- Burr, C. J.** Is this stack the right size? June '52.
- Butler, F. A.** Why is diesel piston worn? June '55.
- Butler, Ira.** How can I regulate process-water pressure? Oct. '54.
- Byler, W. L.** Mechanical variable speed transmission. Pt. 1. May '55. Pt. 2. May '55. Pt. 3. July '55. Pt. 4. Aug. '55. Pt. 5. Sept. '55.
- Byrne, P.** Electrical test program holds down hydroplant outages. Mar. '55.
- CALINE, V. J. and R. K. Steward.** Desalting heater process versatile tool in large expanding plants. Feb. '55.
- Calumet, Jr. C. & M. F. Gilwood.** Mixed-bed vs. cation demineralizing. May '55.
- Campbell, Jim.** Small changes tick these conveyor problems. Oct. '55.
- Campbell, J. & others.** Industry's experts fight power crisis. Mar. '55.
- Cannon, Art.** How can we stop these valve leaks? July '55.
- Carr, T. H.** Cutting out boiler tubes. Jan. '55. No more fan bearing troubles. Mar. '55. Shaft oil leakage. Feb. '55.
- Carver, Fred.** Flying down diesel trouble. Oct. '54.
- Carver, Roy.** How can I regulate process-water pressure? Oct. '54.
- Carlman, A.** Unplugging plugged blowoff lines. Nov. '55.
- Chapman, H. K.** Easy figuring helps check out refrigeration for air conditioning. July '55.
- Cherry, F. C. & others.** Industry's experts fight power crisis. Mar. '55.
- Clapp, D. B.** All taped up. Aug. '55.
- Clark, J. R.** Removing moisture from instrument air. '55.
- Chabney, Edward H.** Demineralizer — slices process-water costs for the electronics industry. '55.
- Cochrane, D. L.** How can we find underground valves in well. Nov. '55. How to cut lower windage loss. Jan. '55. How water gets into fan bearings. Jan. '55. How we can stop boiler vibration. Oct. '55. How we can stop erosion of pump casing. Dec. '57.
- Colewell, F. L.** Paper mill expands for in-plant steam and tie-line power. May '55.
- Collins, Ed.** Longer life for conveyor rollers. Apr. '55. Plates adjust oval. Feb. '55.
- Collins, A. D.** Steam condenser cars. Dec. '55.
- Condon, H.** How water gets into fan bearings. Jan. '55.
- Cook, Richard.** How we can detect hot machine bearings. Apr. '55.
- Conlanter, John.** How can I regulate process-water pressure? Oct. '54. How to cut lower windage loss. Jan. '55. How we can stop corrosion in well. Nov. '55. Isolation temperatures for vapors and gases. May '55. Sludge protects underground pipe. Apr. '55. To prevent ammonia avoid maximum oxygen limits. Aug. '55.
- Cordery, E. Mullins.** Is this stack the right size? June '52.
- Cots, Victor J.** How can we convert our heating plant? Apr. '55.
- Covner, Dr. B. J.** Human engineering — an aid to instrument and control design. Nov. '54.
- Cowan, John.** How we can detect hot machine bearings. Aug. '55.
- Craig, J. F., Jr.** Removing moisture from instrument air. '55.
- Crooks, W. R. & E. L. Miller.** Conditioned combustion air jacks diesel output. Feb. '55.
- Culver, F. J.** Separately fired air heater draws coal. Apr. '55.
- DAMEROW, A. M.** How we can stop erosion of pump casing. Dec. '57. Why is diesel piston worn? June '52.
- Davis, Hill.** Danger! Don't do this the way. July '55. Safe way to blow water column. Jan. '55. Solvent drum is handy. Speeds work. Mar. '55. Window welding case saves your blistered boiler tubes. Oct. '55.
- DeLaurier, D. W. & K. L. Hain.** Seal station burns pulverized lignite. Jan. '55.
- De Lott, P. J. M.** How to pick the right pipe insulation. Nov. '55.
- Deinert, Edward.** How water gets into fan bearings. Jan. '55. Is this stack the right size? June '52. What causes feed-pump vibration? May '55.
- Deluck, Edward & L. E. Pollock.** When to tighten manhole bolts. Feb. '55.
- Dennis, J. P., Jr.** How water gets into fan bearings. Jan. '55. Is rain water ok for boiler feed in this plant? Aug. '54.
- Denning, R. A.** How can I regulate process-water pressure? Oct. '54.
- Dickson, S. D.** Superheat compensates for steam-line losses. Nov. '55.
- Ulson, Harry.** When to tighten manhole bolts. Feb. '55.
- Deverell, Fred A.** What causes tail-pipe water hammer. Nov. '55.
- Dougherty, R. W.** Caseloaders pay off within first year. Savings of from 15 to 35 percent. July '55.
- Duff, Ed.** Old feed pumps work like new. Jan. '55.
- Dunham, B. N. & G. I. Treasley.** Top care and right tube oil chase air-compressor fires. Feb. '55.
- ECKERT, A. R.** How can we convert our heating plant? Apr. '55. What causes these burn spots on bars? Sept. '55.
- Eckert, Ed.** For clean drawings. Oct. '55. Pipe prevents damage. June '55. Watch long leads. Dec. '55. Why wouldn't engine-driven pump start? Nov. '55.
- Eichenhofer, H. J.** These shock points build chlorine safety. June '55.
- Elbert, C. H.** When to tighten manhole bolts. Feb. '55.
- Ellis, Thomas J.** "Cards slash maintenance." June '55.
- Elonka, Merv.** Aligning couplings and other handy indicator checks. Apr. '55. Cover that surface but... Oct. '55. Do you have inside dope on your rotary pumps? Feb. '55. Hard surfacing. Mar. '55. Install easy cleaners right for long service. Aug. '55. Keep round handholes clean from leaking. May '55. Let's inspect and overhaul your steam turbine now. Nov. '55. Modern home-like plant. Dec. '55. Now let's pack your refrigerating compressors. June '55. Photo record plant growth... and howfar of chief engineer. Aug. '55. Repair engine crankshaft in place and save \$55. Jan. '55. Solid-wheel turbine is tough work horse. Sept. '55. Stop wasting man-hours and use power tools. Oct. '55. Training operators. Nov. '55. Your centrifuges. How to know and clean them. July '55.
- Emmerich, R. H.** Fundamentals solve heat troubles. Oct. '55.
- Evans, M. R.** Dumping ammonia safely. Nov. '55. Emergency feed pump. Dec. '55. Halfway measure makes good incineration impossible. May '55. How to cut lower windage loss. Jan. '55. How to meter liquid ammonia. Oct. '55. How we can detect hot machine bearings. Apr. '55. Oil trap stops out-lieboe. Mar. '55. What causes this water hammer. Mar. '55.

*Illustrated (P.E.I.) Practical Ideas