BASF Wyandotte Corporation

BASF

INTER-OFFICE MEMORANDUM

TO Dr. J. J. Ronayne

DATE January 26, 1972

FROM C. W. Axce

SUBJECT Asbestos Analyses

COPIES PEArmstrong, RJDeLargey, RHarroun, JFHunter, RWMcNab, RSRoth, WTSargeant

REFERENCE

PLAINTIFF'S EXHIBIT BASF-11
PENGAD-Bayonne, N.J.

I do appreciate the restrictions your group is operating under with the loss of a key man. I hope you are able to find a qualified recplacement soon. Frankly, I don't believe an OSHA inspector would be much impressed by the argument that the EPA standard is at opposite ends of the pole.

Phil Armstrong has pointed out a local lab in the Geismar area who are apparently qualified.

For the time being I am willing to go the outside lab route -- who does the analysis doesn't matter as much as establishing a testing program to determine where we stand, measure improvements if any are required and monitor the situation thereafter. I suggest we review the question after we have some experience under our belts.

C. W. Axce

CWA:cg

BASF Wyandotte Corporation

BASF

INTER-OFFICE MEMORANDUM

TO Dr. J. J. Ronayne

DATE January 26, 1972

FROM C. W. Axce

SUBJECT Asbestos Analyses

COPIES PEArmstrong, RJDeLargey, RHarroun, JFHunter, RWMcNab, RSRoth, WTSargeant

REFERENCE

I do appreciate the restrictions your group is operating under with the loss of a key man. I hope you are able to find a qualified recplacement soon. Frankly, I don't believe an OSHA inspector would be much impressed by the argument that the EPA standard is at opposite ends of the pole.

Phil Armstrong has pointed out a local lab in the Geismar area who are apparently qualified.

For the time being I am willing to go the outside lab route -- who does the analysis doesn't matter as much as establishing a testing program to determine where we stand, measure improvements if any are required and monitor the situation thereafter. I suggest we review the question after we have some experience under our belts.

C. W. Axce

CWA:cg