

EPA-650/2-74-087

September 1974

Environmental Protection Technology Series

IDENTIFICATION AND ASSESSMENT OF ASBESTOS EMISSIONS FROM INCIDENTAL SOURCES OF ASBESTOS



PLAINTIFF'S
EXHIBIT
WCD-34

Office of Research and Development
U.S. Environmental Protection Agency
Washington, DC 20460

IDENTIFICATION AND ASSESSMENT OF ASBESTOS EMISSIONS FROM INCIDENTAL SOURCES OF ASBESTOS

by

R. J. Kuryvial, R.A. Wood, and R.E. ~~WASHINGTON~~

Battelle, Columbus Laboratories
505 King Avenue,
Columbus, Ohio 43201

Contract No. 68-02-0230

Task 24

Program Element No. 1AB015

ROAP No. 21AFA-004

EPA Project Officer: D.K. Oestreich

Control Systems Laboratory
National Environmental Research Center
Research Triangle Park, North Carolina 27711

Prepared for

OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

September 1974

This report has been reviewed by the Environmental Protection Agency and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of the Agency, nor does mention of trade names or commercial products constitute endorsement or recommendation for use.

TABLE OF CONTENTS

	<u>Page</u>
OBJECTIVE	1
APPROACH.	1
SUMMARY AND CONCLUSIONS	2
BACKGROUND INFORMATION	3
Asbestiform Minerals of Interest	3
Geologic Occurrence of Asbestiform Phases.	5
Geographic Distribution of Areas Likely to Contain Asbestiform Minerals	11
APPROACH AND RESULTS.	16
Occurrence of Asbestiform Minerals in Ores	16
Selection of Sources for Field Sampling.	22
Field Sampling at Two Sites.	22
GLOSSARY.	40

APPENDIX A

DETAILED DISCUSSION OF OCCURRENCE OF ASBESTOS AS AN ACCESSORY MINERAL AND MINING ACTIVITY IN THESE AREAS. . .	A- 1
Alabama	1
Alaska.	8
Arizona	15
Arkansas	26
California.	33
Colorado.	43
Connecticut	47
Delaware.	51
Florida	54
Georgia	55
Hawaii.	62
Idaho	69
Illinois.	73
Indiana	77
Iowa.	79
Kansas.	82
Kentucky.	85
Louisiana	90
Maine	92
Maryland.	97

A-1

APPENDIX A

DETAILED DISCUSSION OF OCCURRENCE OF ASBESTOS AS AN ACCESSORY MINERAL AND MINING ACTIVITY IN THESE AREAS

Alabama

The Piedmont region in the east-central part of the state of Alabama has an extensive occurrence of metamorphic rocks as outlined in Figure A-1. Within the general region of metamorphism, amphibolite zones are quite prevalent in several counties as depicted in Figure A-2, a regional map naming counties. Asbestos and talc occurrences are tabulated in Table A-1. Localities in Tallapoosa and Chambers counties have been described in detail to pinpoint selected ultramafic pods that have been altered to asbestiform minerals including anthophyllite, tremolite and actinolite. Anthophyllite was mined intermittently during the late 1960's from the large mafic complex northeast of Dadeville in Tallapoosa County as shown on Figure A-3. Talc is available from the same region (Talledega County) from the American Talc Company (Alpine, Alabama 35014).

Neatherly wrote "The mafic and ultramafic rocks of the Piedmont region represent a wide variety of distinct but related rock types which have been involved in one or more cycles of regional metamorphism, structural dislocation, and pervasion by emanations mobilized from the country rock. Four processes of alteration are recognized: (1) serpentinization, (2) steatitization, (3) amphibolization, and (4) chloritization. All these processes occurred more or less concurrently throughout the mafic-ultramafic belt; however, one mode of alteration generally predominated over the other three at a given locality. The processes of amphibolization and steatitization were most widespread. Amphibolization is the alteration of pyroxenes (enstatite, hypersthene, olivine, etc) to amphibole minerals (anthophyllite, actinolite, tremolite, hornblende, etc). The amphibole formed in the Dadeville area is the orthorhombic variety, anthophyllite, commonly from olivine. Tremolite and actinolite also are commonly associated with the ultramafic rocks in the Dadeville area having been found along the periphery of the ultramafic-mafic rock complex."

While the asbestos mineral prospects of Tallapoosa County are not now being worked, talc is currently being mined by the American Talc Company in Talladega County. Elsewhere in the counties containing the amphibolite zones, large quantities of talc and soapstone are found over wide areas, close to the surface, and are of current and long-range interest. The current mining and quarrying activities in the area are summarized in Table A-2.

TABLE A-1. THE OCCURRENCE OF ASBESTOS, TALC, AND SOAPSTONE IN ALABAMA (FROM USGS MR-17 and MR-31).

Asbestos

Tallapoosa County:

1. Dadeville area. Short-fiber amphibole asbestos associated with basic intrusive rocks. Maynard and others, 1923; Pallister, 1955. 32° 54' 85° 44'

Talc and Soapstone

Talladega County:

1. Talladega. Talc probably derived from dolomite. McMurray and Bowles, 1941. 33° 19' 86° 13'

Tallapoosa County:

2. Dadeville area. Soapstone probably associated with mafic igneous rocks. Maynard and others, 1923; Pallister, 1955. 32° 53' 85° 40'

(Localities by North Latitude and West Longitude)




FIGURE A-1. METAMORPHIC ROCK OCCURRENCE IN ALABAMA




FIGURE A-2. MAP OF AREA OF ALABAMA CONTAINING METAMORPHIC ROCKS

FIGURE A-3. Portions of Clay, Randolph, Tallapoosa, Chambers, Lee, and Elmore Counties, Alabama, showing the occurrence of Amphibolite (massive and layered) with Chlorite Schist. Gabbro, Norite, and Ultramafic Pods locally intermixed. Areas of past Anthrophyllite or talc mining.




TABLE A-2. PRINCIPAL MINERAL PRODUCERS IN ALABAMA

<u>County</u>	<u>Company and Address</u>	<u>Commodity</u>
Chambers	----	None
Chilton	No major producer	Sand and gravel
Clay	----	None
Cleburne	No major producer	Sand and gravel
Coosa	----	None
Elmore	Jenkins Brick Company P.O. Box 91 Montgomery, Alabama 36101 Vulcan Materials Company P.O. Box 7324-A Birmingham, Alabama 35223	Clay, sand and gravel
Lee	No major producer	Stone
Randolph	United States Gypsum Co. 101 S. Wacker Drive Chicago, Illinois 60606	Scrap mica
Talladega	Vulcan Materials Company P.O. Box 7324-A Birmingham, Alabama 35223 Georgia Marble Company Gantts Quarry, Alabama 35069 Thompson-Weinman & Company Cartersville, Georgia 30120 American Talc Company Alpine, Alabama 35014	Limestone, talc
Tallapoosa	No current producer	Anthophyllite.

Source References

- (1) Metamorphic Map of the Appalachians
Benjamin A. Morgan, 1972
USGS Map I-724
- (2) Asbestos in the United States
A. H. Chidester and A. F. Shride, 1962
USGS Map MR-17
- (3) Talc and Soapstone in the United States
A. H. Chidester and H. W. Worthington, 1962
USGS Map MR-31
- (4) Talc and Anthophyllite Deposits in Tallapoosa and Chambers Counties,
Alabama
Thornton L. Neathery, 1968
Bulletin 90, Geol. Surv. of Alabama
- (5) Talc and Asbestos at Dadeville, Alabama
T. L. Neathery, et al, November, 1967
U.S. Bureau Mines, R.I. 7045
- (6) Amphibolite Areas of the Piedmont Region (Map)
T. L. Neathery, et al, 1973
Geol. Surv. of Alabama
- (7) The Mineral Industry of Alabama
H. L. Riley and W. E. Smith, 1971
U. S. Bureau of Mines Minerals Yearbook