Monsanto

FROM (NAME & LOCATION) C. Paton - G. O.

DATE July 17, 1972 cc: P. W. Gann

SUBJECT FOOD-RELATED CUSTOMERS/PYDRAUL

REFERENCE

TO :
J. H. Davidson
T. L. Gossage
H. S. Bergen
J. F. Stapleton
W. B. Papageorge
N. T. Johnson

Attached is a list of food-related customers who used PCB/PCT Pydrauls. Attached are four letters sent out in 1971-1972 to all Pydraul customers. You will note:

1. We did not identify all PCB-containing Pydrauls. (Pydrauls such as AC and F-9 used by food-related customers were not specifically mentioned in 2/1/71 letter)

2. On April 15, 1971 we stated "---no PCBs in any of of our Pydraul fluids."

3. On February 28, 1972 we stated"---no draining--- is necessary. You need only to add the new products as make-up to your present systems."

We know that certain of the attached companies are concerned about PCBs in Pydraul (e.g. Ralston Purina and Pfizer). We also know that the proposed FDA regulation refers to lubricants. Further, we know from heat transfer experience that certain PCB-affected customers have tried to pin the cost of conversion and related problems on M.I.C.C. because of alleged failure to properly warn them on need for system clean-out, etc. Since we have not alerted food-related users of PCB Pydrauls in a special way like we did Therminol FR users, we may be leaving ourselves open to future claims or, worse yet, renewed publicity on PCBs à la fish meal incidents.

I would like you to consider sending the attached letter (modified as you may suggest) to the attached customer list. I propose Paul Gann to handle the mechanics of customer/product usage and mailing. Also, he should

DSW 339089

STLCOPCB4082603

enlist field sales to identify (after the initial mailing) any customers we may have missed. I would propose we give some thought as to how we distribute this letter to the customers. We have learned a few things about customer relations in the blizzard of mail we've sent out in the past few years.

C. Paton

/pep

DSW 339090

STLCOPCB4082604

Suspect Pydraul Applications - From IBM Run

American Can	Washington, New Jersey, Modesto, California	
Anheuser Busch	4 locations	
Continental Can	7 locations	
Northern Packaging	Rochester, New York	
Petroleum Distributors	Houston, Texas	Should look at their customer list
Ralston Purina	15 locations	
Upjohn Company	New Haven, Connecticut	
Cherry Burrell	Cedar Rapids, Iowa	In process of changing to Pydraul 30 E - milk carton sealing machine manufacturer
Associated Milk Products	Rochester, Minnesota	
Borden	Illiopolis, Illinois	
Glass Container	Los Angeles, California	AC-A, blowing glass bottles
Hunt Wesson	Chicago, Illinois	
Owens Illinois	9 locations	AC A, blowing glass bottles
Pevely Dairy	St. Louis	
Pfizer	Terre Haute, Indiana	DSW 339091
Proctor & Gamble	11 locations	
Thatcher Glass	2 locations	AC, blowing glass bottles

STLCOPCB4082605

Catalina Divers	Avalon, California	) AC-A filling scub
Dive Shop	Bay Shore, New York	) divers tanks
Scuba Hut	Springdale, Arkansas	)
Divers Equipment	Kansas City, Missouri	)
Cliquot Club	Millis, Ma.	
CIBA Pharmaceutical	Somerset, New Jersey	
Custom Bevocan	Charlotte, N. C.	
Seven Up	Detroit, Michigan	
Countrys Delight Milk	Chicago, Illinois	Cherry Burrell carto sealer changed to Pydraul 30 E
Hawthorne Melody Farms	Chicago Illinois	
Tuscon Dairy	Union New Jersey	

Total Customers Listed Above:		28
Customers with Air Compressor Applications :		14 (pneumatic equipm
All others:		14
Total Pydraul Customers :	approximately	1000

DSW 339092