Monsanto

CALL REPORT — ORGANIC DIVISION

DICTATE IN SEQUENCE:
1. HEADING INFORMATION
2. NAMES OF ADDRESSEES
3. NAMES OF CARBONEES
4. IMMEDIATE ACTION NEEDED
5. REPORT ON CALL

REPORT CAPTIONS:
1. OBJECTIVE
2. PERSONS CONTACTED
3. RESULTS
4. ACTION REQUIRED

CUSTOMER NAME		DATE OF CALL
REPUBLIC POWDERED METALS		3/3/70
CITY AND STATE	DATE RECEIVED	DATE TYPED
MEDINA, OHIO	3/5/70	3/6/70 jm

CUSTOMER MAILING LIST CHANGES — SERVICE CENTER USE ONLY

NAME AND TITLE	PUT ON	TAKE OFF	MP	MAG.	CATEGORY CODES

REGION	SERVICE CENTER	SALESMAN
Akron	Akron	Guy Busch

TO W.F. WAYCHOFF
ST. LOUIS

CC E.C. Wilde - Akron
C. Paton - St. Louis

CONTACTED: Tom Healy - P.A.
Chuck Noll - Technical Engr.

OBJECTIVES:
1. Introduction to account.
2. Review Aroclor usage.
3. Present Modaflow.

RESULTS:
1. This is an account that has never been called on by us before. They use small amounts of Aroclor 1254 and Aroclor 5460 in a heat resistant aluminum paint. These are used together in the formulation with roughly twice as much 1254 and 5460. The paint is used on high pressure steam lines as well as steam stacks. The Navy uses the paint (covered under govt. spec. TTP-28C) a great deal.

ATTN. C. PATON: Will the Aroclor stay in the formulation if the temperature of the steam lines goes up to 1600°F? Currently it meets the spec. or doesn't volatilize at 1200°F.

2. Modaflow - I presented this product and Noll asked for a sample right away. He has a formulation where he is experiencing creeping or bubbling.

DSW 471672

S - 331 (REV. 12/68)

1 — CENTRAL OFFICE COPY

STLCOPCB0022838