

FILE NAME: Celanese (CEL)

DATE: 1971

DOC#: CEL011

DOCUMENT DESCRIPTION: Occupational Safety and Health
Administration – Emergency Standard for Exposure to Asbestos Dust

Meetings

GUENTHER TO KEYNOTE OREGON GOVERNOR'S INDUSTRIAL SAFETY CONFERENCE

The keynote address at the 14th Governor's Industrial Safety Conference February 10-11, in Salem, Ore., will be given by Assistant Secretary of Labor George C. Guenther.

Also participating will be the American Society of Safety Engineers President Allen C. Guy.

The final program is not available, but it is expected to consist of panel programs covering both the federal application of the Occupational Safety and Health Act and the state's role under that law.

Exhibits of safety material and equipment, and information covering various methods and ideas for getting plants and operations into close compliance with both state and federal standards are likely to be included.

State Plans

IAGLO CONSIDERS ACTION ON SUGGESTION RELATING TO STATE PLAN ALTERNATIVES

No action has been taken with regard to the suggestion that a committee to examine alternatives to an 18 (b) state plan for job safety and health be created by the International Association of Government Labor Officials, President of IAGLO Barry Brown, director of the Michigan Department of Labor, told OSHR.

Robert Duvall, commissioner of the New Hampshire Department of Labor, thought it was "a great idea," Brown said. Most states have indicated their intention to develop a state plan, he added. Those who decide not to have a plan may want to monitor the federal program (Current Report, November 25, p. 602).

A state plan is a very appealing program to Michigan, Brown said. The state may receive \$1.5 million in federal money in implementing a plan.

General Policy

ASSE MANAGING DIRECTOR RESIGNS POST TO BECOME ASSISTANT DIRECTOR FOR NIOSH

Managing director and secretary of the American Society of Safety Engineers, A. C. Blackman, has resigned to become assistant director for safety with the National Institute for Occupational Safety and Health, effective in January.


A member of ASSE since 1944, Blackman has been managing director of the Society since February, 1959, and in that year was elected to his first term as secretary.

A registered professional engineer and certified safety professional, he has been working in accident prevention since 1931 when he was a safety engineer with Liberty Mutual Insurance Company.

Blackman was appointed chief of the California Division of Industrial Safety in 1949. He served on the Technical Advisory Committee for the President's Conference on Occupational Safety and was chairman of the program sub-committee for the 1960 conference.

A member of the American Industrial Hygiene Association, Blackman served as a consultant to the Joint Congressional Committee on Atomic Energy in the 1959 hearings on employee radiation hazards and workmen's compensation and as a member of the Safety Advisory Committee of the Illinois Department of Labor.

Manager of technical services for the Society, Wayne C. Christensen, was appointed acting managing director.



EMERGENCY STANDARD FOR EXPOSURE TO ASBESTOS DUST PUBLISHED BY THE OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

Chapter XVII—Occupational Safety and Health Administration, Department of Labor

PART 1910—OCCUPATIONAL SAFETY AND HEALTH STANDARDS

Emergency Standard for Exposure to Asbestos Dust

Pursuant to section 6(e) of the Williams-Steiger Occupational Safety and Health Act of 1970 (84 Stat. 1598, 29 U.S.C. 655), Part 1910 of Title 29, Code of Federal Regulations (36 F.R. 10466, May 29, 1971) is hereby amended in the manner indicated below in order to provide an emergency standard dealing with the exposure of employees to asbestos dust.

In light of increasing information on the results of exposure of employees to airborne asbestos dust, including recent studies by the National Institute for Occupational Safety and Health and others, and recommendations by the American Conference of Governmental Industrial Hygienists (ACGIH), it is hereby determined that (1) exposure under the present standard for asbestos dust in Table G-3, § 1910.93, of 12 fibers per milliliter greater than 5 microns in length or 2 million particles per cubic foot of air, which is derived from an established Federal standard promulgated under the Walsh-Healey Public Contracts Act on May 20, 1960, constitutes a grave danger to employees exposed to this 8-hour time-weighted average concentration; and that (2) an emergency standard is

necessary to protect employees from this excessive exposure. The National Institute for Occupational Safety and Health concurs that the proposed change in the asbestos dust standard recommended by the American Conference of Governmental Industrial Hygienists should be the substantial base for the emergency standard.

Action concerning the standard will be commenced under section 6(b) in the immediate future. Any notice of proposed rulemaking under section 6(b) will give notice of the emergency standard as a proposed rule and also of any appropriate subsidiary proposals which may be required under subparagraphs (5) and (7) of section 6(b) relating to the exposure of employees to toxic substances.

is amended as follows:

1. Table G-3 following § 1910.93 (36 F.R. 15104, Aug. 13, 1971) is hereby amended by deleting the following:

Asbestos—12 fibers per milliliter greater than 5 microns in length or..... 2 Mppcf.
Tremolite..... 5 Mppcf. 20mg./M³
% SiO₂

As amended, Table G-3 reads as follows:

TABLE G-3—MINERAL DUSTS

Substance	Mppcf.	Mg/M ³
Silica:		
Crystalline:		
Quartz (respirable).....	250	10mg/M ³ = %SiO ₂ +4 %SiO ₂ +2 20mg/M ³
Quartz (total dust).....		%SiO ₂ +2
Cristobalite: Use 1/2 the value calculated from the count or mass formulae for quartz.		
Tridymite: Use 1/2 the value calculated from the formulae for quartz.		
Amorphous, including natural diatomaceous earth.....	30	10mg/M ³ %SiO ₂
Silicates (less than 1% crystalline silica):		
Mica.....	30	
Soapstone.....	30	
Talc.....	30	
Portland cement.....	30	
Graphite (natural).....	15	
Coal dust (respirable fraction less than 5% SiO ₂).....		2.4mg/M ³ or 10mg/M ³
For more than 1% SiO ₂		%SiO ₂ +2
Inert or nuisance dust:		
Respirable fraction.....	15	8mg/M ³
Total dust.....	30	10mg/M ³

Note: Conversion factors—
Mppcf/X35.3 = million particles per cubic meter
= particles per c.c.

* Millions of particles per cubic foot of air, based on impinger samples counted by light-field techniques.
† The percentage of crystalline silica in the formula is the amount determined from air-borne samples, except in those instances in which other methods have been shown to be applicable.
‡ As determined by the membrane filter method at 400X phase contrast magnification.
§ Both concentration and percent quartz for the application of this limit are to be determined from the fraction passing a size-selector with the following characteristics:

Aerodynamic diameter (unit density sphere)	Percent passing selector
2.5	90
2.5	75
2.5	50
4.0	25
10	0

The measurements under this note refer to the use of an AEC instrument. If the respirable fraction of coal dust is determined with a MIE, the figure corresponding to that of 2.4 Mg/M³ in the table for coal dust is 4.8 Mg/M³.

2. A new § 1910.93a is added to Part 1910. The new § 1910.93a reads as follows:

§ 1910.93a Asbestos dust.

(a) The 8-hour time-weighted average airborne concentration of asbestos dust to which employees are exposed shall not exceed 5 fibers per milliliter greater than 5 microns in length, as determined by the membrane filter method at 400-450X magnification (4 millimeter objective) phase contrast illumination. Concentrations above 5 fibers per milliliter but, not to exceed 10 fibers per milliliter, may be permitted

up to 5 hours in an 8-hour day.

(b) Engineering methods, such as but not limited to, enclosure, vacuum sweeping, and local exhaust ventilation, shall be used to meet the exposure limits prescribed in paragraph (a) of this section. Where such engineering methods are not feasible, or do not otherwise reduce the concentrations below those prescribed in paragraph (a) of this section, respiratory protective devices shall be provided and used in accordance with paragraph (c) of this section.

(c) (1) (i) When the limits of exposure to asbestos dust prescribed in paragraph (a) of this section are exceeded and when engineering controls required by paragraph (b) of this section are not feasible or do not otherwise reduce the concentration of asbestos dust below those prescribed in paragraph (a) of this section, the employer shall require the use of respiratory protective devices. The selection of respiratory protective devices shall be limited to those specified in the remaining subparagraphs of this paragraph (c).
(ii) The employer shall require that each employee test his respiratory protective device before each use in order to insure a proper fit according to the manufacturer's instructions. The employer shall further provide for effective training or supervision of employees in the testing of respiratory protective devices for fit before their use.

(2) For an atmosphere containing not more than 25 fibers per milliliter greater than 5 microns in length over an 8-hour average, or more than 50 fibers per milliliter over any period of 15 minutes, a reusable or single-use filter type respirator, operating with negative pressure during the inhalation phase of breathing, approved by the U.S. Bureau of Mines under the provisions of 30 CFR Part 14 (Bureau of Mines Schedule 21B), or a valveless respirator providing equivalent protection, shall be used.

(3) For an atmosphere containing not more than 250 fibers per milliliter greater than 5 microns in length over an 8-hour average, or more than 500 fibers per milliliter over any period of 15 minutes, a powered filter positive pressure respirator approved by the U.S. Bureau of Mines under the provisions of 30 CFR Part 14 (Bureau of Mines Schedule 21B) shall be used.

(4) For an atmosphere containing more than 250 fibers per milliliter greater than 5 microns in length over an 8-hour average a type C positive pressure supplied-air respirator approved by the U.S. Bureau of Mines under the provisions of 30 CFR Part 12 (Bureau of Mines Schedule 19B) shall be used.

(5) The employer shall establish a respirator program in accordance with the requirements of American National Standard Practice for Respiratory Protection Z88.2—1969.

(6) The respirators provided each employee shall be properly inspected, cleaned, repaired and stored.
(d) (1) When an employer has employees who are exposed to asbestos dust exceeding the limits prescribed in paragraph (a) of this section and the exposure results from the operations de-

scribed in the remaining of this paragraph (d), the employer shall comply with the requirements of these subparagraphs relating to the operations involved. The requirements of this paragraph are in addition to those prescribed in paragraph (b) of this section.

(2) All hand- or power-operated tools which produce asbestos dust such as, but not limited to, saws, scorers, abrasive wheels, and drills shall be provided with local exhaust ventilation and dust collectors in accordance with the American National Standard Fundamentals Governing the Design and Operation of Local Exhaust Systems; ANSI Z9.2—1971.

(3) Employees exposed to the spraying of asbestos or the demolition of pipes, structures, or equipment covered or insulated with asbestos shall be provided with respiratory protective devices in accordance with paragraph (c) (4) of this section.

(e) Asbestos cement, mortar, coatings, grout, and plaster shall be mixed in closed bags or other containers.

(f) Asbestos waste and scrap shall be collected and disposed of in sealed bags or other containers.

(g) All cleanup of asbestos dust and blowing shall be performed by vacuum cleaners. No dry sweeping shall be performed.

3. Section 1910.12 is amended by changing paragraph (a) in order to apply the emergency standard prescribed in the new § 1910.93a, which is published in this document, to construction work which is subject to the Act. The amendment is necessary in light of the rule of regulatory construction set forth in § 1910.5(c). As amended, § 1910.12 reads as follows:

§ 1910.12 Construction work.

(a) (1) *Adoption and extension of established safety and health standards for construction.* The standards prescribed by Part 1518 of this title and in effect on April 28, 1971, are adopted as occupational safety or health standards under section 6(a) of the Act and shall apply, according to the provisions thereof, to every employment and place of employment of every employee engaged in construction work. Each employer shall protect the employment and places of employment of each of his employees engaged in construction work by complying with the appropriate standards prescribed by this paragraph.
(2) The standards prescribed in § 1518.55(c) of this title shall apply in the case of the exposure of any employee in construction work to airborne asbestos dust.

Effective date. These amendments shall become effective immediately upon publication in the FEDERAL REGISTER (12-7-71).

(Sec. 6(c), 84 Stat. 1506, 29 U.S.C. 655; Secretary's Order No. 12-71, 36 F.R. 8784)

Signed at Washington, D.C., this 24 day of December 1971.

G. C. GUNTHER,
Assistant Secretary of Labor.
[FR Doc. 71-17833 Filed 12-6-71; 8:47 am]



General Policy

GUENTHER REORGANIZES OSHA STAFF; COMPLIANCE, STANDARDS UNITS AFFECTED

A reorganization of the Occupational Safety and Health Administration, including the creation of a new Office of Compliance and Standards, was announced by Assistant Labor Secretary George C. Guenther on December 9.

Under the reorganization, the Office of Compliance and the Office of Safety and Health Standards have been combined into the new Office of Compliance and Standards. Fred M. Bishoff, a former special assistant, was named acting director of the new office. He will report to the director of Program Operations, Dr. Preston Farish.

Bishoff also was named to serve as acting director for the standards office. Gerard F. Scannell, a former special assistant, was named acting director for the standards office.

Eugene L. Newman, former director of the Office of Compliance, was named acting director of Federal Agency Programs. In that capacity, he will help coordinate the Federal Government's safety programs for over three million civilian employees.

A new Special Program Staff was created, with Harry Verdier named acting chief. The Staff will coordinate the target industry program and other special programs presently contemplated by OSHA. Verdier will report to Farish also.

A Policy and Evaluation Staff was created to replace the Office of Policy Development. Robert Copeland was named acting chief of the new Staff and will report to Marl Chain Robbins, Deputy Assistant Secretary.

The Office of Program Management Services was renamed the Office of Management Services and will be headed by Barry J. White.

Samuel M. Sharkey was named acting director of the Office of Information Services. He will report to Robbins also.

Asbestos

OSHA PUBLISHES EMERGENCY STANDARD FOR ASBESTOS TO BE EFFECTIVE IMMEDIATELY

An emergency standard limiting the exposure of employees to asbestos dust was published by the Occupational Safety and Health Administration and made effective December 7.

The emergency standard limits the eight-hour time weighted average airborne concentration of asbestos dust to which employees are exposed to no more than five fibers per milliliter greater than five microns in length. Concentrations above five fibers per milliliter but, not to exceed 10 fibers per milliliter, may be permitted up to a total of 15 minutes in an hour for up to five hours in an eight-hour day.

The new standard was issued under the Occupational Safety and Health Act and also applies to the Construction Safety Act and Walsh-Healey Public Contracts Act regulations.

The adoption was made under Section 6(c) of OSHA following studies conducted by the National Institute for Occupational Safety and Health and recommendations made by the American Conference of Governmental Industrial Hygienists. NIOSH and ACGIH determined that existing standards constituted a grave danger to employees exposed to the eight-hour time weighted average concentration and that an emergency standard was necessary. NIOSH concurred that the change proposed by the ACGIH would provide a substantial base.

Action under Section 6(b) of the Act will begin soon. Any notice of proposed rulemaking under 6(b) will give notice of the emergency standard as a proposed rule of any subsidiary proposals which may be required under subsections (5) and (7) of 6(b) relating to toxic substances.

The emergency temporary standard had been called for in a letter to the Labor Department from the AFL-CIO. The letter cited evidence from a study conducted by Dr. Irvin J. Selikoff and the staff of the Mount Sinai School of Medicine, the AFL-CIO, and the Ad Hoc Committee on the Asbestos Hazard of the AFL-CIO Industrial Union Department (Current Report, November 18, p. 581).

The emergency standard appears in the Full Text section of this report and will be included in a future Reference File supplement.

Toxic Substances

PROPOSED STANDARDS FOR MERCURY, BERYLLIUM, ASBESTOS PUBLISHED BY EPA

Proposed standards applicable to facilities producing, manufacturing, or using asbestos, mercury, and beryllium were published December 7 by the Environmental Protection Agency.

Existing plants, new plants, and products containing the substances will be covered. William D. Ruckelshaus, EPA Administrator, said. The substances are the first to be identified as hazardous pollutants under the 1970 Clean Air Act.

In many cases information on possible sources of these hazardous pollutants is not available in sufficient detail to permit the establishment of emission standards covering all sources, Ruckelshaus said. Investigations are underway to fill these gaps in knowledge and the results may require modification of the standards and inclusion of additional categories for these pollutants.

The EPA has 180 days in which to hold public hearings and set final emission standards, unless information presented at the public hearings demonstrates that the pollutants clearly are not hazardous.

A notice of the date, time, and place of the public hearings will be announced within 30 days. Interested