MD-3-A

PACKAGE TICKET (DRY AND PASTE ONLY)

CODE K0789 LOT 33931

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PQ
1926	1		T-58	
	~~1~~		~~T-184~~	
1836	1		T-184	
	STUMP			

TOTAL NET WT. 3762 PKG. N–CODE

PROD. SPVR.	DATE	WHSE. OPER.
WK	1 26 80	

25
245 CG 04 CODE KO-789-D PKG. ____

JAN 23 33931

EST. WGT. ~~1199~~ 762 LBS.

OK
KP

Note: 38 frames

3862

Total Weight 5199# (Req. _____)

PROCESSING INSTRUCTIONS: BATCH UNIT

25
245

PROCESSES	APPROVED BY
KO-789-D (1)	EWK 9-21-76
	DCG 9-21-76
	MTW 10-2-76
TYPED BY	
jlc 10-8-76	

MAKING NOTES

REMARKS

NAME: "KROLOR" ORANGE Y NON-BLEEDING

-PRESSING-

INSTRUCTIONS					RECORD					
AT	245				PRESSLOAD	1ST	2ND	3RD	4TH	5TH
ATE	1-24-80				STARTED	11:30AM				
ME	11:00AM				CAKES USED	33				
ELEASED BY	e.kr.				WATER ON	10.PM				
RESS	22	23	24	25	HRS. WASHED	8hr				
O. OF CAKES	46	46	58	48	OHMS	5000				
RESS with		AGITATION 38			HRS. WASHED					
ASH TO 5000		OHMS with 35-75°F water			OHMS					
EST AFTER 6		HOURS			HRS. WASHED					
OAD on 6 cars					OHMS					
4					CAKE CONDITION					
					NO. CARS LOADED	5				
					EXPLAIN LOSSES					

AMPLES 1 - 8 oz. jar
ELIVER TO CTL for color

SAMPLED BY RELEASED BY

-DRYING-

Y 16 HOURS AT 220°F

LUMP: - OK - WET - SALTS - CONTAMINATE

ADDITIONAL DRYING HOURS REQUIRED

NO. DRUMS: 13

MPLES
ELIVER TO

NO. CARS PULLED
SAMPLED BY

LUMP WGT. 3993
RELEASED BY

-GRINDING-

LL 938 HSP 3/32" RP SCREEN 3500 RPM
AX. TEMP. 210 °F

SCREEN RPM
MAX. TEMP. °F

EXPLAIN LOSSES

AMPLE WITHOUT MIXING
AMPLES 1 Env. + 1 Pint Can
ELIVER TO C T L

DATE MIXED

SAMPLED BY RELEASED BY

DUP050095288

33931
4100
158

0.00	*
3.46	+
0.12	-
3.05	+
0.12	-
3.38	+
0.12	-
3.50	+
0.12	-
3.28	+
0.12	-
3.25	+
0.12	-
3.29	+
0.12	-
2.97	+
0.12	-
3.30	+
0.12	-
3.16	+
0.12	-
2.94	+
0.12	-
3.02	+
0.12	-
2.28	+
0.12	-
39.32	*

DUP050095289