

FAY

PROJECT	SRCNAME	THEME	DATESMPL	SMPLT	SAMPLE_NUMBER	TOP	BOTTOM	FILTERED	CASNO	ANALYTE	RsltPost	RsltVal	UNITS	Hit	LAB_ANALYTE	QUAL_EP	
FAY C8 SAMPLING 2/04	1-S	Groundwater	2/3/2004	FS	FAY-G-1-S	0		0 T	3825261	FC-143	NQ	0	NG/L	0	FC-143		
FAY C8 SAMPLING 2/04	EBLK-1	Blank Water	2/4/2004	EB	FAY-K-EBLK-1	0		0 T	3825261	FC-143	<10	5	NG/L	0	FC-143		
FAY C8 SAMPLING 2/04	NAF-01	Groundwater	2/4/2004	FS	FAY-G-NAF-01	0		0 T	3825261	FC-143	61.9	61.9	NG/L	1	FC-143		
FAY C8 SAMPLING 2/04	NAF-02	Groundwater	2/4/2004	FS	FAY-G-NAF-02	0		0 T	3825261	FC-143	303	303	NG/L	1	FC-143		
FAY C8 SAMPLING 2/04	NAF-03	Groundwater	2/4/2004	FS	FAY-G-NAF-03	0		0 T	3825261	FC-143	1530	1530	NG/L	1	FC-143		
FAY C8 SAMPLING 2/04	NAF-04	Groundwater	2/4/2004	FS	FAY-G-NAF-04	0		0 T	3825261	FC-143	123	123	NG/L	1	FC-143		
FAY C8 SAMPLING 2/04	OF-002	Surface Water	2/3/2004	FS	FAY-W-OF-002	0		0 T	3825261	FC-143	NQ	0	NG/L	0	FC-143		
FAY C8 SAMPLING 2/04	SMW-01	Groundwater	2/3/2004	FS	FAY-G-SMW-01	0		0 T	3825261	FC-143	<10	5	NG/L	0	FC-143		
FAY C8 SAMPLING 2/04	SMW-02	Groundwater	2/3/2004	FS	FAY-G-SMW-02	0		0 T	3825261	FC-143	<10	5	NG/L	0	FC-143		
FAYETTEVILLE GW 1/03	FBLK-1	Blank Water	1/27/2003	FB	WWK-K-FBLK-1			T	3825261	FC-143	<50	25	NG/L	0	FC-143		
FAYETTEVILLE GW 1/03	FBLK-2	Blank Water	1/28/2003	FB	WWK-K-FBLK-2			T	3825261	FC-143	<50	25	NG/L	0	FC-143		
FAYETTEVILLE GW 1/03	MW-1S	Groundwater	1/28/2003	DUP	WWK-G-MW-1S-2			T	3825261	FC-143	NQ	0	NG/L	0	FC-143		
FAYETTEVILLE GW 1/03	MW-1S	Groundwater	1/28/2003	FS	WWK-G-MW-1S			T	3825261	FC-143	NQ	64.9	64.9	NG/L	1	FC-143	
FAYETTEVILLE GW 1/03	NAF-01	Surface Water	1/27/2003	FS	WWK-G-NAF-01			T	3825261	FC-143	NQ	0	NG/L	0	FC-143		
FAYETTEVILLE GW 1/03	OUTFALL 002	Surface Water	1/28/2003	FS	WWK-W-OUTFALL-002			T	3825261	FC-143	NQ	0	NG/L	0	FC-143		
FAYETTEVILLE GW 1/03	SMW-01	Groundwater	1/27/2003	FS	WWK-G-SMW-01			T	3825261	FC-143	<50	25	NG/L	0	FC-143		
FAYETTEVILLE GW 1/03	SWM-02	Groundwater	1/27/2003	FS	WWK-G-SWM-02			T	3825261	FC-143	<50	25	NG/L	0	FC-143		
FAYETTEVILLE GW 3/03	FBLK-1	Blank Water	3/27/2003	FB	FAY-K-FBLK-1			T	3825261	FC-143	<50	25	NG/L	0	FC-143		
FAYETTEVILLE GW 3/03	MW-1S	Groundwater	3/27/2003	FS	FAY-G-MW-1S			T	3825261	FC-143	NQ	0	NG/L	0	FC-143		
FAYETTEVILLE GW 3/03	NAF-01	Groundwater	3/27/2003	FS	FAY-G-NAF-01-1			T	3825261	FC-143	68.4	68.4	NG/L	1	FC-143		
FAYETTEVILLE GW 3/03	NAF-01	Groundwater	3/27/2003	FS	FAY-G-NAF-01-2			T	3825261	FC-143	62.8	62.8	NG/L	1	FC-143		
FAYETTEVILLE GW 3/03	OUTFALL-002	Surface Water	3/27/2003	DUP	FAY-W-OUTFALL-002			T	3825261	FC-143	NQ	0	NG/L	0	FC-143		
FAYETTEVILLE GW 3/03	SMW-01	Groundwater	3/27/2003	FS	FAY-G-SMW-01			T	3825261	FC-143	<50	25	NG/L	0	FC-143		
FAYETTEVILLE GW 3/03	SMW-02	Groundwater	3/27/2003	FS	FAY-G-SMW-02			T	3825261	FC-143	<50	25	NG/L	0	FC-143		
FAYETTEVILLE SAMPLING 10/03	001	Other liquid	10/27/2003	FS	FAY-Z-001	0		0 T	3825261	FC-143	<10	5	NG/L	0	FC-143		
FAYETTEVILLE SAMPLING 10/03	002	Other liquid	10/27/2003	FS	FAY-Z-002	0		0 T	3825261	FC-143	<10	5	NG/L	0	FC-143		
FAYETTEVILLE SAMPLING 10/03	003	Other liquid	10/27/2003	FS	FAY-Z-003	0		0 T	3825261	FC-143	<10	5	NG/L	0	FC-143		
FAYETTEVILLE SAMPLING 10/03	004	Other liquid	10/27/2003	FS	FAY-Z-004	0		0 T	3825261	FC-143	<10	5	NG/L	0	FC-143		
FAYETTEVILLE SAMPLING 10/03	005	Other liquid	10/27/2003	FS	FAY-Z-005	0		0 T	3825261	FC-143	115	115	NG/L	1	FC-143		
FAYETTEVILLE SAMPLING 10/03	006	Other liquid	10/27/2003	FS	FAY-Z-006	0		0 T	3825261	FC-143	<10	5	NG/L	0	FC-143		
FAYETTEVILLE SAMPLING 10/03	007	Other liquid	10/27/2003	FS	FAY-Z-007	0		0 T	3825261	FC-143	<10	5	NG/L	0	FC-143		
FAYETTEVILLE SAMPLING 10/03	008	Other liquid	10/27/2003	FS	FAY-Z-008	0		0 T	3825261	FC-143	<10	5	NG/L	0	FC-143		
FAYETTEVILLE SAMPLING 10/03	009	Other liquid	10/27/2003	FS	FAY-Z-009	0		0 T	3825261	FC-143	NQ	0	NG/L	0	FC-143		
FAYETTEVILLE SAMPLING 10/03	010	Other liquid	10/27/2003	FS	FAY-Z-010	0		0 T	3825261	FC-143	116	116	NG/L	1	FC-143		
FAYETTEVILLE SAMPLING 10/03	011	Other liquid	10/27/2003	FS	FAY-Z-011	0		0 T	3825261	FC-143	<10	5	NG/L	0	FC-143		
FAYETTEVILLE SAMPLING 10/03	012	Other liquid	10/27/2003	FS	FAY-Z-012	0		0 T	3825261	FC-143	NQ	0	NG/L	0	FC-143		
FAYETTEVILLE SAMPLING 10/03	013	Other liquid	10/27/2003	FS	FAY-Z-013	0		0 T	3825261	FC-143	698	698	NG/L	1	FC-143		
FAYETTEVILLE SAMPLING 10/03	014	Other liquid	10/27/2003	FS	FAY-Z-014	0		0 T	3825261	FC-143	<10	5	NG/L	0	FC-143		
FAYETTEVILLE SAMPLING 10/03	FIELD WATER	Blank Water	10/27/2003	FS	FAY-K-FIELD WATER	0		0 T	3825261	FC-143	<10	5	NG/L	0	FC-143		
FAYETTEVILLE SAMPLING 10/03	#562877-DOMESTIC H2O	Drinking Water	7/15/2004	FS	FAY-D-#562877-DOMESTIC H2O	0		0 T	3825261	FC-143	<10	5	NG/L	0	FC-143		
FAYETTEVILLE SAMPLING 7/04	#562878-DOMESTIC H2O	Drinking Water	7/15/2004	FS	FAY-D-#562878-DOMESTIC H2O	0		0 T	3825261	FC-143	<10	5	NG/L	0	FC-143		
FAYETTEVILLE SAMPLING 7/04	BLANK	Blank Water	7/15/2004	FS	FAY-K-BLANK	0		0 T	3825261	FC-143	<10	5	NG/L	0	FC-143		

FAY

QUAL_INHOUSE	REVIEW	METHODNO	PREPMTHD	PREPREP	DRY	LAB_NUMBER	RSLTMOD	RESULT	UNIT	MDL	PQL	DUPNO
		01M-008-046	NS	NS	W	L000178-3		NQ	NG/L	10	50	1
		01M-008-046	NS	NS	W	L000178-4	<	10	NG/L	10	50	1
		01M-008-046	NS	NS	W	L000178-5		61.9	NG/L	10	50	1
		01M-008-046	NS	NS	W	L000178-6		303	NG/L	10	50	1
		01M-008-046	NS	NS	W	L000178-7		1530	NG/L	20	100	1
		01M-008-046	NS	NS	W	L000178-8		123	NG/L	10	50	1
		01M-008-046	NS	NS	W	L000178-9		NQ	NG/L	10	50	1
		01M-008-046	NS	NS	W	L000178-1	<	10	NG/L	10	50	1
		01M-008-046	NS	NS	W	L000178-2	<	10	NG/L	10	50	1
		01M-008-046	NS	NS	1	L34144-1	<		NG/L		50	1
		01M-008-046	None	NS	1	L34144-6	<		NG/L		50	1
		01M-008-046	None	NS	1	L34144-8		NQ	NG/L		50	2
		01M-008-046	None	NS	1	L34144-7		NQ	NG/L		50	1
		01M-008-046	None	NS	1	L34144-4		64.9	NG/L		50	1
		01M-008-046	None	NS	1	L34144-5		NQ	NG/L		50	1
		01M-008-046	None	NS	1	L34144-2	<		NG/L		50	1
		01M-008-046	None	NS	1	L34144-3	<		NG/L		50	1
		01M-008-046	None	NS	1	L34375-5	<		NG/L		50	1
		01M-008-046	None	NS	1	L34375-7		NQ	NG/L		50	1
		01M-008-046	None	NS	1	L34375-3		68.4	NG/L		50	1
		01M-008-046	None	NS	1	L34375-4		62.8	NG/L		50	2
		01M-008-046	None	NS	1	L34375-6		NQ	NG/L		50	1
		01M-008-046	None	NS	1	L34375-1	<		NG/L		50	1
		01M-008-046	None	NS	1	L34375-2	<		NG/L		50	1
		01M-008-046	NS	NS	W	L353241-1	<	10	NG/L	10	50	1
		01M-008-046	NS	NS	W	L353242-1	<	10	NG/L	10	50	1
		01M-008-046	NS	NS	W	L353243-1	<	10	NG/L	10	50	1
		01M-008-046	NS	NS	W	L353244-1	<	10	NG/L	10	50	1
		01M-008-046	NS	NS	W	L353245-1	<	115	NG/L	10	50	1
		01M-008-046	NS	NS	W	L353246-1	<	10	NG/L	10	50	1
		01M-008-046	NS	NS	W	L353247-1	<	10	NG/L	10	50	1
		01M-008-046	NS	NS	W	L353248-1	<	10	NG/L	10	50	1
		01M-008-046	NS	NS	W	L353249-1		NQ	NG/L	10	50	1
		01M-008-046	NS	NS	W	L3532410-1	<	116	NG/L	10	50	1
		01M-008-046	NS	NS	W	L3532411-1		10	NG/L	10	50	1
		01M-008-046	NS	NS	W	L3532412-1		NQ	NG/L	10	50	1
		01M-008-046	NS	NS	W	L3532413-1		698	NG/L	10	50	1
		01M-008-046	NS	NS	W	L3532414-1	<	10	NG/L	10	50	1
		01M-008-046	NS	NS	W	L3532415-1	<	10	NG/L	10	50	1
		01M-008-046	NS	NS	W	L0002906-1	<	10	NG/L	10	50	1
		01M-008-046	NS	NS	W	L0002906-2	<	10	NG/L	10	50	1
		01M-008-046	NS	NS	W	L0002906-3	<	10	NG/L	10	50	1