S.V. C.V. D.V.

CG CODE YT-808-D PKG ___ PROCESSES APPROVED BY

MAY -0-81-E1556 ( ) ( )

(DATE) (LOT NUMBER) ( )ALTERNATE ( )

( ) ( )

TYPED BY:

ESTIMATED WGT 0 LBS. STANDARD HRS. _____ TIME _____M

Total Wgt 2196

PREPARATION NOTES:

DRYOUT of 2196# PC11A Lot 37976

(Reg. #10245)

EQUIPMENT		NAME:	USE LBS	N-CODE	ACCT LBS
		ORDERED 6/3/81 B.L.Le			
		P/L 12 DRS 6/3/81 B.L.Le.			
		4 CARS NO PROCESS CARD			
		USED 24 HR AT 200			

JUN 10 1981

MD-3-A

PACKAGE TICKET (DRY AND PASTE ONLY)

CODE 17808 LOT E1536

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PQ
	13	2131	20	
	STUMP	wmp	2139	

TOTAL NET WT. 2131 PKG. N–CODE

PROD. SPVR. DATE WHSE. OPER.

0.T

154.+
161.+
160.+
159.+
165.+
174.+
174.+
175.+
176.+
162.+
166.+
166.+
139.+
2131.T

DUP050098650

DRY OUT

CG 46 CODE YT-808-D PKG. ____

→ MAY -0·81-E·1556

EST. WGT. ~~2238~~ 0 LBS. 2 Jg

Pan Load YC11 Lot 37976 (2196#)

Total Wgt - 2196

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES	APPROVED BY
YT-808-D (D)	EWK 9/28/77
	BBK 10/17/77
	DCG 10/17/77
TYPED BY	
JIC 10/26/77	

MAKING NOTES

REMARKS

ME: DALAMAR® YELLOW

BLEEDING

-PRESSING-

INSTRUCTIONS

AT					
ATE					
ME					
ELEASED BY					
RESS	32	33	35		
O. OF CAKES	60	62	60		

RESS WITHOUT AGITATION

ASH TO 4000 OHMS with 35-75°F water

EST AFTER 4 HOURS

OAD on 9 cars

RECORD

PRESSLOAD	1ST	2ND	3RD	4TH	5TH
STARTED					
CAKES USED					
WATER ON					
HRS. WASHED					
OHMS					
HRS. WASHED					
OHMS					
HRS. WASHED					
OHMS					
CAKE CONDITION					
NO. CARS LOADED	4				

EXPLAIN LOSSES

AMPLES

ELIVER TO

SAMPLED BY RELEASED BY

-DRYING-

DRY 24 HOURS AT 200°F

LUMP: - OK - WET - SALTS - CONTAMINATED

ADDITIONAL DRYING HOURS REQUIRED

NO. DRUMS 13

AMPLES

ELIVER TO

NO. CARS PULLED LUMP WGT. 2139

SAMPLED BY RELEASED BY

-GRINDING-

ILL 4 or 10 HSP 1/8"RB SCREEN 3500 RPM

AX. TEMP. 190 °F

SCREEN RPM

MAX. TEMP. °F

EXPLAIN LOSSES

AMPLE WITHOUT MIXING

AMPLES 1 env + 1 Pint can [redacted]

ELIVER TO C T L

DATE MIXED

SAMPLED BY 200 RELEASED BY 6-8-81

DUP050098651

1556
51
305

0.00 *

1.76 +
0.14 -
1.88 +
0.14 -
1.75 +
0.14 -
1.33 +
0.14 -
6.16 *

Make - 7

1556
51
85

1.95 +
0.14 -
1.96 +
0.14 -
1.91 +
0.14 -
1.97 +
0.14 -
1.96 +
0.14 -
2.01 +
0.14 -
1.87 +
0.14 -
1.69 +
0.14 -
1.17 +
0.14 -
6.16 +
21.39 *

DUP050098652