

REFERENCES

1. Ortiz, L. W. et al: "Interim Report: Penetration of Respirator Filters by an Asbestos Aerosol." May 2, 1984 (Los Alamos National Laboratory).
2. Myhre, L. G., R. D. Holden, F. W. Baumgardner and D. Tucker: Physiological Limits of Firefighters. Unclassified Report #ESL-TR-79-06, AFESC, Tyndall AFB, Florida (June 1979).
3. Raven, P. B. et al.: "Physiological Response to 'Pressure-Demand' Respirator Wear", Am. Ind. Hyg. Assoc. J. 43 (10): 773-781 (1982).
4. "Guide to Respirator Fit Testing" (1981), National Paint and Coating Association, Washington, D.C.
5. Liu, B. Y. U. et al: "In-Mask Aerosol Sampling for Powered Air Purifying Respirators." Am. Ind. Hyg. Assoc. J. 45(4):278-283 (1984).
6. U.S. Department of Health, Education and Welfare; NIOSH Manual of Analytical Methods, Second Edition, Volume I (April 1977).
7. National Institute for Occupational Safety and Health, Method 7400, February 15, 1984.
8. Adams, M. J. et al. "Cassette Extenders: Effects on Chrysotile Fiber Deposition and Concentration Measurements", Presented at the American Industrial Conference, May 24, 1983.
9. Snedecor, G. W. and W. G. Cochran: Statistical Methods. 7th Ed., Iowa State University Press, Ames, Iowa (1980).