REDACTED

AMENDED
OCCUPATIONAL HEALTH WORKING GROUP MINUTES
ROOM 6H204, BTL, MURRAY HILL
OCTOBER 21, 1975

PLAINTIFF'S EXHIBIT
ATT-107

In Attendance:

G. P. Bisgeier, M.D. - New Jersey Bell - Medical
G. R. Crimp - AT&T - Engineering
J. M. Degen (Secretary) - AT&T - Customer Facilities
J. P. Dunn, M.D. - Western Electric - Medical
M. J. Hanley, M.D. - Bell Labs - Medical
R. W. Stone, M.D. (Co-Chairman) - AT&T - Medical
G. M. Wilkening - Bell Labs - Environmental Health

THIS COPY FOR

Members Absent:

B. M. May (Co-Chairman)
J. F. McCahan, M.D.

Guest:

A. H. Koenig - Bell Labs

Future Meeting:

Date	Location	Time
December 3, 1975	Murray Hill	9:00 AM

LLA 000827

REDACTED

REDACTED

New Health Standards

The month of October produced many new proposed health standards, some of which are of major concern to the Bell System. Eleven new standards were proposed under the Standards Completion Project, whereby the established TLV was not changed, but extensive requirements for monitoring and medical surveillance detailed. The standards coming out of this project are all very similar to the Ketone standards, which were regarded as the pattern setter for the entire group. The CHWG submitted pre-hearing comments which have already been distributed and post-hearing comments on these standards (Attachment) that are appropriate in principle to the remaining standards forthcoming from the Standards Completion Project. Dr. Dunn and Mr. Wilkening will coordinate our comments on these eleven proposals.

The three new standard proposals with significant impact on the System are the culmination of NIOSH Criteria Documents that have previously been addressed by the CHWG, namely asbestos
Our comments on these will be coordinated by the same parties that handled the work on the Criteria Documents.

the asbestos standard by Dr. Dunn. Comments on all of these standards must be submitted during the month of December.

REDACTED

J. M. [illegible]
Secretary